

ANNOTATED LIST OF INVERTEBRATES OF THE GEORGIAN KARST CAVES

**Shalva Barjadze, Maka Murvanidze, Tea Arabuli, Le-
van Mumladze, Vera Pkhakadze, Revaz Djanashvili,
Meri Salakaia**



Georgian Academic Book
Tbilisi, 2015



Project:
“Biodiversity of the Invertebrate Animals in
Georgian Karst Caves”

This monograph is published by financial support of Shota Rustaveli
National Science Foundation (project №11/27)

Non-commercial publishing

*Shalva Barjadze, Maka Murvanidze, Tea Arabuli, Levan Mumladze,
Vera Pkhakadze, Revaz Djanashvili, Meri Salakaia*

Annotated List of Invertebrates of the Georgian Karst Caves

Technical editor - Maia Gambashidze

Cover design - Vakhtang Inanishvili

Design - Giorgi Kakabadze

© Shalva Barjadze, 2015

ISBN 978- 9941-9371-2-5



Georgian Academic Book
Ir. Abashidze Str. 16, 0179 Tbilisi, Georgia
Tel.: 222 7137, 551 227137, 551 960904
www.acad.ge; artlinesinfo@gmail.com

Contents

Introduction	5
List of caves with more than one name, mentioned in biospeleological and speleological literature	10
Part I. Annotated List of Invertebrates	12
Part II. Caves and their invertebrates' communities	65
Acknowledgements	103
Literature	105
Alphabetical index of caves	118

DEDICATION

**Dedicated to the memory of Dr. Eristo Kvavadze,
eminent Georgian zoologist**

INTRODUCTION

According to the great species and ecosystem diversity, high endemism and high risks of destroying of biodiversity, 34 hot spots of wild life are revealed in the world, among which the Caucasus ecoregion has appropriated place (Mayrs et al., 2000; Zazanashvili et al., 2004; Zazanashvili, 2009).

Western Georgia's karstic outcrops lie along the southern slope of the Greater Caucasus mountain range, extending some 325km from the Psou River to the Ertso Lake area. The total area of karstic rock outcrop amounts to about 4,475km², or 6.4% of the total area of Georgia (Tsikarishvili et al., 2010). The number of the karst caves revealed in Georgia exceeds 1,300 (Tatashidze et al., 2009). Four karst caves from the world's ten deepest karst ones are located in Georgia, including the deepest cave in the world – Krubera-Voronya Cave (2191 m depth) (Tsikarishvili et al., 2010; Klimchouk, 2012).

Cave ecosystems are one of the most fragile ecosystems on the Earth (Elliott, 2000; Hamilton-Smith & Eberhard, 2000; Krajick 2001). Sensitivity of bats and other cavernicoles (obligate cave dwelling organisms) is caused by their vulnerability to human disturbance (Judson Wynne & Pleytez, 2005). Due to the fact that many troglobitic species are endemic to a single cave with low population numbers, most troglobite populations are considered as imperiled (Krajick, 2001). Despite cavernicoles species sensitivity to disturbance, cave ecosystems are poorly understood (Culver et al., 2004).

Obligate cave-dwelling animals (Trogl-and stigobionts) represent quite specific group of animals. They underwent a number of morphological and ecophysiological adaptations for living in the cave environment, where there is a complete darkness, constant temperature, high humidity and low predatory pressure (Pricop & Negrea, 2009). Obligate cave-dwelling animals can be eyeless and pigmentless, have elongated legs and antennae equipped with well-developed sensitive apparatus. They have low rate of metabolism and continuous activity (Pricop & Negrea, 2009).

20 caves and wells are revealed as hotspots of subterranean biodiversity in the world based on high number of obligate cave-dwelling species (trogl-and stygobionts), which vary from 20 to 84 species for each cave and wall (Culver & Sket, 2000). D. Culver et al. (2006) suggested presence of potential subterranean hotspots in the karst regions of Western Caucasus in Georgia.

Investigation of the invertebrates in Georgian karst caves has been started at the end of XIX Century, when O. Boettger described new mollusk spe-

cies - *Conulopolita raddei* probably from Shroma (=Stalactite) Cave in Abkhazeti, Georgia (Boettger, 1879). First summarized review of the speleofauna of Georgia was published in 1948 (Zaitzev, 1948), where species sampled in caves were put together with their sampling localities and suitable literature data. Only 103 species were reported from 21 caves of Georgia (Zaitzev, 1948). J. Birstein reviewed cave fauna of the Western Transcaucasia and included 115 species from 36 caves in his paper (Birstein, 1950). J. Birstein also suggested possible Caucasian-Dinaric speleofaunistic connection. D. Kobakhidze reviewed cave fauna of Georgia and underlined reasons why intensive investigation of Georgian cave fauna was interesting (Kobakhidze, 1963). Review of Georgian speleofauna with indicating number of species in each animal phylum or class was published by R. Djanashvili (1980). The Number of cave sampled species reached to 240 species (Djanashvili, 1980). Investigation of the speleofauna proceeded slowly and at the beginning of the 1980s speleofauna had been investigated from only 71 caves (Djanashvili, 1984). 233 species and subspecies were recorded from Georgian caves in a monograph about the cave fauna of Russia and adjacent countries (Kniss, 2001). But, the list, which was basically compiled according to the literature sources, was incomplete and needs to be reviewed and updated. The taxonomic status of many species has been also changed (Tsikarishvili et al., 2010). The data about the speleofauna of each investigated caves were given in the Cadastre of the Karst Caves of Georgia (Tatashidze et al., 2009). However, some animal groups are commonly mentioned without indication of Latin names and citation of biospeleological publications, what indicates that these data were collected by speleologists rather than biospeleologists. Thus, this monograph has less scientific significance.

Troglophile - *Trichocera (Saltrichocera) maculipennis* (Meigen 1818) (Diptera: Trichoceridae) is the only one multicellular terrestrial organism in the world, which was found in the depth of 2140 m in Krubera-Voronya Cave, Abkhazeti, Georgia (Sendra & Reboleira, 2012). However, two stygobiont species – *Troglocaris* sp. (Decapoda: Atyidae) and *Zenkevitchia* sp. (Amphipoda: Typhlogammaridae) were sampled at the same depth of the above mentioned cave (Sendra & Reboleira, 2012).

J. Birstein's suggestion about possible Caucasian-Dinaric speleofaunistic connection (Birstein, 1950) was confirmed by phylogenetic study of the cave shrimp – *Troglocaris* sp., which revealed that West Balkan and Caucasian populations of *Troglocaris* diverged from each other about 6-11 Ma ago (Zakšek et al., 2007).

We have reviewed literature data published before 2015 and prepared a list of the invertebrate animals of Georgian karst caves. Besides, we have added new materials, sampled in the caves of Racha, Samegrelo and Imereti regions in 2012-2014. We tried to include in the monograph all the names of each cave in Georgian and Russian, when they had different names. The monograph is composed of 2 parts. In the first part there are listed all invertebrates from unicellular to multicellular animals with their Latin names and synonyms (if synonyms were mentioned in publications), published about Georgian cave fauna. Class, order and family are indicated for each invertebrate species. Also distribution, suitable literature and/or material examined (if we investigated materials) are given for each species. In the second part of the monograph, there is a list of the caves provided in alphabetical order along with their different names (if any), information on cave location and the list of invertebrates known from each cave. All animal groups under each cave are listed in alphabetical order with their common names. Invertebrate species are grouped alphabetically in suitable animal group as well. Along each animal group we write the number of species in parenthesis. Based on literature and our data 415 invertebrate species belonging to 45 orders of 18 classes united in 7 phyla are recorded from 124 karst caves. Maximum number of species belongs to arthropods – 345 species, 43 species – to mollusks, 10 and 9 species - to annelids and amoeboid protozoans respectively; 5, 2 and 1 species – to nematodes, ciliates and flatworms respectively (Diagram 1). Arthropods are represented by 8 classes. Maximum number of species belongs to arachnids – 142 species, while one by one species are registered for seed shrimps and (Diagram 2). Within investigated 124 karst caves, there are only 20 caves with more than 10 invertebrate species registered (Table 1). Maximum number of species - 29 is recorded in Dzudzuana Cave and only 11-11 species are recorded in Sakishore and Sataplia IV caves (Table 1). Invertebrates, belonging to 3 phyla are registered in Kveda Shakurani, Sakishore, Sataplia I, Shroma, Tsebelda and Tskaro caves.

In the conclusion we would like to say that Georgian cave fauna is still poorly investigated, if taking into account that even after our investigations, only about 10% of karst caves are investigated biospeleologically. This should be the result of the absence of local cave biologists for a long time and/or less interest in cave investigation. We hope that, after intensive biospelological investigation, the number of invertebrate species will be increased due to discovering new endemic troglo- and stygobiont species and hotspots of subterranean diversity will be recognized in Georgia in the future.

Diagram 1. The number of invertebrate species in each animal phylum in Georgian karst caves.




Diagram 2. The number of invertebrate species in animal classes of the phylum Arthropoda in Georgian karst caves.




Table 1. Karst caves with high species number in Georgia.

Abbreviations in table: Amo.: amoeboid protozoans; Ann.: annelids; Art.: arthropods; Cil.: ciliates; Flat.: flatworms; Mol.: mollusks; Nem.: nematodes

Cave	Invertebrate phyla							In total
	Amo.	Cil.	Flat.	Nem.	Ann.	Mol.	Art.	
Dzudzuana	-	-	-	-	-	-	29	29
Tsakhi	-	-	-	-	1	-	27	28
Adzaba	-	-	-	-	1	-	22	23
Kidobana	-	-	-	-	-	-	22	22
Prometheus	-	-	-	-	-	4	13	21
Tetra	-	-	-	-	-	1	19	20
Kveda Shakurani	-	2	-	-	-	5	12	19
Shroma	-	-	-	-	1	4	14	19
Sapichkhia	-	-	-	-	-	2	16	18
Sataplia I	-	-	-	-	1	2	15	18
Kelasuri	-	-	-	-	-	-	17	17
Meliis	-	-	-	-	-	-	17	17
Navenakhevi	-	-	-	-	-	-	17	17
Otapistavi	3	-	-	-	-	-	14	17
Krubera-Voro-nya	-	-	-	-	-	-	16	16
Tsebelda	-	-	-	-	1	5	11	16
Tskaro	-	-	-	-	1	3	10	14
Motena	-	-	-	-	-	-	13	13
Sakishore	-	-	-	-	1	2	8	11
Sataplia IV	-	-	-	-	-	-	11	11

List of caves with more than one name, mentioned in biospeleological and speleological literature

Abrskili (=Ablaskiri, Achkhi-tizgua, Achkhshe-tiz-gua, Chlou) Cave
Adzaba (=Eshera) Cave
Aghmavali (=Old Stalactite, Psirtska, Psyrttska) Cave
Aghmosavlet Gumista I (=Vastochnaya Gumista I) Cave
Aghmosavlet Gumista II (=Vastochnaya Gumista II) Cave
Akhal Atoni (=Anakopia, Iveria ?, Novoafonskaya) Cave
Akhalsheni (=Andreevka, Andreevskaya) Cave
Akui (=Chasm of Abkhazian Speleologists) Cave
Anukhva (=Anukhvinskaya) Cave
Buja-Karianiklde (=Khreiti) Cave
Chishura II Cave (=Chishura Cave)
Dasavlet Gumista (=Zapadnaya Gumista) Cave
Guma (=Gumi) Cave
Iluzia-tovliani-mejeni (=Snejnaya, Snezhnaya) Cave
Jeopse (=Sandripshi) Cave
Jortsku I (=Jortsku) Cave
Kelasuri (=Aleksandrovka) cave
Khvedelidzeebisklde (=Khvedelidze) Cave
Kuibishevi (=Kuibyshevskaya) Cave
Kveda Akhalsheni (=Nizhnyaya Andreevskaya) Cave
Kveda Shakurani (=Nizhnyaya Shakuranskaya, Shakurani III) Cave
Manikvara (=Maanikvara) Cave
Meliis (=Nikortsminda) Cave
Mikava (=Okaje) Cave
Patsristavi (=Novaya, bliz ozera in Tskaltubo) Cave
Prometheus (=Kumistavi, Orpiri I, Tskaltubo) Cave
Sakajia (=Virkhovi) Cave

Sakinule (=Nikortsminda) Cave
Sakire (=Chuneshi) Cave
Samelekldde (=Samele) Cave
Samgleklde (=Mgelakldde) Cave
Sapichkhia (=Rionhesi) Cave
Shua Shakurani (=Shakurani II, Srednyaya Shakuranskaya) Cave
Shareula I (=Shareula, Shaora-Shareula) Cave
Shroma (=Mikhailovskaya, Stalactite) Cave
Simon Kananeli (=St. Simon Canonist, St. Simon kanonik, St. Simon Kananites) Cave
Tarkili (=Tarkiladze) Cave
Tarokldde (=Rachvelebi) Cave
Tetra (=Belya, Tskaltubskaya Stalaktitovaya) Cave
Tsakhi (=Gogoleti) Cave
Tsebelda (=Tsebeldinskaya) Cave
Tsikherva (=St. Ipatia) Cave
Tskaltsitela (=Iazoni) Cave
Tskaltsitela (=Chakhati) Grotto
Tskaro Cave (=Venetsia, peschera u venetsialnogo mosta) Abkhazeti
Tsutskhvati Cave Complex (=Maghara, Tsutskhvati I-XI caves)
Zeda Akhalsheni Cave (=Verkhnyaya Andreevskaya) Cave
Zeda Kvlishori (=Tsikhe) Cave
Zeda Shakurani (=Shakurani I, Verkhnyaya Shakuranskaya) Cave
Zemo Eshera (=Verkhnyaya Esherskaya) Cave

PART I. ANNOTATED LIST OF INVERTEBRATES

Amoeboid Protozoans (Protozoa-Amoebozoa)

Arcella discoidea Ehrenberg, 1843 (Tubulinea: Arcellinida: Arcellinidae)

Distribution: Otapistavi Cave (Chibisova, 1967).

Centropyxis aculeata var. *oblonga* Deflandre, 1929 (Tubulinea: Arcellinida: Centropyxidae)

Distribution: Otapistavi Cave (Chibisova, 1967).

Cyclopyxis arcelloides Penard, 1902 (Tubulinea: Arcellinida: Trigonopyxidae)

Distribution: Anukhva Cave (Chibisova, 1967).

Cyclopyxis intermedia Kufferath, 1932 (=*Cyclopyxis bathystoma* Chibisova, 1967; *Cyclopyxis kahli* var. *grandis* Chibisova, 1967) (Tubulinea: Arcellinida: Trigonopyxidae)

Distribution: Anukhva Cave (Chibisova, 1967).

Cyclopyxis kahli Deflandre, 1929 (Tubulinea: Arcellinida: Trigonopyxidae)

Distribution: Anukhva Cave (Chibisova, 1967).

Cyclopyxis penardi var. *minor* Chibisova, 1967 (Tubulinea: Arcellinida: Trigonopyxidae)

Distribution: Anukhva Cave (Chibisova, 1967).

Difflugia oblonga oblonga Ehrenberg, 1832 (Tubulinea: Arcellinida: Difflugiidae)

Distribution: Otapistavi Cave (Chibisova, 1967).

Plagiopyxis callida Penard, 1910 (Tubulinea: Arcellinida: Difflugina)

Distribution: Anukhva Cave (Chibisova, 1967).

Pontigulasia incisa Rhumbler, 1896 (Tubulinea: Arcellinida: Difflugina)

Distribution: Anukhva Cave (Chibisova, 1967).

Ciliates (Protozoa-Ciliophora)

***Gymnodinioides* sp.** (Oligohymenophorea: Apostomatida: Foettingeriidae)

Distribution: Kveda Shakurani Cave (Dovgal & Vargovitsh, 2010).

***Spelaeophrya troglocaridis* Stammer, 1935** (Phyllopharyngea: Exogenida: Spelaeophryidae)

Distribution: Kveda Shakurani Cave (Dovgal & Vargovitsh, 2010).

Flatworms (Platyhelminthes)

***Tricladida* sp. indet. (Turbellaria)**

Distribution: Tskaltsitela Cave (Birstein & Lopashov, 1940).

Nematodes (Nematoda)

***Aglenchus agricola* (de Man, 1884) (=*Tylenchus Agricola* de Man, 1884)** (Secernentea: Tylenchida: Tylenchidae)

Distribution: Chamkhona Cave (Eliava, 1966).

***Monhystera* sp.** (Chromadorea: Monhysterida: Monhysteridae)

Distribution: Chamkhona Cave (Eliava, 1966).

***Plectus rhyzophilus* de Man, 1880** (Chromadorea: Plectida: Plectidae)

Distribution: Chamkhona Cave (Eliava, 1966).

***Prismatolaimus dolichurus* de Man, 1880** (Enoplea: Triplonchida: Prismatolaimidae)

Distribution: Jeopse Cave (Eliava, 1966).

***Prismatolaimus* sp.** (Enoplea: Triplonchida: Prismatolaimidae)

Distribution: Jeopse Cave (Eliava, 1966).

Annelids (Annelida)

Earthworms - Lumbricidae

***Dendrobaena hortensis* (Michaelsen, 1890) (=*Eisenia birsteini* Malevics, 1947)** (Clitellata: Haplotaxida: Lumbricidae)

Distribution: Chlakhe Cave (Malevics, 1947).

Dendrobaena veneta veneta (Rosa, 1886) (=*Eisenia veneta* var. *minuta* Malevics, 1947) (Clitellata: Haplotaxida: Lumbricidae)

Distribution: Aiusta Cave (Malevics, 1947).

Material examined: Kortskheli Cave, Dark zone, 1 specimen, leg. Sh. Barjadze, det. C. Csuzdi; Samerthkhleklde I Cave, Twilight zone, 2 specimens, leg. Sh. Barjadze, det. C. Csuzdi.

Eisenia fetida (Savigny, 1826) (Clitellata: Haplotaxida: Lumbricidae)

Distribution: Chlakhe Cave, Sataplia I Cave, Shroma Cave, Tskaro Cave (Malevics, 1947).

Materail examined: Sakire Cave, Dark zone, 2 specimens, leg. Sh. Barjadze, det. C. Csuzdi.

Eophila hypogea Malevich, 1947 (Clitellata: Haplotaxida: Lumbricidae)

Distribution: Tskaltsitela Cave (Malevics, 1947).

Leechs (Annelida – Hirudinea)

Dina ratschaensis Kobakhidze 1958 (Clitellata: Arhynchobdellida: Erpobdellidae)

Distribution: Sakishore Cave, Tsivtskala Cave (Kobakhidze, 1958).

Hirudinea sp. indet.

Distribution: Zeda Kvlishori Cave (Djanashvili, 1980)

Tubificids (Annelida – Tubificida)

Embocephalus velutinus (Grube 1879) (=*Peloscolex velutinus* Grube) (Clitellata: Tubificida: Tubificidae)

Distribution: Tsebelda Cave (Birstein & Lopashov, 1940).

Haplotaxids (Annelida – Haplotaxida)

Archaeodrilus cavaticus Czerniavsky, 1880 (Clitellata: Haplotaxida: Haplotaxidae)

Distribution: Protsenka Cave (near Sokhumi) (Czerniavsky, 1880).

Comment: Its taxonomic status is unclear (Malevich, 1947).

***Haplotaxis gordiooides* (Hartmann, 1821)** (Clitellata: Haplotaxida: Haplotaxidae)

Distribution: Troika Cave (Sidorov, 2014).

Enchytraeidae sp. indet. (Clitellata: Haplotaxida)

Distribution: Adzaba Cave, Tsakhi Cave (Birstein & Lopashev, 1940; Malevics, 1947).

Mollusks (Mollusca)

***Acrotoma baryshnikovi* Likharev et Schileyko, 2007** (Gastropoda: Pulmonata: Clausiliidae)

Distribution: Georgia, South Ossetia, Dzhavsky district, environs of Akhsardgin (about 2 km of Kvaisi settlement), Taling-Leget Cave, 1700 m above sea level (Likharev & Schileyko, 2007).

***Ancylus fluviatilis* (Müller, 1774)** (Gastropoda: Panpulmonata: Planorbidae)

Material examined: Sataplia I Cave, Dark zone, 3 specimens, leg. L. Mumladze, det. L. Mumladze.

***Belgrandiella abchasica* Starobogatov, 1962** (Gastropoda: Neotaenioglossa: Hydrobiidae)

Distribution: Kveda Shakurani Cave (Starobogatov, 1962).

***Belgrandiella (?) abchasica* Starobogatov, 1962** (Gastropoda: Neotaenioglossa: Hydrobiidae)

Distribution: Akhali Atoni Cave (Vinarski et al., 2014).

***Bythinella* sp.** (Gastropoda: Littorinimorpha: Amnicolidae)

Material examined: Sataplia I Cave, Dark zone, 10 specimens, leg. L. Mumladze, det. L. Mumladze.

***Circassina frutis* (Pfeiffer, 1859)** (Gastropoda: Panpulmonata: Hygromiidae)

Material examined: Kortskheli Cave, 1 specimen, leg. T. Arabuli, det. L. Mumladze.

Cochlicopa lubricella (Rossmässler, 1834) (Gastropoda: Panpulmonata: Cochlicopidae)

Material examined: Prometheus Cave, Dark zone, 1 specimen, leg. L. Mumladze, det. L. Mumladze.

Codiella sp. (Gastropoda: Littorinimorpha: Bithynidae)

Material examined: Prometheus Cave, Dark zone, 10 specimens, leg. L. Mumladze, det. L. Mumladze.

Conulopolita cavatica (Riedel, 1966) (= *Oxychilus cochlospeleus* Tzvetkov in Birshtein, 1950, nomen nudum) (Gastropoda: Pulmonata: Oxychilidae)

Distribution: Bacha Cave, Chlakhe Cave, Jeopse Cave, Shroma Cave (Birstein, 1950; Ljovuschkin, 1966).

Conulopolita raddei (Boettger, 1879) (= *Hyalinia (Conulopolita) raddei* O. Boettger, 1879) (Gastropoda: Pulmonata: Oxychilidae)

Distribution: Anish Cave, Bacha Cave, Chlakhe Cave, Guma Cave, Shroma Cave, Tskaro Cave (Boettger, 1879; Zaitzev, 1948; Birstein, 1950).

Daudebardia nivea Schileyko, 1988 (Gastropoda: Pulmonata: Oxychilidae)

Distribution: Oficho Cave (Schileyko, 1988).

Daudebardia sp. (Gastropoda: Pulmonata: Oxychilidae)

Distribution: Tskaro Cave (Zaitzev, 1948).

Elia derasa (Mousson, 1863) (Gastropoda: Panpulmonata: Clausiliidae)

Material examined: Orpiri II Cave, Dark zone, 1 specimen, leg. L. Mumladze, det. L. Mumladze.

Euglesa liovushkini (Starobogatov, 1962) (= *Pisidium liovuschkini* Starobogatov, 1962) (Bivalvia: Veneroida: Sphaeriidae)

Distribution: Tzebelda Cave (Starobogatov, 1962).

***Euglesa subterranea* (Shadin, 1932) (=*Pisidium subterraneum* Shadin, 1932)** (Bivalvia: Veneroida: Sphaeriidae)

Distribution: Sapichkhia Cave, Tsebelda Cave (Shadin, 1932; Birstein & Lopashov, 1940; Tzvetkov, 1940).

***Eumilax brandti* (Martens, 1880) (=*Paralimax albocarinatus* Simroth, 1901)** (Gastropoda: Pulmonata: Limacidae)

Distribution: Shroma Cave (Birstein & Lopashov, 1940, Tsvetkov, 1940; Zaitzev, 1948; Birstein, 1950).

***Eumilax cf. brandti* (Martens, 1880)** (Gastropoda: Pulmonata: Limacidae)

Material examined: Sakishore Cave, Dark zone, 1 specimen, leg. Sh. Barjadze, det. L. Mumladze.

***Geyeria horatiformis* Starobogatov, 1962** (Gastropoda: Neotaenioglossa: Hydrobiidae)

Distribution: Kveda Shakurani Cave (Starobogatov, 1962).

***Hyalinia* sp.** (Gastropoda: Stylommatophora: Zonitidae)

Distribution: Tskaro Cave (Zaitzev, 1948).

***Lauria* sp.** (Gastropoda: Pulmonata: Lauriidae)

Distribution: Chlakhe Cave (Birstein, 1950).

***Lesticulus nocturnus* Schileyko, 1988** (Gastropoda: Stylommatophora: Trigonocheilomydidae)

Distribution: Oficho Cave (Schileyko, 1988).

***Motsametia borutzkyi* (Shadin, 1932) (=*Horatia borutzkyi* Shadin, 1932)** (Gastropoda: Neotaenioglossa: Hydrobiidae)

Distribution: Sapichkhia Cave, Tskaltsitela Cave (Shadin, 1932; Vinarski et al. 2014).

***Mucronaria pleuroptychia* (Boettger, 1878)** (Gastropoda: Panpulmonata: Clausiliidae)

Material examined: Bregvadzeebisklde Cave, Entrance zone, 1 specimen, leg. T. Arabuli, det. L. Mumladze.

«*Oxychilus*» *birsteini* Tzvetkov, 1940 (Gastropoda: Pulmonata: Oxychilidae)

Distribution: Kveda Akhalsheni Cave (Tzvetkov, 1940; Birstein, 1950).

***Oxychilus koutaisianus* (Mousson, 1863)** (Gastropoda: Pulmonata: Oxychilidae)

Material examined: Chishura source Cave, 1 specimen, leg. T. Arabuli, det. L. Mumladze; Chishura II Cave, 1 specimen, leg. T. Arabuli, det. L. Mumladze; Kakhidze Cave, Twilight zone, 1 specimen, leg. Sh. Barjadze, det. L. Mumladze; Nagarevi Grotto, Twilight zone, 1 specimen, leg. T. Arabuli, det. L. Mumladze; Orpiri II Cave, Dark zone, 1 specimen, leg. L. Mumladze, det. L. Mumladze; Samertskhleklde I Cave, Dark zone, 1 specimen, leg. T. Arabuli, det. L. Mumladze; Taroklde Cave, Dark zone, 3 specimens, leg. T. Arabuli, det. L. Mumladze; Tsklisklde Cave, Twilight zone, 1 specimen, leg. T. Arabuli, det. L. Mumladze.

***Oxychilus subeffusus* (Boettger, 1879) (=*Vitrea subeffusa* Boettger, 1879) (Gastropoda: Pulmonata: Oxychilidae)**

Distribution: Tsebelda Cave (Birstein & Lopashov, 1940; Tsvetkov, 1940).

***Oxychilus sucinaceus sucinaceus* (Bottger, 1883)** (Gastropoda: Pulmonata: Oxychilidae)

Material examined: Kakhidze Cave, Twilight zone, 2 specimens, leg. T. Arabuli, det. L. Mumladze; Nazodelavo Cave, Entrance zone, 1 specimen, Twilight zone, 1 specimen, leg. T. Arabuli, det. L. Mumladze; Orpiri II Cave, Dark zone, 5 specimens, leg. L. Mumladze, det. L. Mumladze; Satsurblia Cave, Dark zone, 1 specimen, leg. L. Mumladze, det. L. Mumladze; Savekuo Cave, Entrance zone, 2 specimens, Twilight zone, 1 specimen, Dark zone, 1 specimen; leg. T. Arabuli, det. L. Mumladze; Solkota Cave, Entrance zone, 6 specimens, leg. L. Mumladze, det. L. Mumladze; Tetra Cave, Entrance zone, 3 specimens, leg. L. Mumladze, det. L. Mum-

ladze; Tsklisklde Cave, Dark zone, 1 specimen, leg. T. Arabuli, det. L. Mumladze;

***Oxychilus* sp. 1 (as *Oxychilus subreticulata* Tzvetkov (nomen nudum))**

(Gastropoda: Pulmonata: Oxychilidae)

Distribution: Guma Cave (Birstein, 1950).

***Oxychilus* sp. 2 (Gastropoda: Pulmonata: Oxychilidae)**

Material examined: Tsivtskala Cave, Entrance zone, 1 specimen, leg. Sh. Barjadze, det. L. Mumladze.

***Paladilhiopsis aculeus* Starobogatov, 1962** (Gastropoda: Neotaenioglossa: Moitessieriidae)

Distribution: Kveda Shakurani Cave (Starobogatov, 1962).

***Paladilhiopsis schakuranica* Starobogatov, 1962** (Gastropoda: Neotaenioglossa: Moitessieriidae)

Distribution: Kveda Shakurani Cave (Starobogatov, 1962).

***Paladilhiopsis shadini* Starobogatov, 1962** (Gastropoda: Neotaenioglossa: Moitessieriidae)

Distribution: Akhali Atoni Cave, Tsebelda Cave (Starobogatov, 1962; Vinarski et al., 2014).

***Physella acuta* (Draparnaud, 1805)** (Gastropoda: Panpulmonata: Physidae)

Material examined: Prometheus Cave, Dark zone, 1 specimen, leg. L. Mumladze, det. L. Mumladze.

***Pontohoratia birsteini* (Starobogatov, 1962) (=*Horatia birsteini* Starobogatov, 1962, *Horatia liovushkini* Starobogatov, 1962, *Horatia sokolovi* Starobogatov, 1962)** (Gastropoda: Neotaenioglossa: Hydrobiidae)

Distribution: Kveda Shakurani Cave, Tsebelda Cave (Starobogatov, 1962).

Pontohoratia smyri Vinarski, Palatov, Glöer, 2014 (Gastropoda: Neotaenioglossa: Hydrobiidae)

Distribution: Akhali Atoni Cave (Vinarski et al. 2014).

Schistophallus suginacius (Boettger, 1883) (Gastropoda: Pulmonata: Oxychilidae)

Material examined: Sakishore Cave, Dark zone, 1 specimen, leg. Sh. Barjadze, det. L. Mumladze.

Scrobifera taurica taurica (Pfeiffer, 1848) (=*Idula foveicollis* Charpentier, 1852) (Gastropoda: Pulmonata: Clausiliidae)

Distribution: Chamkhona Cave (Ljovuschkin, 1966).

Serrulina sp. 1 (as *Serrulina birsteini* Tzvetkov (nomen nudum)) (Gastropoda: Pulmonata: Clausiliidae)

Distribution: Chlakhe Cave (Birstein, 1950).

Serrulina sp. 2 (as *Serrulina inferna* Tzvetkov (nomen nudum)) (Gastropoda: Pulmonata: Clausiliidae)

Distribution: Bacha Cave (Birstein, 1950).

Serrulina sp. 3 (as *Serrulina serena* Tzvetkov (nomen nudum)) (Gastropoda: Pulmonata: Clausiliidae)

Distribution: Shroma Cave (Birstein, 1950).

Serrulina sp. 4. (Gastropoda: Pulmonata: Clausiliidae)

Distribution: Zeda Akhalsheni Cave (Birstein, 1950).

Vitrinoxychilus subsuturalis (Boettger, 1888) (Gastropoda: Panpulmonata: Oxychilidae)

Material examined: Godogani Cave, Dark zone, 1 specimen, leg. T. Arabuli, det. L. Mumladze.

Vitrinoxychilus suturalis (Boettger, 1881) (Gastropoda: Panpulmonata: Oxychilidae)

Material examined: Prometheus Cave, Dark zone, 1 specimen, leg. L. Mumladze, det. L. Mumladze.

Millipedes (Arthropoda-Diplopoda)

Anamastigona mauriesi Golovatch & Makarov, 2011 (Diplopoda: Chordeumatida: Anthroleucosomatidae)

Distribution: Tarkili Cave (Golovatch & Makarov, 2011).

Archileucogeorgia abchasica (Lohmander, 1936) (Diplopoda: Julida: Julidae)

Distribution: Abrskili Cave, Kelasuri Cave (Lohmander, 1936; Birstein & Lopashov, 1940).

Archileucogeorgia satunini (Lohmander, 1936) (Diplopoda: Julida: Julidae)

Distribution: Kelasuri Cave (Lohmander, 1936).

Archileucogeorgia sp. (Diplopoda: Julida: Julidae)

Distribution: Bnelaklde Cave, Sakadzhia Cave, Sakire Cave, Sataplia I, II and IV caves, Tetra Cave, Tkibula-Dzevrula Cave, Tsakhi Cave, Tvishi Cave, Zeda Kvilishori Cave (Golovatch, 1981).

Brachydesmus ferrugineus Lohmander, 1936 (Diplopoda: Polydesmida: Polydesmidae)

Distribution: Meliis Cave (Golovatch, 1981).

Brachydesmus kalischewskyi Lignau, 1911 (Diplopoda: Polydesmida: Polydesmidae)

Distribution: Kudaro Cave (Golovatch, 1981).

Choneiulus sp. (Diplopoda: Julida: Blaniulidae)

Distribution: Cave in the Enguri gorge (Golovatch, 1981).

Cylindroiulus sp. (Diplopoda: Julida: Julidae)

Distribution: Meliis Cave (Golovatch, 1981).

***Leucogeorgia longipes* Verhoeff, 1930** (Diplopoda: Julida: Julidae)

Distribution: Sapichkhia Cave (Verhoeff, 1930).

***Leucogeorgia rediviva* Golovatch, 1983** (Diplopoda: Julida: Julidae)

Distribution: Sabatchya Cave (Golovatch, 1983).

***Leucogeorgia* sp.** (Diplopoda: Julida: Julidae)

Distribution: Tsakhi Cave (Birstein & Lopashov, 1940)

***Megaphyllum (Pontobrachyiulus) dioscoriadis* (Lignau, 1914)** (Diplopoda: Julida: Julidae)

Distribution: Shroma Cave (Lohmander, 1936; Kobakhidze, 1965).

***Nopoiulus (Paranopoiulus)* sp.** (Diplopoda: Julida: Blaniulidae)

Distribution: Kelasuri Cave (Lohmander, 1936; Kobakhidze, 1965).

***Ratcheuma excorne* Golovatch, 1985** (Diplopoda: Chordeumatida: Anthroleucosomatidae)

Distribution: Meliis Cave (Golovatch, 1985).

***Trachysphaera fragilis* Golovatch, 1976** (Diplopoda: Glomerida: Doderiidae)

Distribution: Ghliana Cave, Kumistavi Cave, Motena Cave, Orpiri II Cave, Prometheus Cave, Sataplia I Cave, Sataplia II Cave, Sataplia IV Cave, Solkota Cave, Tetra Cave (Golovatch, 1976, 1990).

***Trachysphaera minuta* Golovatch, 1976** (Diplopoda: Glomerida: Doderiidae)

Distribution: Shareula I Cave (Golovatch, 1990).

***Trachysphaera orientalis* Golovatch, 1976** (Diplopoda: Glomerida: Doderiidae)

Distribution: Bnelakldze Cave, Taroklde Cave, Tsakhi Cave (Golovatch, 1976, 1990).

***Trachysphaera radiosha* (Lignau, 1911)** (Diplopoda: Glomerida: Doderiidae)

Distribution: Sataplia I Cave (Golovatch, 1976).

***Trachysphaera solida* Golovatch, 1976** (Diplopoda: Glomerida: Doderiidae)

Distribution: Prometheus Cave (Golovatch, 1976).

Family Glomeridae indet. (Diplopoda: Glomerida)

Distribution: Tsakhi Cave (Birstein & Lopashov, 1940).

Order Chordeumatida sp. indet.

Distribution: Adzaba Cave (Birstein & Lopashov, 1940).

Order Chordeumatida sp. indet.

Distribution: Krubera-Voronya Cave (Sendra & Reboleira, 2012).

Centipedes (Arthropoda-Chilopoda)

***Harpolithobius birsteini* Zalesskaya, 1972** (Chilopoda: Lithobiomorpha: Lithobiidae)

Distribution: Avidzba Cave (Zalesskaya, 1972).

***Lithobius coloratus* Sseliwanoff, 1881** (Chilopoda: Lithobiomorpha: Lithobiidae)

Distribution: Tsivtskala Cave (Zalesskaya, 1972).

***Lithobius erythrocephalus* Koch, 1847** (Chilopoda: Lithobiomorpha: Lithobiidae)

Distribution: Tsivtskala Cave (Zalesskaya, 1972).

***Lithobius portchinskii* Sseliwanoff, 1881** (Chilopoda: Lithobiomorpha: Lithobiidae)

Material examined: Sataplia I Cave, 25.X.1981, 1 female, leg. S. Golovatch, det. A. Minelli.

***Lithobius reconditus* Zalesskaja, 1972** (Chilopoda: Lithobiomorpha: Lithobiidae)

Material examined: Sataplia I Cave, 25.X.1981, 3 specimens, leg. S. Golovatch, det. A. Minelli.

***Lithobius stuxbergi* Seliwanoff, 1881** (Chilopoda: Lithobiomorpha: Lithobiidae)

Distribution: Otapistavi Cave (Zalesskaya, 1972).

Material examined: Sataplia I Cave, 25.X.1981, 3 specimens, leg. S. Golovatch, det. A. Minelli.

***Lithobius* sp.** (Chilopoda: Lithobiomorpha: Lithobiidae)

Distribution: Anish Cave, Otapistavi Cave, Tsakhi Cave (Birstein, 1950).

***Lithobius* sp.** (Chilopoda: Lithobiomorpha: Lithobiidae)

Distribution: Chamkhona Cave (Ljovuschkin, 1966).

***Scutigera coleoptrata* (Linnaeus, 1758)** (Chilopoda: Scutigeromorpha: Scutigeridae)

Distribution: Tsikhervia Cave (Birstein, 1950).

Amphipods – (Arthropoda: Malacostraca: Amphipoda)

***Anopogammarus revazi* (Birstein & Levuschkin, 1970) (=Zenkebitchia revazi Birstein & Levuschkin, 1970)** (Malacostraca: Amphipoda: Typhlogammaridae)

Distribution: Motena Cave (Birstein & Levuschkin, 1970).

***Anopogammarus* sp.** (Malacostraca: Amphipoda: Typhlogammaridae)

Distribution: Akhali Atoni Cave (Vinarski et al., 2014)

***Gammarus komareki imeretinus* Birstein, 1933** (Malacostraca: Amphipoda: Niphargidae)

Distribution: Tskaltsitela Cave (Birstein, 1933).

***Gammarus pulex* Linnaeus, 1758** (Malacostraca: Amphipoda: Niphargidae)

Distribution: Adzaba Cave, Tsebelda Cave (Birstein & Lopashov, 1940).

***Niphargus ablaskiri ablaskiri* Birstein, 1940** (Malacostraca: Amphipoda: Niphargidae)

Distribution: Abrskili Cave (Birstein, 1940, 1950).

***Niphargus borutzkyi* Birstein, 1933** (Malacostraca: Amphipoda: Niphargidae)
Distribution: Sapichkhia Cave, Sataplia I Cave, Tskaltsitela Cave (Birstein, 1933, 1950).

Comment: This species was mentioned as “*Niphargus stygius borutzkyi* Birstein” erroneously in Birstein, 1950 for Tskaltsitela, Sapichkhia and Sataplia I caves.

***Niphargus inermis* Birstein, 1940 (=*Niphargus ablaskiri inermis* Birstein, 1940)** (Malacostraca: Amphipoda: Niphargidae)

Distribution: Kelasuri Cave, Kveda Shakurani Cave, Shroma Cave, Troika Cave (Birstein, 1940, 1950; Sidorov, 2014).

***Niphargus iniochus* Birstein, 1941 (=*Niphargus puteanus iniochus* Birstein, 1941)** (Malacostraca: Amphipoda: Niphargidae)

Distribution: Kveda Akhalsheni Cave, Kveda Shakurani Cave (Birstein & Lopashov, 1940; Birstein, 1941, 1950; Sidorov, 2014).

***Niphargus magnus* Birstein, 1940 (=*Niphargus longicaudatus magnus* Birstein, 1940)** (Malacostraca: Amphipoda: Niphargidae)

Distribution: Kveda Shakurani Cave, Otapistavi Cave, Shua Shakurani Cave, Tsebelda Cave (Birstein & Lopashov, 1940; Birstein, 1940, 1950).

***Niphargus otharicus* Birstain, 1952 (=*Niphargus puteanus otharicus* Birstain, 1952)** (Malacostraca: Amphipoda: Niphargidae)

Distribution: Bacha Cave (Birstein, 1952).

***Stygobromus behningi* (Birstein, 1948) (=*Synurella behningi* Birstein, 1948)** (Malacostraca: Amphipoda: Crangonyctidae)

Distribution: Bacha Cave (Birstein, 1948).

***Zenkevitchia admirabilis* Birstein, 1941** (Malacostraca: Amphipoda: Typhlogammaridae)

Distribution: Agumava Cave, Akhali Atoni Cave?, Kveda Akhalsheni Cave, Kveda Shakurani Cave, Shua Shakurani Cave, Tarkili Cave, Tsebelda Cave, Zeda Shakurani Cave (Birstein & Lopashov, 1940; Birstein, 1940, 1950; Birstein & Levuschkin, 1970; Sidorov, 2014).

Zenkevitchia sp. 1 (Malacostraca: Amphipoda: Typhlogammaridae)

Distribution: Krubera-Voronya Cave (Sendra & Reboleira, 2012).

Zenkevitchia sp. 2 (Malacostraca: Amphipoda: Typhlogammaridae)

Distribution: Troika Cave (Sidorov, 2014).

Decapods – (Arthropoda: Malacostraca: Decapoda)

Troglocaris (Xiphocaridinella) ablaskiri Birstein, 1939 (=*Troglocaris schmidti ablaskiri* Birstein, 1939) (Malacostraca: Decapoda: Atyidae)

Distribution: Abrskili Cave (Birstein, 1939; Birstein & Lopashov, 1940).

Troglocaris birsteini Mugue, Zueva & Ershov, 2001 (Malacostraca: Decapoda: Atyidae)

Distribution: Abrskili Cave, Otapistavi Cave (Mugue, Zueva & Ershov, 2001).

Troglocaris (Xiphocaridinella) fagei Birstein, 1939 (=*Troglocaris schmidti fagei* Birstein, 1939) (Malacostraca: Decapoda: Atyidae)

Distribution: Aghmavali Cave, Akhali Atoni Cave (Birstein & Lopashov, 1940; Birstein, 1950; Marin & Sokolova, 2014).

Troglocaris (Xiphocaridinella) kutaissiana (Sadowsky, 1930) (=*Troglocaris schmidti kutaissiana* (Sadowsky, 1930)) (Malacostraca: Decapoda: Atyidae)

Distribution: Sapichkhia Cave, Tskaltsitela Cave (Sadowsky, 1930; Birstein, 1950).

Troglocaris (Xiphocaridinella) osterloffii Juzbaš'jan, 1940 (=*Troglocaris schmidti ostewrloffi* Juzbaš'jan, 1940) (Malacostraca: Decapoda: Atyidae)

Distribution: Kveda Shakurani Cave (Juzbaš'jan, 1940; Birstein, 1950).

Troglocaris schmidti Dormitzer, 1853 (Malacostraca: Decapoda: Atyidae)

Distribution: Otapistavi Cave, Tskaro Cave (Birstein & Lopashov, 1940).

Comment: This is probably *Troglocaris birsteini* in Otapistavi Cave and possibly undescribed species from Tskaro Cave.

***Troglocaris* sp.** (Malacostraca: Decapoda: Atyidae)

Distribution: Krubera-Voronya Cave (Sendra & Reboleira, 2012).

Isopods – (Arthropoda: Malacostraca: Isopoda)

***Asellus monticola fontinalis* Birstein, 1936** (Malacostraca: Isopoda: Asellidae)

Distribution: Tskaltsitela Cave (Vinarski et al., 2014).

***Asellus* sp.** (Malacostraca: Isopoda: Asellidae)

Distribution: Adzaba Cave (Zaitzev, 1948).

***Borutzkyella revasi* (Borutzky, 1973) (=*Buddelundiella revasi* Borutzky, 1973)** (Malacostraca: Isopoda: Trichoniscidae)

Distribution: Akui Cave (Borutzky, 1973).

***Buddelundiella cataractae* Verhoeff, 1930** (Malacostraca: Isopoda: Trichoniscidae)

Distribution: Sataplia IV Cave (Borutzky, 1973).

***Caucasoligidium cavernicola ajustae* Borutzky, 1950** (Malacostraca: Isopoda: Ligiidae)

Distribution: Aiusta Cave, Jeopse Cave (Borutzky, 1950, 1966; Ljovuschkin, 1966).

***Caucasoligidium cavernicola amtkelicum* Borutzky, 1950** (Malacostraca: Isopoda: Ligiidae)

Distribution: Kveda Shakurani Cave (Borutzky, 1950).

***Caucasoligidium cavernicola cavernicola* Borutzky, 1950** (Malacostraca: Isopoda: Ligiidae)

Distribution: Adzaba Cave, Shroma Cave (Borutzky, 1950).

***Caucasoligidium cavernicola gogoleticum* Borutzky, 1950** (Malacostraca: Isopoda: Ligiidae)

Distribution: Tsakhi Cave (Borutzky, 1950).

***Caucasoligidium cavernicola gumistae* Borutzky, 1950** (Malacostraca: Isopoda: Ligiidae)

Distribution: Kveda Akhalsheni Cave, Zeda Akhalsheni Cave (Borutzky, 1950).

***Caucasonethes borutzkyi* Verhoeff, 1932** (Malacostraca: Isopoda: Trichoniscidae)

Distribution: Sapichkhia Cave (Verhoeff, 1932).

***Colchidioniscus kutaissianus* Borutzky, 1974** (Malacostraca: Isopoda: Trichoniscidae)

Distribution: Orpiri II Cave, Sakadzhia Cave, Solkota Cave, Tetra Cave (Borutzky, 1974).

***Colchidioniscus kutaissianus motenae* Borutzky, 1974** (Malacostraca: Isopoda: Trichoniscidae)

Distribution: Motena Cave (Borutzky, 1974).

***Cylisticus caucasicus* Verhoeff, 1917** (Malacostraca: Isopoda: Cylisticidae)

Distribution: Chlakhe Cave, Likhni Cave, Tsikhervia Cave (Birstein, 1950).

***Ligidium fragile* Budde-Lund, 1885 (=*Ligidium euxinum* Verhoeff, 1918; *Ligidium euxinum caucasicum* Verhoeff) (Malacostraca: Isopoda: Ligiidae)**

Distribution: Bacha Cave, Chlakhe Cave, Likhni Cave (Borutzky, 1950).

***Ligidium nodulosum* Verhoeff, 1918** (Malacostraca: Isopoda: Ligiidae)

Distribution: Adzaba Cave, Shroma Cave, Tsikhervia Cave (Borutzky, 1950).

***Ligidium oligodentatum* Bor. nomen nudum** (Malacostraca: Isopoda: Ligiidae)

Distribution: Tskaro Cave (Birstein, 1950).

***Ligidium zaitzevi* Borutzky, 1950** (Malacostraca: Isopoda: Ligiidae)

Distribution: Shroma Cave, Tskaro Cave (Borutzky, 1950).

***Ligidium* sp. 1** (Malacostraca: Isopoda: Ligiidae)

Distribution: Otapistavi Cave (Birstein & Lopashov, 1940).

***Ligidium* sp. 2** (Malacostraca: Isopoda: Ligiidae)

Distribution: Kveda Shakurani Cave (Birstein & Lopashov, 1940).

Comment: This is probably *Caucasoligidium cavernicola amtkelicum* Borutzky, 1950 (Borutzky, 1950).

***Ligidium* sp. 3** (Malacostraca: Isopoda: Ligiidae)

Distribution: Akhalsheni Cave (Birstein & Lopashov, 1940).

Comment: This is probably *Caucasoligidium cavernicola gumistae* Borutzky, 1950 (Borutzky, 1950).

***Ligidium* sp. 4** (Malacostraca: Isopoda: Ligiidae)

Distribution: Shroma Cave (Birstein & Lopashov, 1940).

Comment: This is probably *Caucasoligidium cavernicola cavernicola* Borutzky, 1950 or *Ligidium nodulosum* Verhoeff, 1918 or *Ligidium zaitzevi* Borutzky, 1950, which were determined later from Shroma Cave (Borutzky, 1950).

***Mingrelloniscus inchhuricus* Borutzky, 1974** (Malacostraca: Isopoda: Trichoniscidae)

Distribution: Inchkhuri Cave (Borutzky, 1974).

***Trachelipus* sp. (=*Tracheoniscus* sp.)** (Malacostraca: Isopoda: Trachelipodidae)

Distribution: Adzaba Cave (Birstein & Lopashov, 1940).

***Trichoniscus aphonicus abchasicus* Borutzky, 1977** (Malacostraca: Isopoda: Trichoniscidae)

Distribution: Adzaba Cave, Dasavlet Gumista Cave, Kveda Akhalsheni Cave, Shroma Cave, Tskaro Cave, Zeda Akhalsheni Cave (Borutzky, 1977).

Trichoniscus aphonicus aphonicus Borutzky, 1977 (Malacostraca: Isopoda: Trichoniscidae)

Distribution: Akui Cave, Akhali Atoni Cave, Anukhva Cave, Apokalinskaya Cave, Manikvara Cave, Simon Kananeli Cave (Borutzky, 1977).

Trichoniscus aphonicus codoricus Borutzky, 1977 (Malacostraca: Isopoda: Trichoniscidae)

Distribution: Abrskili Cave, Otapistavi Cave (Borutzky, 1977).

Trichoniscus gudauticus anamalus Borutzky, 1977 (Malacostraca: Isopoda: Trichoniscidae)

Distribution: Unknown cave in Gudauta dostrict, Abkhazeti, Georgia (Borutzky, 1977).

Trichoniscus gudauticus gudauticus Borutzky, 1977 (Malacostraca: Isopoda: Trichoniscidae)

Distribution: Bacha Cave, Likhni Cave (Borutzky, 1977).

Trichoniscus sp. 1 (Malacostraca: Isopoda: Trichoniscidae)

Distribution: Aghmavali Cave (Birstein & Lopashov, 1940).

Trichoniscus sp. 2 (Malacostraca: Isopoda: Trichoniscidae)

Distribution: Otapistavi Cave (Birstein & Lopashov, 1940).

Syncarida - (Arthropoda: Malacostraca: Bathynellacea)

Parabathynella stygia Chappuis, 1926 (Malacostraca: Bathynellacea: Parabathynellidae)

Distribution: Kveda Kvilishori Cave (Birstein & Ljovuschkin, 1968).

Maxillopods – (Arthropoda: Maxillopoda)

Acanthocyclops vernalis vernalis (Fischer, 1853) (Maxillopoda: Cyclopoida: Cyclopidae)

Distribution: Abrskili Cave, Aghmavali Cave, Sapichkhia Cave (Borutzky, 1930a; Birstein, 1950).

Attheyella crassa (Sars, 1863) (Maxillopoda: Harpacticoida: Canthocamptidae)

Distribution: Ghliana Cave, Kveda Kvlishori Cave (Borutzky & Mikhailova-Neikova, 1970).

Attheyella wulmeroides Borutzky, 1930 (Maxillopoda: Harpacticoida: Canthocamptidae)

Distribution: Sapichkhia Cave (Borutzky, 1930b, 1940, 1948; Birstein, 1950).

Bryocamptus birsteini Borutzky, 1940 (Maxillopoda: Harpacticoida: Canthocamptidae)

Distribution: Tsakhi Cave (Birstein & Lopashov, 1940; Borutzky, 1940, 1948; Birstein, 1950).

Bryocamptus innominatus Borutzky, 1940 (Maxillopoda: Harpacticoida: Canthocamptidae)

Distribution: Otapistavi Cave, Tsakhi Cave, Zeda Kvlishori Cave (Birstein & Lopashov, 1940; Borutzky, 1940, 1948; Birstein, 1950; Borutzky & Mikhailova-Neikova, 1970).

Bryocamptus reductus Borutzky, 1948 (Maxillopoda: Harpacticoida: Canthocamptidae)

Distribution: Shroma Cave (Borutzky, 1948; Birstein, 1950).

Bryocamptus zschorkei caucasicus Kiefer, 1978 (=*Bryocamptus zschorkei caucasicus* Borutzky, 1960) (Maxillopoda: Harpacticoida: Canthocamptidae)

Distribution: Kveda Kvlishori Cave, Zeda Kvlishori Cave (Borutzky & Mikhailova-Neikova, 1970).

Bryocamptus zschorkei similis Borutzky, 1930 (=*Bryocamptus similis* Borutzky, 1930) (Maxillopoda: Harpacticoida: Canthocamptidae)

Distribution: Sapichkhia Cave (Borutzky, 1930b).

Bryocamptus zschorkei tatrensis (Minkiewicz, 1916) (= *Bryocamptus caucasicus* Borutzky, 1931) (Maxillopoda: Harpacticoida: Canthocamptidae)
Distribution: Sapichkhia Cave (Borutzky, 1930b; Birstein, 1950).

Ceuthonectes serbicus Chappuis, 1924 (= *Morariodes colchidana* Borutzky, 1930) (Maxillopoda: Harpacticoida: Canthocamptidae)

Distribution: Kveda Kvilihori Cave, Sakire Cave, Sapichkhia Cave (Borutzky, 1930b, 1940; Birstein, 1950; Borutzky & Mikhailova-Neikova, 1970).

Cyclops strenuus strenuus Fischer, 1851 (Maxillopoda: Cyclopoida: Cyclopidae)

Distribution: Aghmavali Cave, Simon Kananeli Cave (Birstein & Lopashov, 1940; Birstein, 1950).

Diacyclops bicuspispidatus (Claus, 1857) (= *Acanthocyclops bicuspispidatus* Claus, 1857) (Maxillopoda: Cyclopoida: Cyclopidae)

Distribution: Sapichkhia Cave (Borutzky, 1930a; Birstein, 1950).

Echinocamptus georgevitchi (Chappuis, 1924) (Maxillopoda: Harpacticoida: Canthocamptidae)

Distribution: Ghliana Cave (Borutzky & Mikhailova-Neikova, 1970).

Elaphoidella birsteini Borutsky, 1948 (Maxillopoda: Harpacticoida: Canthocamptidae)

Distribution: Shroma Cave (Birstein, 1950; Borutzky, 1948).

Eucyclops serrulatus serrulatus (Fischer, 1851) (?) (Maxillopoda: Cyclopoida: Cyclopidae)

Distribution: Sapichkhia Cave (Borutzky, 1930; Zaitzev, 1948).

Macrocylops albidus albidus (Jurine, 1820) (Maxillopoda: Cyclopoida: Cyclopidae)

Distribution: Sapichkhia Cave (Borutzky, 1930a; Zaitzev, 1948).

Moraria colchica Borutzky & Mikhailova-Neikova, 1970 (Maxillopoda: Harpacticoida: Canthocamptidae)

Distribution: Kveda Kvlishori Cave (Borutzky & Mikhailova-Neikova, 1970).

***Moraria cornuta* Borutzky, 1948** (Maxillopoda: Harpacticoida: Canthocamptidae)

Distribution: Shroma Cave (Borutzky, 1948; Birstein, 1950).

***Moraria varica* (Graeter, 1911)** (Maxillopoda: Harpacticoida: Canthocamptidae)

Distribution: Inchkhuri Cave (Borutzky & Mikhailova-Neikova, 1970).

***Moraria* sp.** (Maxillopoda: Harpacticoida: Canthocamptidae)

Distribution: Tarkili Cave (Borutzky, 1948; Zaitzev, 1948).

***Nitocrella colchica* Borutzky & Mikhailova-Neikova, 1970** (Maxillopoda: Harpacticoida: Ameiridae)

Distribution: Kveda Kvlishori Cave (Borutzky & Mikhailova-Neikova, 1970).

***Nitocrella* sp.** (Maxillopoda: Harpacticoida: Ameiridae)

Distribution: Zeda Kvlishori Cave (Borutzky & Mikhailova-Neikova, 1970).

***Paracyclops fimbriatus fimbriatus* (Fischer, 1853)** (Maxillopoda: Cyclopoida: Cyclopidae)

Distribution: Adzaba Cave, Aghmavali Cave, Sapichkhia Cave, Simon Kananeli Cave, Tarkili Cave (Borutzky, 1930a; 1948; Birstein & Lopashov, 1940; Birstein, 1950).

***Speocyclops colchidanus* (Borutsky, 1930)** (Maxillopoda: Cyclopoida: Cyclopidae)

Distribution: Sapichkhia Cave (Borutzky, 1930a; Birstein, 1950).

Seed shrimp-(Arthropoda: Ostracoda: Podocopida)

***Mixtacandona riongessa* (Bronstein, 1947) (=*Cryptocandona riongessa* Bronstein, 1947)** (Ostracoda: Podocopida: Candonidae)

Distribution: Sapichkhia Cave (Bronstein, 1947).

Harvestmen – (Arthropoda-Arachnida-Opiliones)

***Giljarovia redikorzevi* (Charitonov 1946) (=*Nemastoma redikorzevi* Charitonov, 1946, *Malekia redikorzevi* (Charitonov, 1946)) (Arachnida: Opiliones: Nemastomatidae)**

Distribution: Sataplia 1 Cave, Tsutskhvati Cave (Charitonov, 1946; Ljovushkin & Starobogatov, 1963; Martens, 2006).

***Mitostoma gracile* (Redikorzev, 1936)** (Arachnida: Opiliones: Nemastomatidae)

Distribution: MFTI Cave (Martens, 2006).

***Nelima pontica* (Charitonov, 1941)** (Arachnida: Opiliones: Sclerosomatidae)

Distribution: Adzaba Cave, Kelasuri Cave, Tskaro Cave (Charitonov, 1941a, 1947; Zaitzev, 1948).

***Nemaspela abchasica* (Ljovuschkin & Starobogatov, 1963) (=*Buresiolla abchasica* Ljovuschkin & Starobogatov, 1963)** (Arachnida: Opiliones: Nemastomatidae)

Distribution: Kuabishevi Cave, Kveda Shakurani Cave, L-24 Cave (Ljovushkin & Starobogatov, 1963; Ljovushkin, 1972; Martens, 2006).

***Nemaspela birsteini* Ljovuschkin, 1972** (Arachnida: Opiliones: Nemastomatidae)

Distribution: Tarkili Cave, Zemo Eshera Cave (Ljovuschkin, 1972).

***Nemaspela femorecurvata* Martens, 2006** (Arachnida: Opiliones: Nemastomatidae)

Distribution: Sakishore Cave (Martens, 2006).

***Nemaspela gagrica* Tchemeris, 2013** (Arachnida: Opiliones: Nemastomatidae)

Distribution: Sarma Cave (Tchemeris, 2013).

***Nemaspela* sp.** (Arachnida: Opiliones: Nemastomatidae)

Distribution: Krubera-Voronya Cave (Sendra & Reboleira, 2012).

***Odiellus* sp.** (Arachnida: Opiliones: Phalangiidae)

Distribution: Chamkhona Cave (Ljovuschkin, 1966).

***Paranemastoma kalischevskyi* (Roewer, 1951)** – as *Nemastoma kalischevskyi* in Ljovuschkin, 1966, 1972 (Arachnida: Opiliones: Nemastomatidae)

Distribution: Chamkhona Cave, MFT Cave (Ljovuschkin, 1966, 1972; Martens, 2006).

False scorpions – (Arthropoda-Arachnida-Pseudoscorpionida)

***Chthonius (Chthonius) satapliaensis* Schawaller and Dashdamirov, 1988** (Arachnida: Pseudoscorpionida: Chthoniidae)

Distribution: Sataplia II Cave (Schawaller & Dashdamirov, 1988; Dashdamirov & Schawaller, 1992).

***Neobisium (Blothrus) birsteini* (Lapschoff, 1940)** (Arachnida: Pseudoscorpionida: Neobiidae)

Distribution: Krubera-Voronya Cave, Tarkili Cave (Lapschoff, 1940; Mahnert, 1979; Dashdamirov & Schawaller, 1992; Martínez Sánchez-Dehesa & Zaragoza, 2010; Sendra & Reboleira, 2012).

***Neobisium (Neobisium) crassifemoratum* (Beier, 1928)** (Arachnida: Pseudoscorpionida: Neobiidae)

Distribution: Kelasuri Cave (Schawaller, 1983).

***Neobisium (Neobisium) labinskyi* Beier, 1937** (Arachnida: Pseudoscorpionida: Neobiidae)

Distribution: Kelasuri Cave, Tetra Cave (Schawaller, 1983).

***Neobisium (Heoblothrus) sakadzhianum* Krumpál, 1984** (Arachnida: Pseudoscorpionida: Neobiidae)

Distribution: Sakadzhia Cave (Krumpál, 1984; Dashdamirov & Schawaller, 1992).

***Neobisium (Blothrus) verae* (Lapschoff, 1940)** (Arachnida: Pseudoscorpionida: Neobiidae)

Distribution: Meliis Cave, Sataplia I Cave, Tsakhi Cave (Birstein & Lopashov, 1940; Lapschoff, 1940; Schawaller, 1983; Schawaller & Dashdamirov, 1988).

Neobisium (Blothrus) sp. (Arachnida: Pseudoscorpionida: Neobiidae)

Distribution: Anish Cave (Birstein, 1950).

***Neobisium* sp.** (Arachnida: Pseudoscorpionida: Neobiidae)

Material examined: Dolabistavi cave, Dark zone, 3 specimens, leg. Sh. Barjadze, det. J. Zaragoza.

***Roncus birsteini* Krumpál, 1986** (Arachnida: Pseudoscorpionida: Neobiidae)

Distribution: Iluzia-tovlian-i-mejeni Cave (Krumpál, 1986).

Spiders - (Arthropoda: Arachnida: Araneae)

***Aituaria pontica* (Spassky, 1932) (=*Nesticus ponticus* Spassky, 1932)** (Arachnida: Araneae: Nesticidae)

Distribution: Tarkili Cave (Charitonov, 1947; Mcheidze, 1964).

***Alopecosa cuneata* (Clerck, 1757)** (Arachnida: Araneae: Lycosidae)

Material examined: Tsklisklde Cave, Entrance zone, 2 specimens, leg. T. Arabuli, det. V. Pkhakadze.

***Amaurobius fenestralis* (Strom, 1768)** (Arachnida: Araneae: Amaurobiidae)

Material examined: Tsakhi cave, Entrance zone, 1 specimen, leg. T. Arabuli, det. V. Pkhakadze.

***Arctosa cinerea* (Fabricius, 1777)** (Arachnida: Araneae: Lycosidae)

Material examined: Khvedelidzeebisklde Cave, Entrance zone, 4 specimens, leg. T. Arabuli, det. V. Pkhakadze.

***Carpathonesticus borutzkyi* (Reimoser, 1930) (=*Nesticus borutzkyi* Reimoser, 1930)** (Arachnida: Araneae Nesticidae)

Distribution: Patsristavi Cave, Sapichkhia Cave, Sataplia I Cave, Tetra Cave (Reimoser, 1930; Charitonov, 1941b, 1946, 1947; Mccheidze, 1964).

***Carpathonesticus caucasicus* (Charitonov, 1947) (=*Nesticus caucasicus* Charitonov, 1947)** (Arachnida: Araneae Nesticidae)

Distribution: Agumava Cave, Anish Cave, Chlakhe Cave (Charitonov, 1947; Birstein, 1950).

***Carpathonesticus zaitzevi* (Charitonov, 1939) (=*Nesticus zaitzevi* Charitonov, 1939)** (Arachnida: Araneae Nesticidae)

Distribution: Adzaba Cave, Afonskaja Cave, Aghmavali Cave, Kelasuri Cave, Otapistavi Cave, Shroma Cave, Tsebelda Cave, Tskaro Cave, Zeda Akhalsheni Cave, Zeda Shakurani Cave (Charitonov, 1939, 1941, 1947; Zaitzev, 1948; Mcheidze, 1964, 1997; Pichka, 1965).

***Cybaeus abchasicus* Charitonov, 1947** (Arachnida: Araneae: Cybaeidae)

Distribution: Tarkili Cave (Charitonov, 1947).

***Diplocephalus caucasicus* Tanasevitch, 1987** (Arachnida: Araneae: Linyphiidae)

Distribution: Kelasuri Cave (Tanasevitch, 1987).

***Episinus truncatus* Latreille, 1809** (Arachnida: Araneae: Theridiidae)

Distribution: Adzaba Cave, Kelasuri Cave, Shroma Cave (Charitonov, 1939, 1947, Birstein, 1950; Mcheidze, 1964).

***Eukoenenia vargovitshi* Christian, 2014** (Arachnida: Araneae: Eukoeneniidae)

Distribution: Kveda Shakurani Cave (Christian, 2014).

***Hoplopholcus longipes* (Spassky, 1934)** (Arachnida: Araneae: Pholcidae)

Distribution: Agumava Cave, Likhni Cave, Patsristavi Cave, Sataplia I Cave, Tetra Cave (Charitonov, 1941b, 1947; Zaitzev, 1948; Mcheidze, 1964).

Liniphia sp. (Arachnida: Araneae: Liniphidiidae)

Material examined: Nazodelavo Cave, Twilight zone, 1 specimen, leg. T. Arabuli, det. V. Pkhakadze; Savekuo Cave, Dark zone, 1 specimen, leg. T. Arabuli, det. V. Pkhakadze.

Meta bourneti Simon, 1922 (Arachnida: Araneae: Tetragnathidae)

Distribution: Adzaba Cave, Kelasuri Cave (Charitonov, 1939; 1941, 1947; Mcheidze, 1964).

Metellina merianae (Scopoli, 1763) (=*Meta merianae* Scopoli, 1763)

(Arachnida: Araneae: Tetragnathidae)

Distribution: Adzaba Cave, Kelasuri Cave, Kortskheli Cave, Patsristavi Cave, Tarkili Cave (Charitonov, 1947; Mcheidze, 1964; 1997; Kovblyuk et al. 2011).

Oxyopes lineatus (Latireille, 1806) (Arachnida: Araneae: Oxyopidae)

Material examined: Kortskheli Cave, Twilight zone, 1 specimen, leg. T. Arabuli, det. V. Pkhakadze.

Pardosa agricola (Thorell, 1856) (Arachnida: Araneae: Lycosidae)

Material examined: Bregvadzeebisklde Cave, Twilight zone, 12.08.14, 1 specimen, leg. T. Arabuli, det. V. Pkhakadze; Garakha Cave, Twilight zone, 2 specimens, leg. T. Arabuli, det. V. Pkhakadze.

Pardosa hortensis (Thorell, 1872) (Arachnida: Araneae: Lycosidae)

Material examined: Kakhidze cave, Entrance zone, 1 specimen, leg. T. Arabuli, det. V. Pkhakadze.

Pardosa monticola (Clerck, 1757) (Arachnida: Araneae: Lycosidae)

Material examined: Tsakhi cave, Twilight zone, 2 specimens, leg. T. Arabuli, det. V. Pkhakadze.

Pardosa sp. (Arachnida: Araneae: Lycosidae)

Material examined: Letsurtsume Cave, Twilight zone, 2 specimens, leg.

T. Arabuli, det. V. Pkhakadze.

***Pirata knorri scopoli*, 1763** (Arachnida: Araneae: Lycosidae)

Material examined: Taroklde Cave, Twilight zone, 1 specimen, leg. T. Arabuli, det. V. Pkhakadze.

***Pirata* sp.** (Arachnida: Araneae: Lycosidae)

Material examined: Tsakhi cave, Twilight zone, 1 specimen, leg. T. Arabuli, det. V. Pkhakadze.

***Pisaura mirabilis* (Clerck, 1757)** (Arachnida: Araneae: Pisauridae)

Material examined: Letsurtsume Cave, Twilight zone, 3 specimens, leg. T. Arabuli, det. V. Pkhakadze; Tsakhi Cave, Entrance zone, 2 specimens, leg. T. Arabuli, det. V. Pkhakadze.

***Porrhomma convexum* (Westring, 1851)** (Arachnida: Araneae: Linyphiidae)

Distribution: Cave in Pitsunda/Myussera Reserve (Kovblyuk et al. 2011).

***Segestria senoculata* (Linnaeus, 1758)** (Arachnida: Araneae: Segestriidae)

Distribution: Chamkhona Cave (Ljovuschkin, 1966).

***Tegenaria abchasica* Charitonov, 1941** (Arachnida: Araneae: Agelenidae)

Distribution: Kelasuri Cave (Charitonov, 1941a, 1947).

***Tegenaria* sp.** (Arachnida: Araneae: Agelenidae)

Distribution: Tetra Cave (Charitonov, 1947).

***Theridion impressum* (Koch, 1881)** (Arachnida: Araneae: Theridiidae)

Material examined: Tsakhi Cave, Entrance zone, 2 specimens, leg. T. Arabuli, det. V. Pkhakadze.

***Theridion melanorium* Hahn, 1831** (Arachnida: Araneae: Theridiidae)

Material examined: Tsakhi Cave, Entrance zone, 1 specimen, leg. T. Arabuli, det. V. Pkhakadze.

***Theridion* sp. 1** (Arachnida: Araneae: Theridiidae)

Material examined: Tsivtskala Cave, Entrance zone, 1 specimen, leg. T. Arabuli, det. V. Pkhakadze.

***Theridion* sp. 2** (Arachnida: Araneae: Theridiidae)

Material examined: Kortskheli Cave, Twilight zone, 4 specimens, leg. T. Arabuli, det. V. Pkhakadze.

***Theridion* sp. 3** (Arachnida: Araneae: Theridiidae)

Material examined: Khvedelidzeebisklde Cave, Dark zone, 1 specimen, leg. T. Arabuli, det. V. Pkhakadze.

***Tibellus macellus* (Simon, 1875)** (Arachnida: Araneae: Philodromidae)

Material examined: Letsurtsume Cave, Twilight zone, 1 specimen, leg. T. Arabuli, det. V. Pkhakadze.

***Trochosa ruricola* (De Geer, 1778)** (Arachnida: Araneae: Lycosidae)

Material examined: Kortskheli Cave, Twilight zone, 1 specimen, leg. T. Arabuli, det. V. Pkhakadze.

***Troglohyphantes deelemanae* Tanasevitch, 1986** (Arachnida: Araneae: Linyphiidae)

Distribution: Nameless cave in the Achibakh plateau, Sirotko Cave, Tupikovaya Cave (Tanasevitch, 1986).

***Troglohyphantes* sp.** (Arachnida: Araneae: Linyphiidae)

Distribution: Krubera-Voronya Cave (Sendra & Leboreira, 2012).

Gnaphosidae sp. indet. (Arachnida: Araneae)

Distribution: Krubera-voronya Cave (Sendra & Leboreira, 2012).

Mites - (Arthropoda: Arachnida: Acari)

Acari sp. indet.

Distribution: Krubera-Voronya Cave (Sendra & Reboleira, 2012).

Oribatid mites (Arthropoda: Arachnida: Acari: Sarcoptiformes)

***Achipteria longisetosa* Murvanidze & Weigmann, 2003** (Arachnida: Sarcoptiformes: Achipteriidae)

Distribution: Dzudzuana Cave, Navenakhevi Cave, Sakajia Cave (Murvanidze, 2014).

***Acrogalumna longipluma adjarica* Murvanidze & Weigmann, 2003**

(Arachnida: Sarcoptiformes: Galumnidae)

Distribution: Mafeli Cave (Murvanidze, 2014).

***Aleurodamaeus setosus* (Berlese, 1883)** (Arachnida: Sarcoptiformes: Aleurodamaeidae)

Distribution: Dzudzuana Cave, Mikava Cave, Sakajia Cave (Murvanidze, 2014).

***Amerobelba decedens* Berlese, 1908** (Arachnida: Sarcoptiformes: Amerobelbidae)

Distribution: Cave between Tkibuli and Kutaisi, Meliis Cave, Tsutskhvati Cave Complex (Japaridze & Gomelauri, 1986).

***Autogneta longilamellata* (Michael, 1885)** (Arachnida: Sarcoptiformes: Autognetidae)

Distribution: Kidobana Cave (Murvanidze, 2014).

***Belba dubinini* Bulanova-Zachvatkina, 1962** (Arachnida: Sarcoptiformes: Damaeidae)

Distribution: Navenakhevi Cave (Murvanidze, 2014).

***Berniniella silvatica* (Vasiliu & Calugar, 1976)** (Arachnida: Sarcoptiformes: Oppiidae)

Distribution: Dzudzuana Cave (Murvanidze, 2014).

***Brachichtonius* sp.** (Arachnida: Sarcoptiformes: Brachychthoniidae)

Distribution: Cave between Tkibuli and Kutaisi (Japaridze & Gomelauri, 1986).

***Ceratoppia bipilis* (Hermann, 1804)** (Arachnida: Sarcoptiformes: Astegistidae)

Distribution: Tskaltsitela Grotto (Japaridze & Gomelauri, 1986).

***Ceratoppia quadridentata* (Haller, 1882)** (Arachnida: Sarcoptiformes: Astegistidae)

Distribution: Kidobana Cave, Sakajia Cave (Murvanidze, 2014).

***Ceratozetes gracilis* (Michael, 1884)** (Arachnida: Sarcoptiformes: Ceratozetidae)

Distribution: Kidobana Cave (Murvanidze, 2014).

***Ceratozetes* sp.** (Arachnida: Sarcoptiformes: Ceratozetidae)

Distribution: Sakishore Cave (Japaridze & Gomelauri, 1986).

***Chamobates cuspidatus* (Michael, 1884)** (Arachnida: Sarcoptiformes: Chamobatidae)

Distribution: Kidobana Cave, Tsakhi Cave (Murvanidze, 2014).

***Chamobates interpositus* Pschorn-Walcher, 1953** (Arachnida: Sarcoptiformes: Chamobatidae)

Distribution: Samelekde Cave, Tsutskhvati II Cave (Murvanidze, 2014).

***Chamobates spinosus* Sellnick, 1928** (Arachnida: Sarcoptiformes: Chamobatidae)

Distribution: Leskhulukhe Cave (Murvanidze, 2014).

***Chamobates voigtsi* (Oudemans, 1902)** (Arachnida: Sarcoptiformes: Chamobatidae)

Distribution: Dzudzuana Cave, Kidobana Cave, Leskhulukhe Cave, Motena cave, Navenakhevi Cave, Samelekde Cave, Shareula I Cave, Tsakhi Cave, Tsutskhvati VIII Cave, Tsutskhvati XI Cave (Murvanidze, 2014).

***Conchogneta dalecarlica* (Forsslund, 1947)** (Arachnida: Sarcoptiformes: Autognetidae)

Distribution: Dzudzuana Cave, Navenakhevi Cave, Tsakhi Cave (Murvanidze, 2014).

***Dissorrhina ornata* (Oudemans, 1900)** (Arachnida: Sarcoptiformes: Oppiidae)

Distribution: Dzudzuana Cave (Murvanidze, 2014).

***Dissorrhina signata* Schwalbe, 1989** (Arachnida: Sarcoptiformes: Oppiidae)

Distribution: Dzudzuana Cave (Murvanidze, 2014).

***Dorycranosus splendens* (Coggi, 1898)** (Arachnida: Sarcoptiformes: Liacaridae)

Distribution: Sakinule Cave (Murvanidze, 2014).

***Epidamaeus pinguis* Kulijev, 1967** (Arachnida: Sarcoptiformes: Damaeidae)

Distribution: Kidobana Cave, Shareula I Cave (Murvanidze, 2014).

***Eremaeus* sp.** (Arachnida: Sarcoptiformes: Eremaeidae)

Distribution: Sakishore Cave (Japaridze & Gomelauri, 1986).

***Eupelops acromios* (Hermann, 1804)** (Arachnida: Sarcoptiformes: Phenopelopidae)

Distribution: Kidobana Cave, Navenakhevi Cave, Riv. Chishura source Cave (Murvanidze, 2014).

***Eupelops torulosus* (Koch, 1839)** (Arachnida: Sarcoptiformes: Phenopelopidae)

Distribution: Kakhidze Cave (Murvanidze, 2014).

***Galumna alata* (Hermann, 1804)** (Arachnida: Sarcoptiformes: Galumnidae)

Distribution: Dzudzuana Cave (Murvanidze, 2014).

***Ghilarovus kvavadzei* Murvanidze, 2014** (Arachnida: Sarcoptiformes: Zetomotrichidae)

Distribution: Tsakhi Cave, Tsutskhvati II Cave, Tsutskhvati XI Cave (Murvanidze, 2014).

***Graptoppia foveolata* Paoli, 1908** (Arachnida: Sarcoptiformes: Oppiidae)
Distribution: Meliis Cave, Prometheus Cave (Japaridze & Gomelauri, 1986).

***Gustavia microcephala* (Nicolet, 1855)** (Arachnida: Sarcoptiformes: Gustaviidae)

Distribution: Dzudzuana Cave (Murvanidze, 2014).

***Hoplophthiracarus illinoiensis* (Ewing, 1909)** (Arachnida: Sarcoptiformes: Phthiracaridae)

Distribution: Mafeli Cave, Sakinule Cave, Samelekde Cave (Murvanidze, 2014).

***Hypochthonius rufulus* Koch, 1835** (Arachnida: Sarcoptiformes: Hypochthoniidae)

Distribution: Dzudzuana Cave (Murvanidze, 2014).

***Liebstadia similis* (Michael, 1888)** (Arachnida: Sarcoptiformes: Scheloribatidae)

Distribution: Meliis Cave (Japaridze & Gomelauri, 1986).

***Lucoppia* sp.** (Arachnida: Sarcoptiformes: Oribatulidae)

Distribution: Meliis Cave (Japaridze & Gomelauri, 1986).

***Machuella draconis* Hammer, 1961** (Arachnida: Sarcoptiformes: Machuellidae)

Distribution: Dzudzuana Cave (Murvanidze, 2014).

***Metabelbella flagelliseta* Bulanova-Zachvatkina, 1965** (Arachnida: Sarcoptiformes: Damaeidae)

Distribution: Kidobana Cave (Murvanidze, 2014).

***Metabelbella macerochaeta* Bulanova-Zachvatkina, 1967** (Arachnida: Sarcoptiformes: Damaeidae)

Distribution: Sakajia Cave (Murvanidze, 2014).

***Metabelba papillipes* (Nicolet, 1855)** (Arachnida: Sarcoptiformes: Damaeidae)

Distribution: Tsivtskala Cave (Murvanidze, 2014).

***Metabelba pseudoitalica* Bulanova-Zachvatkina, 1965** (Arachnida: Sarcoptiformes: Damaeidae)

Distribution: Dzudzuana Cave (Murvanidze, 2014).

***Microzetes caucasicus* (Krivolutsky, 1967)** (Arachnida: Sarcoptiformes: Microzetidae)

Distribution: Dzudzuana Cave (Murvanidze, 2014).

***Minunthozetes pseudofusiger* (Schweizer, 1922)** (Arachnida: Sarcoptiformes: Mycobatidae)

Distribution: Dzudzuana Cave, Kidobana Cave, Mafeli Cave, Mikava Cave, Nagarevi Grotto, Navenakhevi Cave, Riv. Chishura source Cave, Sakajia Cave, (Murvanidze, 2014).

***Miracarus hurkai* Kunst, 1959** (Arachnida: Sarcoptiformes: Microzetidae)

Distribution: Tsivtskala Cave (Murvanidze, 2014).

***Oppia nitens* Koch, 1836** (Arachnida: Sarcoptiformes: Oppiidae)

Distribution: Dzudzuana Cave, Nagarevi Grotto, Sakajia Cave (Murvanidze, 2014).

***Oppiella (Rhinoppia) fallax* (Paoli, 1908)** (Arachnida: Sarcoptiformes: Oppiidae)

Distribution: Chishura II Cave, Mafeli Cave (Murvanidze, 2014).

***Oppiella (Oppiella) nova* (Oudemans, 1902)** (Arachnida: Sarcoptiformes: Oppiidae)

Distribution: Dzudzuana Cave (Murvanidze, 2014).

***Oppiella (Moritzoppia) splendens* Koch, 1841** (Arachnida: Sarcoptiformes: Oppiidae)

Distribution: Buja-Karianiklde Cave (Japaridze & Gomelauri, 1986).

***Oppiella (Rhinoppia) subpectinata* (Oudemans, 1900)** (Arachnida: Sarcoptiformes: Oppiidae)

Distribution: Dzudzuana Cave, Leskhulukhe Cave, Mafeli Cave (Murvanidze, 2014).

Oppiella (Moritzoppia) unicarinata clavigera (Hammer, 1952) (Arachnida: Sarcoptiformes: Oppiidae)

Distribution: Buja-Karianiklde Cave (Japaridze & Gomelauri, 1986).

Oribatella berlesei (Michael, 1898) (Arachnida: Sarcoptiformes: Oribatellidae)

Distribution: Sakajia Cave (Murvanidze, 2014).

Oribatula tibialis (Nicolet, 1855) (Arachnida: Sarcoptiformes: Oribatulidae)

Distribution: Sakajia Cave, Nagarevi Grotto (Japaridze & Gomelauri, 1986; Murvanidze, 2014).

Oribatula sp. (Arachnida: Sarcoptiformes: Oribatulidae)

Distribution: Sakishore Cave (Japaridze & Gomelauri, 1986).

Oribella pectinata (Michael, 1885) (Arachnida: Sarcoptiformes: Oribellidae)

Distribution: Nagarevi Grotto (Murvanidze, 2014).

Oribella sp. (Arachnida: Sarcoptiformes: Oribellidae)

Distribution: Prometheus Cave, Tskaltsitela Grotto (Japaridze & Gomelauri, 1986).

Oxyoppiooides decipiens (Paoli, 1908) (Arachnida: Sarcoptiformes: Oppiidae)

Distribution: Navenakhevi Cave, Sakinule Cave, Tsakhi Cave, Tsutskhvati VII Cave (Murvanidze, 2014).

Pantelozetes alpestris Willmann, 1929 (Arachnida: Sarcoptiformes: Oribellidae)

Distribution: Tskaltsitela Grotto, Navenakhevi Cave (Japaridze, 1986; Murvanidze, 2014).

Comment: N. Japaridze recorded *Amazoppia tricuspidata* in Tskaltsitela Grotto (Japaridze, 1986), which is now synonym of *Pantelozetes alpestris* (Schatz, unpublished data).

***Parachipteria fanzagoi* (Jacot, 1929)** (Arachnida: Sarcoptiformes: Achipteriidae)

Distribution: Kidobana Cave (Murvanidze, 2014).

***Parachipteria punctata* (Nicolet, 1855)** (Arachnida: Sarcoptiformes: Achipteriidae)

Distribution: Mafeli Cave (Murvanidze, 2014).

***Phaulopippia lucorum* (Koch, 1841)** (Arachnida: Sarcoptiformes: Oribatulidae)

Distribution: Navenakhevi Cave, Sakinule Cave (Murvanidze, 2014).

***Phaulopippia pilosa* (Koch, 1841)** (Arachnida: Sarcoptiformes: Oribatulidae)

Distribution: Sakajia Cave (Murvanidze, 2014).

***Phthiracarus ferrugineus* (Koch, 1841)** (Arachnida: Sarcoptiformes: Phthiracaridae)

Distribution: Mafeli Cave, Navenakhevi Cave, Samelekde Cave (Murvanidze, 2014).

***Phthiracarus globosus* (CL Koch, 1841)** (Arachnida: Sarcoptiformes: Phthiracaridae)

Distribution: Nagarevi Grotto (Murvanidze, 2014).

***Pilogalumna tenuiclava* Berlese, 1914** (Arachnida: Sarcoptiformes: Galumnidae)

Distribution: Kidobana Cave (Murvanidze, 2014).

***Porobelba spinosa* (Sellnick, 1920)** (Arachnida: Sarcoptiformes: Damaeidae)

Distribution: Motena cave (Murvanidze, 2014).

***Protoribates capucinus* Berlese, 1908** (Arachnida: Sarcoptiformes: Haplozetidae)

Distribution: Dzudzuana Cave (Murvanidze, 2014).

***Puncitoribates punctum* (Koch, 1839)** (Arachnida: Sarcoptiformes: Mycobatidae)

Distribution: Dzudzuana Cave, Leskhulukhe Cave (Murvanidze, 2014).

***Punc toribates spunctum* (Koch, 1839)** (Arachnida: Sarcoptiformes: Mycobiidae)

Distribution: Mafeli Cave (Murvanidze, 2014).

***Quadroppia (Coronoquadroppia) media* Gordeeva, 1983** (Arachnida: Sarcoptiformes: Quadroppiidae)

Distribution: Dzudzuana Cave (Murvanidze, 2014).

***Ramusella clavipectinata* (Michael, 1885)** (Arachnida: Sarcoptiformes: Oppiidae)

Distribution: Chishura II Cave, Kidobana Cave, Leskhulukhe Cave, Mikava Cave, Motena cave, Nagarevi Grotto, Riv. Chishura source Cave (Murvanidze, 2014).

***Ramusella insculpta* (Paoli, 1908)** (Arachnida: Sarcoptiformes: Oppiidae)

Distribution: Dzudzuana Cave, Navenakhevi Cave, Tsakhi Cave (Murvanidze, 2014).

***Rhysotritia ardua* (Koch, 1841)** (Arachnida: Sarcoptiformes: Euphthiracaridae)

Distribution: Dzudzuana Cave, Leskhulukhe Cave, Mikava Cave, Tsutskhvati II Cave (Murvanidze, 2014).

***Scheloribates latipes* (Koch, 1844)** (Arachnida: Sarcoptiformes: Scheloribatidae)

Distribution: Dzudzuana Cave, Samelekde Cave, Tsutskhvati II Cave (Murvanidze, 2014).

***Scheloribates laevigatus* (Koch, 1835)** (Arachnida: Sarcoptiformes: Scheloribatidae)

Distribution: Tsutskhvati II Cave, Tsutskhvati XI Cave (Murvanidze, 2014).

***Sphaerozetes tricuspidatus* Willmann, 1923** (Arachnida: Sarcoptiformes: Ceratozetidae)

Distribution: Chishura II Cave, Kidobana Cave, Mafeli Cave, Motena Cave, Navenakhevi Cave (Murvanidze, 2014).

Steganacarus (Tropacarus) patruelis Niedbala, 1983 (Arachnida: Sarcoptiformes: Phthiracaridae)

Distribution: Kidobana Cave (Murvanidze, 2014).

Steganacarus (Steganacarus) spinosus (Sellnick, 1920) (Arachnida: Sarcoptiformes: Phthiracaridae)

Distribution: Dzudzuana Cave, Kidobana Cave (Murvanidze, 2014).

Steganacarus (Atropacarus) striculus (Koch, 1835) (Arachnida: Sarcoptiformes: Phthiracaridae)

Distribution: Kidobana Cave (Murvanidze, 2014).

Tectocepheus velatus velatus (Michael, 1880) (Arachnida: Sarcoptiformes: Tectocepheidae)

Distribution: Dzudzuana Cave, Kakhidze Cave, Motena cave, Navenakhevi Cave, Tsivtskala Cave (Murvanidze, 2014).

Umbellozetes fuscus Krivolutsky, 1969 (Arachnida: Sarcoptiformes: Tegoribatidae)

Distribution: Tskaltsitela Grotto (Japaridze & Gomelauri, 1986).

Xenillus tegeocranus (Hermann, 1804) (Arachnida: Sarcoptiformes: Liacaridae)

Distribution: Tsutskhvati XI Cave (Murvanidze, 2014).

Zetorchestes falzonii Coggi, 1898 (Arachnida: Sarcoptiformes: Zetorchesidae)

Distribution: Kakhidze Cave (Murvanidze, 2014).

Zygoribatula cognata (Oudemans, 1902) (Arachnida: Sarcoptiformes: Oribatulidae)

Distribution: Samelekde Cave (Murvanidze, 2014).

Zygoribatula frisiae (Oudemans, 1900) (Arachnida: Sarcoptiformes: Oribatulidae)

Distribution: Kidobana Cave, Sakinule Cave (Murvanidze, 2014).

**Mesostigmatid mites (Arthropoda: Arachnida:
Acari: Mesostigmata)**

***Hypoaspis aculeifer* (Canestrini, 1883)** (Arachnida: Mesostigmata: Dermanyssoidae)

Distribution: Ghliana Cave (Japaridze & Gomelauri, 1986).

***Macrocheles penicilliger* (Berlese, 1904)** (Arachnida: Mesostigmata: Macrochelidae)

Distribution: Ghliana Cave, Prometheus Cave (Japaridze & Gomelauri, 1986).

***Parasitus (Vulgarogamasus) modestus* Tikhomirov & Zelia, 1975** (Arachnida: Mesostigmata: Parasitidae)

Distribution: Motena Cave, Sarkumali Cave, Sataplia IV Cave, Tetra Cave (Tikhomirov & Zelia, 1975).

***Pergamasus* sp.** (Arachnida: Mesostigmata: Parasitidae)

Distribution: Motena Cave (Japaridze & Gomelauri, 1986).

***Stigmaeus petrophilus* Kuznetsov & Petrova, 1979** (Arachnida: Mesostigmata: Stigmaeidae)

Distribution: Samgleklde Cave (Kuznetsov & Petrova, 1979).

***Veigaia planicola* (Berlese, 1892)** (Arachnida: Mesostigmata: Veigaiaidae)

Distribution: Meliis Cave (Japaridze & Gomelauri, 1986).

Springtails – (Arthropoda-Collembola)

***Anurida stereoodorata* Jordana & Baquero, 2012** (Collembola: Poduromorpha: Neanuridae)

Distribution: Kruvera-Voronya Cave (Jordana et al. 2012).

***Argonychiurus multiocellatus* Djanashvili, Barjadze, Jordana & Burkhardt, 2014** (Collembola: Poduromorpha: Onychiuridae)

Distribution: Tvishi Cave (Djanashvili et al. 2014).

Arrhopalites abchasicus Vargovitsh, 2013 (Collembola: Symphyleona: Arrhopalitidae)

Distribution: Aghmavali Cave (Vargovitsh, 2013).

Arrhopalites caecus (Tullberg, 1871) (Collembola: Symphyleona: Arrhopalitidae)

Distribution: Simon kananeli Cave, Solkota Cave (Barjadze & Djanashvili, 2008)

Arrhopalites macronyx Vargovitsh, 2012 (Collembola: Symphyleona: Arrhopalitidae)

Distribution: Anukhva Cave (Vargovitsh, 2012).

Ceratophysella armata (Nicolet, 1842) (Collembola: Poduromorpha: Hypogastruridae)

Distribution: Prometheus Cave (Barjadze & Djanashvili, 2008).

Ceratophysella cavicola (Borner, 1901) (Collembola: Poduromorpha: Hypogastruridae)

Distribution: Meliis Cave, Tskaro Cave (Barjadze & Djanashvili, 2008).

Coecobrya sp. (Collembola: Entomobryomorpha: Entomobryidae)

Material examined: Navenakhevi Cave, Entrance zone, 1 specimen, leg. Sh. Barjadze, det. Sh. Barjadze; Navenakhevi Cave, Twilight zone, 2 specimens, leg. Sh. Barjadze, det. Sh. Barjadze.

Desoria trispinata (MacGillivray, 1896) (Collembola: Entomobryomorpha: Isotomidae)

Distribution: Akui Cave, Sataplia IV Cave, Shakurani I Cave (Barjadze & Djanashvili, 2008).

Desoria sp. (Collembola: Entomobryomorpha: Isotomidae)

Material examined: Kidobana Cave, Entrance zone, 3 specimens, leg. Sh. Barjadze, det. Sh. Barjadze.

Deuteraphorura kruberaensis Jordana & Baquero, 2012 (Collembola: Poduromorpha: Onychiuridae)

Distribution: Kruvera-Voronya Cave (Jordana et al. 2012).

***Deuteraphorura variabilis* (Stach, 1954)** (Collembola: Poduromorpha: Onychiuridae)

Distribution: Manikvara Cave (Barjadze & Djanashvili, 2008).

***Deuterosminthurus* sp.** (Collembola: Symphypleona: Bourletiellidae)

Distribution: Ghiana Cave (Barjadze & Djanashvili, 2008).

***Folsomia candida* Willem, 1902** (Collembola: Entomobryomorpha: Isotomidae)

Distribution: Cave in the Enguri gorge, Khvedelidzeebisklde Cave, Meliis Cave, Prometheus Cave, Sataplia I Cave, Simon Kananeli Cave, Tetra Cave, Tsikhe Cave, Tskaro Cave (Barjadze & Djanashvili, 2008).

Material examined: Garakha Cave, Dark zone, 4 specimens, leg. Sh. Barjadze, det. Sh. Barjadze; Samerthkhlekhlde I Cave, Dark zone, 7 specimens, leg. Sh. Barjadze, det. Sh. Barjadze.

***Folsomia fimetaria* (Linnaeus, 1758)** (Collembola: Entomobryomorpha: Isotomidae)

Distribution: Sataplia IV Cave, Tetra Cave (Barjadze & Djanashvili, 2008).

***Folsomia inoculata* Stach, 1946** (Collembola: Entomobryomorpha: Isotomidae)

Distribution: Meliis Cave (Barjadze & Djanashvili, 2008).

***Folsomia ksenemani* Stach, 1947** (Collembola: Entomobryomorpha: Isotomidae)

Distribution: Dzudzuana Cave (Barjadze et al. 2012).

Material examined: Nazodelavo Cave, Entrance zone, 5 specimens, leg. Sh. Barjadze, det. Sh. Barjadze.

***Folsomia penicula* Bagnall, 1939** (Collembola: Entomobryomorpha: Isotomidae)

Material examined: Navenakhevi Cave, Entrance zone, 4 specimens, leg. Sh. Barjadze, det. Sh. Barjadze; Nazodelavo Cave, Entrance zone, 5 specimens, leg. Sh. Barjadze, det. Sh. Barjadze.

***Folsomia spinosa* Kseneman, 1936** (Collembola: Entomobryomorpha: Isotomidae)

Distribution: Meliis Cave (Barjadze & Djanashvili, 2008).

***Folsomia* sp.** (Collembola: Entomobryomorpha: Isotomidae)

Material examined: Kidobana Cave, Entrance zone, 6 specimens, leg. Sh. Barjadze, det. Sh. Barjadze; Leskhulukhe Cave, Twilight zone, 3 specimens, Sh. Barjadze, det. Sh. Barjadze; Sakinule Cave, Entrance zone, 2 specimens, leg. Sh. Barjadze, det. Sh. Barjadze.

***Folsomides parvulus* Stach, 1922** (Collembola: Entomobryomorpha: Isotomidae)

Distribution: Prometheus Cave (Barjadze & Djanashvili, 2008).

***Friesea* sp.** (Collembola: Poduromorpha: Neanuridae)

Material examined: Kidobana Cave, Entrance zone, 14 specimens, leg. Sh. Barjadze, det. Sh. Barjadze.

***Heteromurus nitidus* (Templeton, 1835)** (Collembola: Entomobryomorpha: Entomobryidae)

Distribution: Tsutskhuti Cave Complex (Barjadze & Djanashvili, 2008).

Material examined: Chishura Cave, Twilight zone, 1 specimen, leg. Sh. Barjadze, det. Sh. Barjadze; Leskhulukhe Cave, Entrance zone, 1 specimen, leg. Sh. Barjadze, det. Sh. Barjadze; Motena Cave, Entrance zone, 2 specimens, leg. Sh. Barjadze, det. Sh. Barjadze; Tetra Cave, Dark zone, 1 specimen, leg. Sh. Barjadze, det. Sh. Barjadze.

***Hypogastrura viatica* (Tullberg, 1872)** (Collembola: Poduromorpha: Hypogastruridae)

Distribution: Prometheus Cave, Sataplia IV Cave (Barjadze & Djanashvili, 2008)

***Hypogastrura* sp.** (Collembola: Poduromorpha: Hypogastruridae)

Material examined: Khvedelidzeebisklde Cave, Twilight zone, 2 specimens, leg. Sh. Barjadze, det. Sh. Barjadze.

***Lepidocyrtus lignorum* (Fabricius, 1793)** (Collembola: Entomobryomorpha: Entomobryidae)

Material examined: Kidobana Cave, Entrance zone, 1 specimen, leg. Sh. Barjadze, det. Sh. Barjadze; Motena Cave, Entrance zone, 3 specimens, leg. Sh. Barjadze, det. Sh. Barjadze; Navenakhevi Cave, Entrance zone, 2 specimens, leg. Sh. Barjadze, det. Sh. Barjadze; Nazodelavo Cave, Entrance zone, 2 specimens, leg. Sh. Barjadze, det. Sh. Barjadze.

***Lepidocyrtus* sp.** (Collembola: Entomobryomorpha: Entomobryidae)

Distribution: Tetra Cave (Barjadze & Djanashvili, 2008).

***Megalothorax* sp.** (Collembola: Neelipleona: Neelidae)

Distribution: Sataplia I Cave, Tsakhi Cave (Barjadze & Djanashvili, 2008).

***Mesogastrura ojcoviensis* (Stach, 1919)** (Collembola: Poduromorpha: Hypogastruridae)

Distribution: Akui Cave, Samgleklde Cave, Taroklde Cave, Tetra Cave, Tsutskhvati Cave Complex (Barjadze & Djanashvili, 2008).

Material examined: Sakajia Cave, Entrance zone, 1 specimen, leg. Sh. Barjadze, det. Sh. Barjadze.

***Metaphorura affinis* Börner, 1902** (Collembola: Poduromorpha: Tullbergiidae)

Distribution: Dzudzuana Cave (Barjadze et al. 2012).

Material examined: Navenakhevi Cave, Twilight zone, 2 specimens, leg. Sh. Barjadze, det. Sh. Barjadze.

***Micranurida pygmaea* Borner, 1901** (Collembola: Poduromorpha: Neanuridae)

Distribution: Sakire Cave (Barjadze & Djanashvili, 2008).

***Neanura muscorum* (Templeton, 1835)** (Collembola: Poduromorpha: Neanuridae)

Distribution: Meliis Cave (Barjadze & Djanashvili, 2008).

***Neelus murinus* Folsom, 1896** (Collembola: Neelidae)

Distribution: Tetra Cave (Barjadze & Djanashvili, 2008).

***Oligaphorura schoetti* (Lie-Pettersen, 1896)** (Collembola: Poduromorpha: Onychiuridae)

Distribution: Akui Cave, Shua Shakurani Cave (Barjadze & Djanashvili, 2008).

***Onychiuroides granulosus* (Stach, 1930)** (Collembola: Poduromorpha: Onychiuridae)

Distribution: Kelasuri Cave, Tskaro Cave (Barjadze & Djanashvili, 2008).

***Orogastrura* sp.** (Collembola: Poduromorpha: Hypogastruridae)

Material examined: Tsutskhvati II Cave, Twilight zone, 1 specimen, leg. Sh. Barjadze, det. Sh. Barjadze.

***Plutomurus birsteini* Djanashvili & Barjadze, 2011** (Collembola: Entomobryomorpha: Tomoceridae)

Distribution: Bnelaklde Cave, Khvedelidzeebisklde Cave, Meliis Cave, Sakire Cave, Sakishore Cave, Sataplia IV Cave, Shareula II Cave, Taroklde Cave, Tsakhi Cave, Tsutskhvati Cave Complex, Tvishi Cave (Djanashvili & Barjadze, 2011).

Material examined: Khvedlidzeebisklde Cave, Dark zone, 1 specimen, leg. Sh. Barjadze, det. Sh. Barjadze; Taroklde Cave, Twilight zone, 2 specimens, leg. Sh. Barjadze, det. Sh. Barjadze; Tsakhi Cave, Dark zone, 1 specimen, leg. Sh. Barjadze, det. Sh. Barjadze; Tsklisklde Cave, Twilight zone, 5 specimens, leg. Sh. Barjadze, det. Sh. Barjadze.

***Plutomurus kelasricus* Martynova, 1969** (Collembola: Entomobryomorpha: Tomoceridae)

Distribution: Adzaba Cave, Aghmosavlet Gumista I Cave, Aghmosavlet Gumista II Cave, Kelasuri Cave, Leskhulukhe Cave, Sataplia IV Cave, Shakurani IV Cave, Shua Shakurani Cave, Simon Kananeli Cave, Solkota cave, Tsebelda Cave (Martynova, 1969; Barjadze & Djanashvili, 2014).

***Plutomurus ortobalaganensis* Jordana & Baquero, 2012** (Collembola:
Entomobryomorpha: Tomoceridae)

Distribution: Krubera-Voronya Cave (Jordana et al. 2012).

***Plutomurus* sp. 1** (Collembola: Entomobryomorpha: Tomoceridae)

Material examined: Godogani Cave, Dark zone, 3 specimens, leg. Sh. Barjadze, det. Sh. Barjadze.

***Plutomurus* sp. 2** (Collembola: Entomobryomorpha: Tomoceridae)

Material examined: Orpiri II Cave, Dark zone, 1 specimen, leg. Sh. Barjadze, det. Sh. Barjadze; Prometheus Cave, Dark zone, 3 specimens, leg. Sh. Barjadze, det. Sh. Barjadze; Satsurblia Cave, Dark zone, 3 specimens, leg. Sh. Barjadze, det. Sh. Barjadze.

***Plutomurus* sp. 3** (Collembola: Entomobryomorpha: Tomoceridae)

Material examined: Solkota Cave, Entrance zone, 3 specimens, leg. Sh. Barjadze, det. Sh. Barjadze.

***Plutomurus* sp. 4** (Collembola: Entomobryomorpha: Tomoceridae)

Material examined: Garakha Cave, Dark zone, 2 specimens, leg. Sh. Barjadze, det. Sh. Barjadze.

***Plutomurus* sp. 5** (Collembola: Entomobryomorpha: Tomoceridae)

Material examined: Dolabistavi Cave, Dark zone, 1 specimen, leg. Sh. Barjadze, det. Sh. Barjadze.

***Plutomurus* sp. 6** (Collembola: Entomobryomorpha: Tomoceridae)

Material examined: Tetra Cave, Dark zone, 3 specimens, leg. Sh. Barjadze, det. Sh. Barjadze.

***Plutomurus* sp. 7** (Collembola: Entomobryomorpha: Tomoceridae)

Material examined: Satevzia Cave, Dark zone, 10 specimens, leg. Sh. Barjadze, det. Sh. Barjadze.

***Plutomurus* sp. 8** (Collembola: Entomobryomorpha: Tomoceridae)

Material examined: Shurubumu Cave, Dark zone, 3 specimens, leg. Sh. Barjadze, det. Sh. Barjadze.

***Proisotoma minuta* (Tullberg, 1871)** (Collembola: Entomobryomorpha: Isotomidae)

Distribution: Ghliana Cave, Prometheus Cave, Tsikhe Cave (Barjadze & Djanashvili, 2008).

***Protaphorura meridiata* (Gisin, 1952)** (Collembola: Poduromorpha: Onychiuridae)

Material examined: Tsutskhvati XI Cave, Entrance zone, 4 specimens, leg. Sh. Barjadze, det. Sh. Barjadze.

***Protaphorura sakatoi* (Yosii, 1966)** (Collembola: Poduromorpha: Onychiuridae)

Distribution: Dzudzuana Cave (Barjadze et al. 2012).

***Pseudacherontides zenkevitchi* Djanaschvili, 1971** (Collembola: Poduromorpha: Hypogastruridae)

Distribution: Prometheus Cave (Djanaschvili, 1971).

***Pseudachorutes dubius* Krausbauer, 1898** (Collembola: Poduromorpha: Neanuridae)

Distribution: Prometheus Cave (Barjadze & Djanashvili, 2008).

***Pseudosinella alba* (Packard, 1873)** (Collembola: Entomobryomorpha: Entomobryidae)

Material examined: Kakhidze Cave, Entrance zone, 1 specimen, leg. Sh. Barjadze, det. Sh. Barjadze.

***Pseudosinella octopunctata* Borner, 1901** (Collembola: Entomobryomorpha: Entomobryidae)

Material examined: Kakhidze Cave, Twilight zone, 4 specimens, leg. Sh. Barjadze, det. Sh. Barjadze.

***Ptenothrix kuraschvili* Djanaschvili, 1970** (Collembola: Symphypleona: Dicyrtomidae)

Distribution: Sataplia IV Cave (Djanaschvili, 1970).

***Pygmarrhopalites principalis* Stach, 1945** (Collembola: Symphyleona: Arrhopalitidae)

Distribution: Bnelaklde Cave, Meliis Cave, Sataplia I Cave, Solkota Cave, Tetra Cave, Tsakhi Cave, Tsutskhvati Cave Complex (Barjadze & Djanashvili, 2008).

***Pygmarrhopalites pygmaeus* (Wankel, 1860)** (Collembola: Symphyleona: Arrhopalitidae)

Distribution: Sakire Cave (Barjadze & Djanashvili, 2008).

***Schaefferia profundissima* Jordana & Baquero, 2012** (Collembola: Poduromorpha: Hypogastruridae)

Distribution: Krubera-Voronya Cave (Jordana et al. 2012).

***Sphaeridia* sp.** (Collembola: Symphyleona: Sminthurididae)

Distribution: Prometheus Cave (Barjadze & Djanashvili, 2008).

***Tomocerus minor* (Lubbock, 1862)** (Collembola: Entomobryomorpha: Tomoceridae)

Material examined: Chishura Source Cave, Entrance zone, 2 specimens, leg. Sh. Barjadze, det. Sh. Barjadze; Dzudzuana Cave, Entrance zone, 2 specimens, leg. Sh. Barjadze, det. Sh. Barjadze; Kortskheli Cave, Entrance zone, 2 specimens, leg. Sh. Barjadze, det. Sh. Barjadze; Letsurtsume Cave, Entrance zone, 1 specimen, leg. Sh. Barjadze, det. Sh. Barjadze; Mafeli Cave, Entrance zone, 1 specimen, leg. Sh. Barjadze, det. Sh. Barjadze; Motena Cave, Entrance zone, 7 specimens, leg. Sh. Barjadze, det. Sh. Barjadze; Orpiri II Cave, Entrance zone, 3 specimens, leg. Sh. Barjadze, det. Sh. Barjadze.

***Tomocerus vulgaris* (Tullberg, 1871)** (Collembola: Entomobryomorpha: Tomoceridae)

Material examined: Kidobana Cave, Entrance zone, 5 specimens, leg. Sh. Barjadze, det. Sh. Barjadze; Letsurtsume Cave, Entrance zone, 1 specimen, leg. Sh. Barjadze, det. Sh. Barjadze; Samelekilde Cave, Entrance zone, 1 specimen, leg. Sh. Barjadze, det. Sh. Barjadze; Tarokilde Cave, Entrance zone, 1 specimen, leg. Sh. Barjadze, det. Sh. Barjadze;

***Troglopalites stygios* Vargovitsh, 2012** (Collembola: Symphyleona: Arthropalitidae)

Distribution: Kveda Shakurani Cave, Tsebelda Cave, Zeda Shakurani Cave (Vargovitsh, 2012).

***Typhlogastrura morozovi* Babenko, 1987** (Collembola: Poduromorpha: Hypogastruridae)

Distribution: Iluzia-tovliani-mejeni Cave (Babenko, 1987).

***Willowsia buski* (Lubbock, 1871)** (Collembola: Entomobryomorpha: Entomobryidae)

Distribution: Jortska I Cave (Barjadze & Djanashvili, 2008).

***Willowsia nigromaculata* (Lubbock, 1873)** (Collembola: Entomobryomorpha: Entomobryidae)

Distribution: Sakadzhia Cave (Barjadze & Djanashvili, 2008).

Insects – (Arthropoda-Insecta)

Diplurans – (Arthropoda-Diplura)

***Campodea (Dicampa) imeretinensis* Chevrizov, 1976** (Insecta: Diplura: Campodeidae)

Distribution: Prometheus Cave (Chevrizov, 1976).

Flies – (Arthropoda-Insecta-Diptera)

***Aedes vexans* (Meigen, 1830)** (Insecta: Diptera: Culicidae)

Distribution: Patsristavi Cave, Tetra Cave (Zaitzev, 1948).

Bradysia ? (=Neosciara sp. ?) (Insecta: Diptera: Sciaridae)

Distribution: Adzaba Cave (Zaitzev, 1940; Birstein, 1950).

***Fannia scalaris* (Fabricius, 1794)** (Insecta: Diptera: Fanniidae)

Distribution: Adzaba Cave (Zaitzev, 1940).

***Heteromyza atricornis* Meigen, 1830 (=*Thelida atricornis* Meigen, 1830)** (Insecta: Diptera: Helomyzidae)

Distribution: Adzaba Cave (Zaitzev, 1940; Birstein, 1950).

***Limonia nubeculosa* Meigen, 1804** (Insecta: Diptera: Limoniidae)

Distribution: Adzaba Cave, Aghmavali Cave, Akhalsheni Cave, Otapistavi Cave, Shroma Cave, Tsebelda Cave (Birstein & Lopashov, 1940; Zaitzev, 1940, 1948; Birstein, 1950).

***Nycteribia schmidlii* Schiner, 1853** (= *Listropoda schmidlii* Schiner, 1853) (Insecta: Diptera: Nycteribidae)

Distribution: Adzaba Cave (Zaitzev, 1940).

***Orthocladius* sp. ?** (Insecta: Diptera: Chironomidae)

Distribution: Tsakhi Cave (Birstein & Lopashov, 1940; Birstein, 1950).

***Sciara* sp. ? (*Lycoria* sp. ?)** (Insecta: Diptera: Sciaridae)

Distribution: Otapistavi Cave (Birstein & Lopashov, 1940; Birstein, 1950).

***Trichocera (Saltrichocera) maculipennis* (Meigen 1818)** (Insecta: Diptera: Trichoceridae)

Distribution: Krubera-Voronya Cave (Sendra & Reboleira, 2012).

Silverfishes and firebrats – (Arthropoda-Insecta-Thysanura)

Thysanura sp. indet.

Distribution: Adzaba Cave (Satunin, 1912).

Caddisflies – (Arthropoda-Insecta- Trichoptera)

***Plectrocnemia* sp. ?** (Insecta: Trichoptera: Polycentropodidae)

Distribution: Shua Shakurani Cave, Zeda Shakurani Cave (Birstein & Lopashov, 1940; Lepneva 1940; Birstein, 1950).

Orthopterans (Arthropoda-Insecta-Orthoptera)

***Dolichopoda euxina* Semenov, 1901** (Insecta: Orthoptera: Rhaphidophoridae)

Distribution: Abrskili Cave, Adzaba Cave, Aghmavali Cave, Agumava Cave, Aiusta Cave, Anish Cave, Bacha Cave, Chlakhe Cave, Guma Cave, Jokhra Cave, Kelasuri Cave, Kveda Akhalsheni Cave, Kveda Shakurani Cave, Likhni Cave, Mashe Cave, Otapistavi Cave, Patsristavi Cave, Sapichkhia Cave, Sataplia I Cave, Shua Shakurani Cave, Shroma Cave, Simon Kananeli Cave, Tarkili Cave, Tetra Cave, Tsakhi Cave, Tsebelda Cave, Tsikhervia Cave, Tskaro

Cave, Tskhaltsitela Cave, Zeda Akhalsheni Cave, Zeda Shakurani Cave (Semenov, 1901; Shugurov, 1908; Uvarov, 1912; Boldirev, 1913; Satunin, 1912; Birstein & Lopashov, 1940; Zaitzev, 1940, 1948; Birstein, 1950).

Material examined: Tsivtskala cave, Entrance zone, 1 adult male, leg. T. Arabuli, det. M. Rampini.

Grylloidea sp. indet. (Insecta: Orthoptera)

Distribution: Tsikherva Cave (Boldirev, 1913).

Beetles (Arthropoda-Insecta-Coleoptera)
Ground beetles – Carabidae

***Carabus* sp.** (Insecta: Coleoptera: Carabidae)

Distribution: Krubera-Voronya Cave (Sendra & Reboleira, 2012).

***Cimmerites kurnakovi* Jeannel, 1960** (Insecta: Coleoptera: Carabidae)

Distribution: Bacha Cave (Jeannel, 1960).

***Cimmerites morozovi* (Dolzhanski et Ljovuschkin, 1990) (=*Birsteinotrechus morozovi* Dolzhanski et Ljovuschkin, 1990)** (Insecta: Coleoptera: Carabidae)

Distribution: Cave at Mt. Achibakh (Dolzhanski & Ljovuschkin, 1990).

***Duvalius abyssimus* Reboleira & Ortuño, 2014** (Insecta: Coleoptera: Carabidae)

Distribution: Krubera-Voronya Cave (Reboleira & Ortuño, 2014).

***Duvalius iljukhini* (Dolzhanskij et Ljovuschkin, 1985) (=*Jeannelius iljukhini* Dolzhanskij et Ljovuschkin, 1985)** (Insecta: Coleoptera: Carabidae)

Distribution: Suveniri Cave (Dolzhanskij & Ljovuschkin, 1985).

***Duvalius sokolovi* Ljovuschkin, 1963** (Insecta: Coleoptera: Carabidae)

Distribution: Trekuza Cave (Ljovuschkin, 1963).

***Inotrechus injaevae* Dolzhanskij et Ljovuschkin, 1989** (Insecta: Coleoptera: Carabidae)

Distribution: Sakishore Cave (Daizhanskij & Ljovuschkin, 1989).

***Inotrechus kurnakovi* Dolzhanskij et Ljovuschkin, 1989** (Insecta: Coleoptera: Carabidae)

Distribution: Prometheus Cave (Dolzhanski & Ljovuschkin, 1989).

***Jeannelius gloriosus* Ljovuschkin, 1965** (Insecta: Coleoptera: Carabidae)

Distribution: Akhali Atoni Cave (Ljovuschkin, 1965).

***Jeannelius magnificus* Kurnakov, 1959** (Insecta: Coleoptera: Carabidae)

Distribution: Kveda Shakurani Cave, Tsebelda Cave (Kurnakov, 1959; Ljovuschkin, 1963).

***Laemostenus (Antisphodroides) liovushkini* Vereschagina, 1985** (Insecta: Coleoptera: Carabidae)

Distribution: Prometheus Cave, Sakadzhia Cave, Solkota, Tetra Cave, Tsutskhvati Cave Complex (Vereschagina, 1985).

***Meganophthalmus kutaissianus* (Zaitzev, 1941) (=*Duvalius kutaissianus* Zaitzev, 1941)** (Insecta: Coleoptera: Carabidae)

Distribution: Tskaltsitela Cave (Zaitzev, 1941).

***Meganophthalmus medvedevi* Belousov et Koval, 2009** (Insecta: Coleoptera: Carabidae)

Distribution: Otapistavi Cave (Belousov & Koval, 2009).

***Meganophthalmus mirabilis* Kurnakov, 1959** (Insecta: Coleoptera: Carabidae)

Distribution: Tsebelda Cave, Zeda Shakurani Cave (Kurnakov, 1959; Belousov & Koval, 2009).

***Taniatrechus setosus* Belousov et Dolzhanskij, 1994** (Insecta: Coleoptera: Carabidae)

Distribution: Suveniri Cave (Belousov & Dolzhanskij, 1994).

***Troglocimmerites djanaschwili* Ljovuschkin, 1970** (Insecta: Coleoptera: Carabidae)

Distribution: Meliis Cave (Ljovuschkin, 1970).

Troglocimmerites imeretus (Dolzhanskij et Ljovuschkin, 1985)
 (= *Birsteinotrechus imeretus* Dolzhanskij et Ljovuschkin, 1985)
(Insecta: Coleoptera: Carabidae)

Distribution: Sataplia IV Cave (Dalzhanski & Ljovuschkin, 1985).

Trechini sp. indet. (Insecta: Coleoptera: Carabidae)

Distribution: Kelasuri Cave (Zaitzev, 1948).

Rove beetles – Staphylinidae

Lesteva pubescens Mannerheim, 1830 (Insecta: Coleoptera: Staphylinidae)

Distribution: Chamkhona Cave (Ljovushkin, 1966).

Bryaxis hypocritus Plavilshchikov, 1940 (Insecta: Coleoptera: Staphylinidae)

Distribution: Tsakhi Cave (Plavilshchikov, 1940).

Cholevidae

Catops cavicis Giachino, 2011 (Insecta: Coleoptera: Cholevidae)

Distribution: Krubera-Voronya Cave (Giachino, 2011).

Hister beetles – Histeridae

Gnathoncus rotundatus (Kugelann, 1792) (Insecta: Coleoptera: Histeridae)

Distribution: Adzaba Cave (Zaitzev, 1948).

Ants (Arthropoda-Insecta-Hymenoptera)

Lasius fuligonosus Latreille, 1798 (Insecta: Hymenoptera: Formicidae)

Material examined: Usholta Cave, Twilight zone, 3 specimens, leg. Sh. Barjadze, det. N. Gratiashvili.

Leptothorax acervorum (Fabricius, 1793) (Insecta: Hymenoptera: Formicidae)

Material examined: Samertskhleklde I Cave, Twilight zone, 3 specimens, leg. Sh. Barjadze, det. N. Gratiashvili.

Butterflies and moths (Arthropoda-Insecta- Lepidoptera)

Scoliopteryx libatrix (Linnaeus, 1758) (Insecta: Lepidoptera: Noctuidae)

Material examined: Dolabistavi Cave, Twilight and Dark zones, 3 specimens, leg. Sh. Barjadze, det. T. Chunashvili; Sakishore Cave, Dark zone, 2 specimens, leg. Sh. Barjadze, det. T. Chunashvili.

Triphosa dubitata (Linnaeus, 1758) (Insecta: Lepidoptera: Geometridae)

Material examined: Dolabistavi Cave, Twilight and Dark zones, 6 specimens, leg. Sh. Barjadze, det. T. Chunashvili; Sakishore Cave, Dark zone, 3 specimens, leg. Sh. Barjadze, det. T. Chunashvili; Usholta Cave, Dark zone, 5 specimens, leg. Sh. Barjadze, det. T. Chunashvili.

PART II. CAVES AND THEIR INVERTEBRATES' COMMUNITIES

Abrskili (=Ablaskiri, Achkhi-tizgua, Achkhshe-tizgua, Chlou) Cave

Fanavi karst massif, Ochamchire district, Abkhazeti, Georgia

Amphipods (1): *Niphargus ablaskiri ablaskiri* Birstein, 1940

Decapods (2): *Troglocaris (Xiphocaridinella) ablaskiri* Birstein, 1939 (=*Troglocaris schmidti ablaskiri* Birstein, 1939) and *Troglocaris birsteini* Mugue, Zueva & Ershov, 2001

Isopods (2): *Borutzkyella revasi* (Borutzky, 1973) (=*Buddelundiella revasi* Borutzky, 1973), *Trichoniscus aphonicus codoricus* Borutzky, 1977

Insects (1): *Dolichopoda euxina* Semenov, 1901

Maxillopods (1): *Acanthocyclops vernalis vernalis* (Fischer, 1853)

Millipedes (1): *Archileucogeorgia abchasica* (Lohmander, 1936)

In total: 8 species.

Adzaba (=Eshera) Cave

Gumishita-Psirtska karst massif, Sokhumi district, Abkhazeti, Georgia

Amphipods (1): *Gammarus pulex* Linnaeus, 1758

Annelids (1): Enchytraeidae sp. indet.

Harvestmen (1): *Nelima pontica* (Charitonov, 1941).

Insects (8): *Bradyia* (=*Neosciara* sp. ?), *Dolichopoda euxina* Semenov, 1901, *Fannia scalaris* (Fabricius, 1794), *Gnathoncus rotundatus* (Kugelann, 1792), *Heteromyza atricornis* Meigen, 1830 (=*Thelida atricornis* Meigen, 1830), *Limonia nubeculosa* Meigen, 1804, *Nycteribia schmidlii* Schiner, 1853 (=*Listropoda schmidlii* Schiner, 1853), *Thysanura* sp. indet.

Isopods (5): *Asellus* sp., *Caucasoligidium cavernicola cavernicola* Borutzky, 1950, *Ligidium nodulosum* Verhoeff, 1918, *Trichoniscus aphonicus abchasicus* Borutzky, 1977, *Trachelipus* sp. (=*Tracheoniscus* sp.)

Maxillopods (1): *Paracyclops fimbriatus fimbriatus* (Fischer, 1853)

Millipedes (1): Chordeumatida sp. indet.

Spiders (4): *Carpathonesticus zaitzevi* (Charitonov, 1939) (=*Nesticus zaitzevi* Charitonov, 1939), *Episinus truncatus* Latreille, 1809, *Meta bourneti* Simon, 1922, *Metellina merianae* (Scopoli, 1763) (=*Meta me-*

rianae Scopoli, 1763)

Springtails (1): *Plutomurus kelasuricus* Martynova, 1969.

In total: 23 species.

Afonskaja Cave

Gumista-Psirskha karst massif, Gudauta district, Abkhazeti, Georgia

Comment: There are not any caves known in Georgia with this name. We think that this is one of the caves, situated near Akhali Atoni.

Spiders (1): *Carpathonesticus zaitzevi* (Charitonov, 1939) (=*Nesticus zaitzevi* Charitonov, 1939)

In total: 1 species.

Aghmavali (=Old Stalactite, Psirskha, Psyrtskha) Cave

Gumista-Psirskha karst massif, Gudauta district, Abkhazeti, Georgia

Comment: Some scientists think that this cave is a part of Akhali Atoni Cave

Decapods (1): *Troglocaris (Xiphocarinella) fagei* Birstein, 1939 (=*Troglocaris schmidti fagei* Birstein, 1939)

Insects (2): *Dolichopoda euxina* Semenov, 1901, *Limonia nubeculosa* Meigen, 1804

Isopods (1): *Trichoniscus* sp. 1

Maxillopods (3): *Acanthocyclops vernalis vernalis* (Fischer, 1853), *Cyclops strenuus strenuus* Fischer, 1851, *Paracyclops fimbriatus fimbriatus* (Fischer, 1853)

Spiders (1): *Carpathonesticus zaitzevi* (Charitonov, 1939) (=*Nesticus zaitzevi* Charitonov, 1939)

Springtails (1): *Arrhopalites abhasicus* Vargovitsh, 2013

In total: 9 species.

Aghmosavlet Gumista I (=Vastochnaya Gumista I) Cave

Gumista-Psirskha karst massif, Sokhumi district, Abkhazeti, Georgia

Springtails (1): *Plutomurus kelasuricus* Martynova, 1969

In total: 1 species.

Aghmosavlet Gumista II (=Vastochnaya Gumista II) Cave

Gumista-Psirskha karst massif, Sokhumi district, Abkhazeti, Georgia

Springtails (1): *Plutomurus kelasuricus* Martynova, 1969

In total: 1 species.

Agumava Cave

Duripshi plateau, Gudauta district, Abkhazeti, Georgia

Amphipods (1): *Zenkevitchia admirabilis* Birstein, 1941

Insects (1): *Dolichopoda euxina* Semenov, 1901

Spiders (2): *Carpathonesticus caucasicus* (Charitonov, 1947) (=*Nesticus caucasicus* Charitonov, 1947), *Hoploholcus longipes* (Spassky, 1934)

In total: 4 species.

Aiusta Cave

Gudauta district, Abkhazeti, Georgia

Annelids (1): *Dendrobaena veneta veneta* (Rosa, 1886) (=*Eisenia veneta* var. *minuta* Malevics, 1947)

Insects (1): *Dolichopoda euxina* Semenov, 1901

Isopods (1): *Caucasoligidium cavernicola ajustae* Borutzky, 1950

In total: 3 species.

Akhali Atoni (=Anakopia, Iveria ?, Novoafonskaya) Cave

Gumista-Psirtska karst massif, Gudauta district, Abkhazeti, Georgia

Amphipods (2): *Anopogammarus* sp., *Zenkevitchia admirabilis* Birstein, 1941

Decapods (1): *Troglocaris (Xiphocaridinella) fagei* Birstein, 1939 (=*Troglocaris schmidti fagei* Birstein, 1939)

Insects (1): *Jeannelius gloriosus* Ljovuschkin, 1965

Isopods (1): *Trichoniscus aphonicus aphonicus* Borutzky, 1977

Mollusks (3): *Belgrandiella (?) abchasica* Starobogatov, 1962, *Paladilhiopsis shadini* Starobogatov, 1962, *Pontohoratia smyri* Vinarski, Palatov, Glöer, 2014

In total: 8 species.

Akhalsheni (=Andreevka, Andreevskaya) Cave

Gumista-Psirtska karst massif, Sokhumi district, Abkhazeti, Georgia

Comment: As we found in the literature there are 2 caves named after Akhalsheni: Zeda and Kveda Akhalsheni caves (Tatashidze et al. 2009: 376). It is difficult to decide in which cave(s) were sampled below listed invertebrates.

Insects (1): *Limonia nubeculosa* Meigen, 1804

Isopods (1): *Ligidium* sp. 3 - Comment: This is probably *Caucasoligidium cavernicola gumistae* Borutzky, 1950

In total: 2 species.

Akui (=Chasm of Abkhazian Speleologists) Cave

Gumista-Psirtskha karst massif, Gudauta district, Abkhazeti, Georgia

Springtails (3): *Desoria trispinata* (MacGillivray, 1896), *Mesogastrura ojcoviensis* (Stach, 1919), *Oligaphorura schoetti* (Lie-Pettersen, 1896)

Isopods (1): *Trichoniscus aphonicus aphonicus* Borutzky, 1977

In total: 4 species.

Anish Cave

Gudauta district, Abkhazeti, Georgia

Centipedes (1): *Lithobius* sp.

False scorpions (1): *Neobisium (Blothrus)* sp.

Insects (1): *Dolichopoda euxina* Semenov, 1901

Mollusks (1): *Conulopolita raddei* (Boettger, 1879) (=*Hyalinia (Conulopolita) raddei* O. Boettger, 1879)

Spiders (1): *Carpathonesticus caucasicus* (Charitonov, 1947) (=*Nesticus caucasicus* Charitonov, 1947)

In total: 5 species.

Anukhvya (=Anukhvinskaya) Cave

Gumishkha-Psirtskha karst massif, Gudauta district, Abkhazeti, Georgia

Comment: There are 8 caves named after Anukhva (I-VIII) (Tatashidze et al., 2009: 343-349). It is difficult to decide in which cave(s) were sampled below listed invertebrates.

Amoeboïd protozoans (6): *Cyclopyxis arcelloides* Penard, 1902, *Cyclopyxis intermedia* Kufferath, 1932 (=*Cyclopyxis bathystoma* Chibisova, 1967; *Cyclopyxis kahli* var. *grandis* Chibisova, 1967), *Cyclopyxis kahli* Deflandre, 1929, *Cyclopyxis penardi* var. *minor* Chibisova, 1967, *Plagiopyxis callida* Penard, 1910, *Pontigulasia incisa* Rhumbler, 1896

Isopods (1): *Trichoniscus aphonicus aphonicus* Borutzky, 1977

Springtails (1): *Arrhopalites macronyx* Vargovitsh, 2012
In total: 8 species.

Apokalinskaya Cave

Near Akhali Atoni, Abkhazeti, Georgia

Isopods (1): *Trichoniscus aphonicus aphonicus* Borutzky, 1977
In total: 1 species.

Avidzba Cave

Abkhazeti, Georgia

Centipedes (1): *Harpolithobius birsteini* Zalesskaya, 1972
In total: 1 species.

Bacha Cave

Bach-Otkhara karst massif, Gudauta district, Abkhazeti, Georgia

Comment: There are 2 caves with the name - Bacha: Bacha Kveda and Bacha Zeda caves (Tatashidze et al., 2009: 585-586). It is difficult to decide from which cave(s) were sampled below listed invertebrates.

Amphipods (2): *Niphargus otharicus* Birstain, 1952 (=*Niphargus puteanus otharicus* Birstain, 1952), *Stygobromus behningi* (Birstein, 1948) (=*Synurella behningi* Birstein, 1948)

Insects (2): *Cimmerites kurnakovi* Jeannel, 1960, *Dolichopoda euxina* Semenov, 1901

Isopods (2): *Ligidium fragile* Budde-Lund, 1885 (=*Ligidium euxinum* Verhoeff, 1918; *Ligidium euxinum caucasicum* Verhoeff), *Trichoniscus gudauticus gudauticus* Borutzky, 1977

Mollusks (3): *Conulopolita cavatica* (Riedel, 1966) (=*Oxychilus cochlospaeleus* Tzvetkov in Birshtein, 1950, nomen nudum), *Conulopolita raddei* (Boettger, 1879) (=*Hyalinia (Conulopolita) raddei* O. Boettger, 1879), *Serrulina* sp. 2 (as *Serrulina inferna* Tzvetkov (nomen nudum))

In total: 9 species.

Bnelaklde Cave

Zemo Imereti plateau, Chiatura district, Imereti, Georgia

Millipedes (2): *Archileucogeorgia* sp., *Trachysphaera orientalis* Golovatch, 1976

Springtails (2): *Plutomurus birsteini* Djanashvili & Barjadze, 2011, *Pygmarrhopalites principalis* Stach, 1945

In total: 4 species.

Bregvadzebisklde Cave

Zemo Imereti plateau, Chiatura district, Imereti, Georgia

Mollusks (1): *Mucronaria pleuroptychia* (Boettger, 1878)

Spiders (1): *Pardosa agricola* (Thorell, 1856)

In total: 2 species.

Buja-Karianiklde Cave (=Khreiti Cave)

Racha karst massif, Chiatura district, Imereti, Georgia

Comment: Khreiti Cave, which was given in Japaridze & Gomelauri (1986) is Buja-Karianiklde Cave (Janashvili, personal communication).

Mites (2): *Oppiella (Moritzoppia) splendens* Koch, 1841, *Oppiella (Moritzoppia) unicarinata clavigera* (Hammer, 1952)

In total: 2 species.

Cave at Mt. Achibakh

Cave at Mt. Achibakh, Abkhazia, Georgia

Insects (1): *Cimmerites morozovi* (Dolzhanski et Ljovuschkin, 1990)
(*=Birsteinotrechus morozovi* Dolzhanski et Ljovuschkin, 1990)

In total: 1 species.

Cave between Tkibuli and Kutaisi

Imereti, Georgia.

Comment: It is difficult to say which cave it is.

Mites (2): *Amerobelba decedens* Berlese, 1908, *Brachichtonius* sp.

In total: 2 species.

Cave in Pitsunda/Myussera Reserve

Abkhazeti, Georgia

Comment: It is difficult to say which cave it is.

Spiders (1): *Porrhomma convexum* (Westring, 1851)
In total: 1 species.

Cave in the Enguri gorge

Georgia

Millipedes (1): *Choneiulus* sp.

Springtails (1): *Folsomia candida* Willem, 1902

In total: 2 species.

Chamkhona Cave

Arabika karst massif, Gagra district, Abkhazeti, Georgia

Centipedes (1): *Lithobius* sp.

Harvestmen (2): *Odiellus* sp., *Paranemastoma kalischevskyi* (Roewer, 1951) (=*Nemastoma kalischevskyi*)

Insects (1): *Lesteva pubescens* Mannerheim, 1830

Mollusks (1): *Scrobifera taurica taurica* (Pfeiffer, 1848) (=*Idula foveicollis* Charpentier, 1852)

Nematodes (3): *Aglenchus agricola* (de Man, 1884) (=*Tylenchus Agricola* de Man, 1884), *Monhyphista* sp., *Plectus rhyzophilus* de Man, 1880

Spiders (1): *Segestria senoculata* (Linnaeus, 1758)

In total: 9 species.

Chishura source Cave

Zemo Imereti plateau, Terjola district, Imereti, Georgia

Mites (3): *Eupelops acromios* (Hermann, 1804), *Minunthozetes pseudofusiger* (Schweizer, 1922), *Ramusella clavipectinata* (Michael, 1885)

Mollusks (1): *Oxychilus koutaisianus* (Mousson, 1863)

Springtails (1): *Tomocerus minor* (Lubbock, 1862)

In total: 5 species.

Chishura II Cave (=Chishura Cave)

Zemo Imereti plateau, Terjola district, Imereti, Georgia

Comment: Chishura Cave, mentioned in Murvamidze, 2014 should be Chishura II Cave.

Mites (3): *Oppiella (Rhinoppia) fallax* (Paoli, 1908), *Ramusella clavipectinata* (Michael, 1885), *Sphaerozetes tricuspidatus* Willmann, 1923

Mollusks (1): *Oxychilus koutaisianus* (Mousson, 1863)

Springtails (1): *Heteromurus nitidus* (Templeton, 1835)

In total: 5 species.

Chlakhe Cave

Gudauta district, Abkhazeti, Georgia

Annelids (2): *Dendrobaena hortensis* (Michaelsen, 1890) (=*Eisenia birsteini* Malevics, 1947), *Eisenia fetida* (Savigny, 1826)

Insects (1): *Dolichopoda euxina* Semenov, 1901

Isopods (2): *Cylisticus caucasicus* Verhoeff, 1917, *Ligidium fragile* Budde-Lund, 1885 (=*Ligidium euxinum* Verhoeff, 1918; *Ligidium euxinum caucasicum* Verhoeff)

Mollusks (4): *Conulopolita cavatica* (Riedel, 1966) (=*Oxychilus cochlospaleus* Tzvetkov in Birshtein, 1950, nomen nudum), *Conulopolita raddei* (Boettger, 1879) (=*Hyalinia (Conulopolita) raddei* O. Boettger, 1879), *Lauria* sp., *Serrulina* sp. 1 (as *Serrulina birsteini* Tzvetkov (nomen nudum))

Spiders (1): *Carpathonesticus caucasicus* (Charitonov, 1947) (=*Nesticus caucasicus* Charitonov, 1947)

In total: 10 species.

Dasavlet Gumista (=Zapadnaya Gumista) Cave

Gumista-Psirtskha karst massif, Sokhumi district, Abkhazeti, Georgia

Isopods (1): *Trichoniscus aphonicus abchasicus* Borutzky, 1977

In total: 1 species.

Dolabistavi Cave

Racha karst massif, Ambrolauri district, Racha, Georgia

False scorpions (1): *Neobisium* sp.

Insects (2): *Scoliopteryx libatrix* (Linnaeus, 1758), *Triphosa dubitata* (Linnaeus, 1758)

Springtails (1): *Plutomurus* sp. 5

In total: 4 species.

Dzudzuana Cave

Zemo Imereti plateau, Chiatura district, Imereti, Georgia

Mites (25): *Achipteria longisetosa* Murvanidze & Weigmann, 2003, *Aleurodamaeus setosus* (Berlese, 1883), *Berniniella silvatica* (Vasiliu & Calugar, 1976), *Chamobates voigtii* (Oudemans, 1902), *Conchogneta dalecarlica* (Forsslund, 1947), *Dissorrhina ornata* (Oudemans, 1900), *Dissorrhina signata* Schwalbe, 1989, *Galumna alata* (Hermann, 1804), *Gustavia microcephala* (Nicolet, 1855), *Hypochthonius rufulus* Koch, 1835, *Machuella draconis* Hammer, 1961, *Metabelba pseudoitalica* Bulanova-Zachvatkina, 1965, *Microzetes caucasicus* (Krivolutsky, 1967), *Minunthozetes pseudofusiger* (Schweizer, 1922), *Oppia nitens* Koch, 1836, *Oppiella (Oppiella) nova* (Oudemans, 1902), *Oppiella (Rhinoppia) subpectinata* (Oudemans, 1900), *Protoribates capucinus* Berlese, 1908, *Puncoribates punctum* (Koch, 1839), *Quadroppia (Coronoquadroppia) media* Gordeeva, 1983, *Ramusella insculpta* (Paoli, 1908), *Rhysotritia ardua* (Koch, 1841), *Scheloribates latipes* (Koch, 1844), *Steganacarus (Steganacarus) spinosus* (Sellnick, 1920), *Tectocepheus velatus velatus* (Michael, 1880)

Springtails (4): *Folsomia ksenemani* Stach, 1947, *Metaphorura affinis* Börner, 1902, *Protaphorura sakatoi* (Yosii, 1966), *Tomocerus minor* (Lubbock, 1862)

In total: 29 species.

Garakha Cave

Odishi plain, Chkhvorotsku district, Samegrelo, Georgia

Spiders (1): *Pardosa agricola* (Thorell, 1856)

Springtails (2): *Folsomia candida* Willem, 1902, *Plutomurus* sp. 4

In total: 3 species.

Ghliana Cave

Sataplia-Tskaltubo karst massif, Tskaltubo district, Imereti, Georgia

Maxillopods (2): *Attheyella crassa* (Sars, 1863), *Echinocamptus georgievitchi* (Chappuis, 1924)

Millipedes (1): *Trachysphaera fragilis* Golovatch, 1976

Mites (2): *Hypoaspis aculeifer* (Canestrini, 1883), *Macrocheles penicilliger* (Berlese, 1904)

Springtails (2): *Deuterostinthusus* sp., *Proisotoma minuta* (Tullberg, 1871)
In total: 7 species.

Godogani Cave

Okriba karst massif, Terjola district, Imereti, Georgia

Mollusks (1): *Vitrinoxychilus subsuturalis* (Boettger, 1888)

Springtails (1): *Plutomurus* sp.1

In total: 2 species.

Guma (=Gumi) Cave

Gumista-Psirtska karst massif, Sokhumi district, Abkhazeti, Georgia

Comment: There are 4 caves named Guma (I-IV) (Tatashidze et al. 2009: 357-360). It is difficult to decide from which cave(s) were sampled below listed invertebrates.

Insects (1): *Dolichopoda euxina* Semenov, 1901

Mollusks (2): *Conulopolita raddei* (Boettger, 1879) (=*Hyalinia (Conulopolita) raddei* O. Boettger, 1879), *Oxychilus* sp. 1 (as *Oxychilus subreticulata* Tzvetkov (nomen nudum))

In total: 3 species.

Iluzia-tovliani-mejeni (=Snejnaya, Snezhnaya) Cave

Bzyb (=Bzipi) karst massif, Gudauta district, Abkhazeti, Georgia

False scorpions (1): *Roncus birsteini* Krumpál, 1986

Springtails (1): *Typhlogastrura morozovi* Babenko, 1987

In total: 2 species.

Inchkhuri Cave

Odishi plain, Martvili district, Samegrelo, Georgia

Isopods (1): *Mingrelloniscus inchhuricus* Borutzky, 1974

Maxillopods (1): *Moraria (Moraria) varica* (Graeter, 1911)

In total: 2 species.

Jeopse (=Sandripshi) Cave

Arabika karst massif, Gagra district, Abkhazeti, Georgia

Isopods (1): *Caucasoligidium cavernicola ajustae* Borutzky, 1950

Mollusks (1): *Conulopolita cavatica* (Riedel, 1966) (=*Oxychilus co-chlospeleus* Tzvetkov in Birshtein, 1950, nomen nudum)

Nematodes (2): *Prismatolaimus dolichurus* de Man, 1880, *Prismatolaimus* sp.

In total: 4 species.

Jokhra Cave

Gagra district, Abkhazeti, Georgia

Insects (1): *Dolichopoda euxina* Semenov, 1901

In total: 1 species.

Jortsku I (=Jortsku) Cave

Askhi karst massif, Martvili district, Samegrelo, Georgia

Comment: There are 2 caves named Jortsku (Tatashidze et al. 2009: 219-220). Springtail species, which was given in Barjadze & Djanashvili (2008), was sampled in Jortsku I Cave (Janashvili, personal communication).

Springtails (1): *Willowsia buski* (Lubbock, 1871)

In total: 1 species.

Kakhidze Cave

Racha karst massif, Ambrolauri district, Racha, Georgia

Mites (3): *Eupelops torulosus* (Koch, 1839), *Tectocepheus velatus velatus* (Michael, 1880), *Zetorchestes falzonii* Coggi, 1898

Mollusks (2): *Oxychilus koutaisianus* (Mousson, 1863), *Oxychilus sunicinaceus* (Bottger, 1883)

Spiders (1): *Pardosa hortensis* Thorell, 1872

Springtails (2): *Pseudosinella alba* (Packard, 1873), *Pseudosinella octopunctata* Börner, 1901

In total: 8 species.

Kelasuri (=Aleksandrovka) cave

Tsebelda Karst massif, Gulripshi district, Abkhazeti, Georgia

Amphipods (1): *Niphargus inermis* Birstein, 1940 (=*Niphargus ablaskiri inermis* Birstein, 1940)

False scorpions (2): *Neobisium* (*Neobisium*) *crassifemoratum* (Beier,

1928), *Neobisium (Neobisium) labinskyi* Beier, 1937

Harvestmen (1): *Nelima pontica* (Charitonov, 1941)

Insects (2): *Dolichopoda euxina* Semenov, 1901, Trechini sp. indet.

Millipedes (3): *Archileucogeorgia abchasica* (Lohmander, 1936), *Archileucogeorgia satunini* (Lohmander, 1936), *Nopoilulus (Paranopoilulus)* sp.

Spiders (6): *Carpathonesticus zaitzevi* (Charitonov, 1939) (=*Nesticus zaitzevi* Charitonov, 1939), *Diplocephalus caucasicus* Tanasevitch, 1987, *Episinus truncatus* Latreille, 1809, *Meta bourneti* Simon, 1922, *Metellina meriana* (Scopoli, 1763) (=*Meta meriana* Scopoli, 1763), *Tegenaria abchasica* Charitonov, 1941

Springtails (2): *Onychiuroides granulosus* (Stach, 1930), *Plutomurus kelasuricus* Martynova, 1969

In total: 17 species.

Khvedelidzeebisklde (=Khvedelidze) Cave

Zemo Imereti plateau, Chiatura district, Imereti, Georgia

Spiders (2): *Arctosa cinerea* Fabricius, 1777, *Theridion* sp. 3

Springtails (3): *Folsomia candida* Willem, 1902, *Hypogastrura* sp., *Plutomurus birsteini* Djanashvili & Barjadze, 2011

In total: 5 species.

Kidobana Cave

Racha karst massif, Ambrolauri district, Racha, Georgia

Mites (17): *Autogneta longilamellata* (Michael, 1885), *Ceratoppia quadridentata* (Haller, 1882), *Ceratozetes gracilis* (Michael, 1884), *Chamobates cuspidatus* (Michael, 1884), *Chamobates voigtsi* (Oudemans, 1902), *Epidamaeus pinguis* Kulijev, 1967, *Eupelops acromios* (Hermann, 1804), *Metabelbella flagelliseta* Bulanova-Zachvatkina, 1965, *Minunthozetes pseudofusiger* (Schweizer, 1922), *Parachipteria fanzagoi* (Jacot, 1929), *Pilogalumna tenuiclava* Berlese, 1914, *Ramusella clavipectinata* (Michael, 1885), *Sphaerozetes tricuspidatus* Willmann, 1923, *Steganacarus (Tropacarus) patruelis* Niedbala, 1983, *Steganacarus (Steganacarus) spinosus* (Sellnick, 1920), *Steganacarus (Atropacarus) striculus* (Koch, 1835), *Zygoribatula frisiae* (Oudemans, 1900)

Springtails (5): *Desoria* sp., *Folsomia* sp., *Friesea* sp., *Lepidocyrtus lignorum* (Fabricius, 1793), *Tomocerus vulgaris* (Tullberg, 1871)

In total: 22 species.

Kortskheli Cave

Odishi plain, Zugdidi district, Samegrelo, Georgia

Annelids (1): *Dendrobaena veneta veneta* (Rosa, 1886)

Mollusks (1): *Circassina frutis* (Pfeiffer, 1859)

Spiders (4): *Metellina merianae* (Scopoli, 1763) (=*Meta merianae* Scopoli, 1763), *Oxyopes lineatus* Latreille, 1806, *Theridion* sp. 2, *Trochosa ruricola* (De Geer, 1778)

Springtails (1): *Tomocerus minor* (Lubbock, 1862)

In total: 7 species.

Krubera-Voronya Cave

Arabika karst massif, Place Ortobalagan, Gagra district, Abkhazeti, Georgia

Amphipods (1): *Zenkevitchia* sp.1

Decapods (1): *Troglocaris* sp.

False scorpions (1): *Neobisium (Blothrus) birsteini* (Lapschoff, 1940)

Harvestmen (1): *Nemasabela* sp.

Insects (4): *Carabus* sp., *Catops cavicis* Giachino, 2011, *Duvalius abyssimus* Reboleira & Ortuño, 2014, *Trichocera (Saltrichocera) maculipennis* (Meigen 1818)

Millipedes (1): *Chordeumatida* sp. indet.

Mites (1): *Acari* sp. indet.

Spiders (2): *Gnaphosidae* sp. indet., *Troglohyphantes* sp.

Springtails (4): *Anurida stereoodorata* Jordana & Baquero, 2012, *Deuteraphorura kruberaensis* Jordana & Baquero, 2012, *Plutomurus ortobalaganensis* Jordana & Baquero, 2012, *Schaefferia profundissima* Jordana & Baquero, 2012

In total: 16 species.

Kudaro Cave

Kudaro karst massif, Java district, Samachablo (=Southern Osetia), Georgia

Comment: There are 6 caves in Georgia named after Kudaro (I-VI) (Tsikarishvili et al., 2009: 282-287). It is difficult to say from which cave was sampled millipede species.

Millipedes (1): *Brachydesmus kalischewskyi* Lignau, 1911
In total: 1 species.

Kuibishevi (=Kuibyshevskaya) Cave

Arabika karst massif, Abkhazia, Georgia

Harvestmen (1): *Nemaspela abchasica* (Ljovuschkin & Starobogatov, 1963) (=*Buresiolla abchasica* Ljovuschkin & Starobogatov, 1963)

In total: 1 species.

Kveda Akhalsheni (=Nizhnyaya Andreevskaya) Cave

Gumista-Psirtska karst massif, Sokhumi district, Abkhazeti, Georgia

Amphipods (2): *Niphargus iniochus* Birstein, 1941 (=*Niphargus puteanus iniochus* Birstein, 1941), *Zenkevitchia admirabilis* Birstein, 1941

Insects (1): *Dolichopoda euxina* Semenov, 1901

Isopods (2): *Caucasoligidium cavernicola gumistae* Borutzky, 1950, *Trichoniscus aphonicus abchasicus* Borutzky, 1977

Mollusks (1): «*Oxychilus*» *birsteini* Tzvetkov, 1940

In total: 6 species.

Kveda Kvlishori Cave

Sataplia-Tskaltubo karst massif, Tskaltubo district, Imereti, Georgia

Comment: There was written about the cave which was near village Kvlishori in Borutzky and Mikhailova-Neikova (1970). Two caves are located near Kvlishori village: Zeda and Kveda Kvlishori caves (Tatashidze et al., 2009: 454-455). Based on the location and characteristics of the cave, given in Borutzky and Mikhailova-Neikova (1970) make us think that maxillopods must have been taken from Kveda Kvlishori Cave. Besides, based on the location and characteristics of the cave, given in Birstein and Ljovuschkin (1968) make us think that syncarida species must have been taken from Kveda Kvlishori Cave.

Maxillopods (5): *Attheyella crassa* (Sars, 1863), *Bryocamptus zschorkei caucasicus* Kiefer, 1978 (=*Bryocamptus zschorkei caucasicus* Borutsky, 1960), *Ceuthonectes serbicus* Chappuis, 1924 (=*Morariodes colchidana* Borutzky, 1930), *Moraria colchica* Borutzky & Mikhailova-Neikova, 1970, *Nitocrella colchica* Borutzky & Mikhailova-Neikova, 1970.

Synarida (1): *Parabathynella stygia* Chappuis, 1926

In total: 6 species.

Kveda Shakurani (=Nizhnyaya Shakuranskaya, Shakurani III) Cave

Tsebelda karst massif, Gulripshi district, Abkhazeti, Georgia

Amphipods (4): *Niphargus inermis* Birstein, 1940 (=*Niphargus ablaskiri inermis* Birstein, 1940), *Niphargus iniochus* Birstein, 1941 (=*Niphargus puteanus iniochus* Birstein, 1941), *Niphargus magnus* Birstein, 1940 (=*Niphargus longicaudatus magnus* Birstein, 1940), *Zenkevitchia admirabilis* Birstein, 1941

Ciliates (2): *Gymnodinioides* sp., *Spelaeophrya troglocaridis* Stammer, 1935

Decapods (1): *Troglocaris (Xiphocaridinella) osterloffii* Juzbaš'jan, 1940 (=*Troglocaris schmidti ostewrloffii* Juzbaš'jan, 1940)

Harvestmen (1): *Nemaspela abchasica* (Ljovuschkin & Starobogatov, 1963) (=*Buresiolla abchasica* Ljovuschkin & Starobogatov, 1963)

Insects (2): *Dolichopoda euxina* Semenov, 1901, *Jeannelius magnificus* Kurnakov, 1959

Isopods (2): *Caucasoligidium cavernicola amtkelicum* Borutzky, 1950, *Ligidium* sp. 2 - Comment: This is probably *Caucasoligidium cavernicola amtkelicum* Borutzky, 1950 (Borutzky, 1950).

Mollusks (5): *Belgrandiella abchasica* Starobogatov, 1962, *Geyeria horatiiformis* Starobogatov, 1962, *Paladilhiopsis aculeus* Starobogatov, 1962, *Paladilhiopsis schakuranica* Starobogatov, 1962, *Pontohoratia birsteini* (Starobogatov, 1962) (=*Horatia birsteini* Starobogatov, 1962, *Horatia liovushkini* Starobogatov, 1962, *Horatia sokolovi* Starobogatov, 1962)

Spiders (1): *Eukoenenia vargovitshi* Christian, 2014

Springtails (1): *Troglopalites stygios* Vargovitsh, 2012

In total: 19 species.

Leskhulukhe Cave

Askhi karst massif, Martvili district, Samegrelo, Georgia

Mites (6): *Chamobates spinosus* Sellnick, 1928, *Chamobates voigtsi* (Oudemans, 1902), *Oppiella (Rhinoppia) subpectinata* (Oudemans, 1900), *Punctoribates punctum* (Koch, 1839), *Ramusella clavipectinata* (Michael, 1885), *Rhysotritia ardua* (Koch, 1841)

Springtails (3): *Folsomia* sp., *Heteromurus nitidus* (Templeton, 1835),
Plutomurus kelasuricus Martynova, 1969

In total: 9 species.

Letsurtsume Cave

Odishi plain, Chkhorotsku district, Samegrelo, Georgia

Spiders (3): *Pardosa* sp., *Pisaura mirabilis* Clerck, 1757, *Tibellus macellus* Simon, 1875

Springtails (2): *Tomocerus minor* (Lubbock, 1862), *Tomocerus vulgaris* (Tullberg, 1871)

In total: 5 species.

Likhni Cave

Duripshi plateau, Gudauta district, Abkhazeti, Georgia

Comment: There are 2 caves named after – Likhni: Kvemo and Zemo Lichni caves (Tatashidze et al., 2009: 588-589). It is difficult to decide in which cave(s) where sampled bellow listed invertebrates.

Insects (1): *Dolichopoda euxina* Semenov, 1901

Isopods (3): *Cylisticus caucasicus* Verhoeff, 1917, *Ligidium fragile* Budde-Lund, 1885 (=*Ligidium euxinum* Verhoeff, 1918; *Ligidium euxinum caucasicum* Verhoeff), *Trichoniscus gudauticus gudauticus* Borutzky, 1977

Spiders (1): *Hoplopholcus longipes* (Spassky, 1934)

In total: 5 species.

L-24 Cave

Abkhazeti, Georgia

Harvestmen (1): *Nemaspela abchasica* (Ljovuschkin & Starobogatov, 1963) (=*Buresiolla abchasica* Ljovuschkin & Starobogatov, 1963)

In total: 1 species.

Mafeli Cave

Gaucha karst massif, Chkhorotsku district, Samegrelo, Georgia

Mites (9): *Acrogalumna longipluma adjarica* Murvanidze & Weigmann, 2003, *Hoplothiracarus illinoensis* (Ewing, 1909), *Minunthozetes pseudofusiger* (Schweizer, 1922), *Oppiella (Rhinoppia) fallax* (Paoli, 1908), *Oppiella (Rhinoppia) subpectinata* (Oudemans, 1900), *Parachip-*

teria punctata (Nicolet, 1855), *Phthiracarus ferrugineus* (Koch, 1841), *Puncotoribates spunctum* (Koch, 1839), *Sphaerozetes tricuspidatus* Willmann, 1923

Springtails (1): *Tomocerus minor* (Lubbock, 1862)

In total: 10 species.

Manikvara (=Maanikvara) Cave

Gumista-Psirthkha karst massif, Gudauta district, Abkhazeti, Georgia

Isopods (1): *Trichoniscus aphonicus aphonicus* Borutzky, 1977

Springtails (1): *Deuteraphorura variabilis* (Stach, 1954)

In total: 2 species.

Mashe Cave

Gudauta district, Abkhazeti, Georgia

Insects (1): *Dolichopoda euxina* Semenov, 1901

In total: 1 species.

Meliis (=Nikortsminda) Cave

Racha karst massif, Ambrolauri district, Racha, Georgia

False scorpions (1): *Neobisium (Blothrus) verae* (Lapschoff, 1940)

Insects (1): *Troglocimmerites djanaschwilii* Ljovuschkin, 1970

Millipedes (3): *Brachydesmus ferrugineus* Lohmander, 1936, *Cylindroiulus* sp., *Ratcheuma excorne* Golovatch, 1985

Mites (5): *Amerobelba decadens* Berlese, 1908, *Graptoppia foveolata* Paoli, 1908, *Liebstadia similis* (Michael, 1888), *Lucoppia* sp., *Veigaia planicola* (Berlese, 1892)

Springtails (7): *Ceratophysella cavicola* (Borner, 1901), *Folsomia candida* Willem, 1902, *Folsomia inoculata* Stach, 1946, *Folsomia spinosa* Kseneman, 1936, *Neanura muscorum* (Templeton, 1835), *Plutomurus birsteini* Djanashvili & Barjadze, 2011, *Pygmarrhopalites principalis* Stach, 1945

In total: 17 species.

MFT Cave

Bzyb karst massif, Gudauta district, Abkhazeti, Georgia

Harvestmen (1): *Paranemastoma kalischevskyi* (Roewer, 1951) (=*Nemastoma kalischevskyi* Roewer, 1951)

In total: 1 species.

MFTI Cave

Bzyb karst massif, Gudauta district, Abkhazeti, Georgia

Harvestmen (1): *Mitostoma gracile* (Redikorzev, 1936)

In total: 1 species.

Mikava (=Okaje) Cave

Gaucha karst massif, Tsalenjikha district, Samegrelo, Georgia

Mites (4): *Aleurodamaeus setosus* (Berlese, 1883), *Minunthozetes pseudofusiger* (Schweizer, 1922), *Ramusella clavipectinata* (Michael, 1885), *Rhysotritia ardua* (Koch, 1841)

In total: 4 species.

Motena Cave

Askhi karst massif, Martvili district, Samegrelo, Georgia

Amphipods (1): *Anopogammarus revazi* (Birstein & Levuschkin, 1970) (=*Zenkevitchia revazi* Birstein & Levuschkin, 1970)

Isopods (1): *Colchidioniscus kutaissianus motenae* Borutzky, 1974

Millipedes (1): *Trachysphaera fragilis* Golovatch, 1976

Mites (7): *Chamobates voigtsi* (Oudemans, 1902), *Parasitus (Vulgarogamasus) modestus* Tikhomirov & Zelia, 1975, *Pergamasus* sp., *Porobelba spinosa* (Sellnick, 1920), *Ramusella clavipectinata* (Michael, 1885), *Sphaerozetes tricuspidatus* Willmann, 1923, *Tectocepheus velatus velatus* (Michael, 1880)

Springtails (3): *Heteromurus nitidus* (Templeton, 1835), *Lepidocyrtus lignorum* (Fabricius, 1793), *Tomocerus minor* (Lubbock, 1862)

In total: 13 species.

Nagarevi Grotto

Okriba karst massif, Terjola district, Imereti, Georgia

Mollusks (1): *Oxychilus koutaisianus* (Mousson, 1863)

Mites (4): *Minunthozetes pseudofusiger* (Schweizer, 1922), *Oppia nitens* Koch, 1836, *Oribatula tibialis* (Nicolet, 1855), *Oribella pectinata* (Michael, 1885)

In total: 5 species.

Nameless cave in the Achibakh plateau

15 km South-east of lake Ritsa, Abkhazeti, Georgia

Spiders (1): *Troglhyphantes deelemanae* Tanasevitch, 1986

In total: 1 species.

Navenakhevi Cave

Okriba karst massif, Terjola district, Imereti, Georgia

Mites (13): *Achipteria longisetosa* Murvanidze & Weigmann, 2003, *Bella dubinini* Bulanova-Zachvatkina, 1962, *Chamobates voigtsi* (Oudemans, 1902), *Conchogneta dalecarlica* (Forsslund, 1947), *Eupelops acromios* (Hermann, 1804), *Minunthozetes pseudofusiger* (Schweizer, 1922), *Oxyoppioides decipiens* (Paoli, 1908), *Pantelozetes alpestris* Willmann, 1929, *Phauloppia lucorum* (Koch, 1841), *Phthiracarus ferrugineus* (Koch, 1841), *Ramusella insculpta* (Paoli, 1908), *Sphaerozetes tricuspidatus* Willmann, 1923, *Tectocepheus velatus velatus* (Michael, 1880).

Springtails (4): *Coecobrya* sp., *Folsomia penicula* Bagnall, 1939, *Lepidocyrtus lignorum* (Fabricius, 1793), *Metaphorura affinis* (Börner, 1902)

In total: 17 species.

Nazodelavo Cave

Odishi plain, Martvili district, Samegrelo, Georgia

Mollusks (1): *Oxychilus sucinaceus sucinaceus* (Bottger, 1883)

Spiders (1): *Liniphia* sp.

Springtails (3): *Folsomia ksenemani* Stach, 1947, *Folsomia penicula* Bagnall, 1939, *Lepidocyrtus lignorum* (Fabricius, 1793)

In total: 5 species.

Oficho Cave

Sataplia-Tskaltubo karst massif, Tskaltubo district, Imereti, Georgia

Mollusks (2): *Daudebardia nivea* Schileyko, 1988, *Lesticulus nocturnus* Schileyko, 1988

In total: 2 species.

Orpiri II Cave

Sataplia-Tskaltubo karst massif, Tskaltubo district, Imereti, Georgia

Isopods (1): *Colchidioniscus kutaissianus* Borutzky, 1974

Millipedes (1): *Trachysphaera fragilis* Golovatch, 1976

Mollusks (3): *Elia derasa* (Mousson, 1863), *Oxychilus koutaisianus* (Mousson, 1863), *Oxychilus sucinaceus sucinaceus* (Bottger, 1883)

Springtails (2): *Plutomurus* sp. 2, *Tomocerus minor* (Lubbock, 1862)

In total: 7 species.

Otapistavi Cave

Fanavi karst massif, Ochamchire district, Abkhazeti, Georgia

Amoeboid protozoans (3): *Arcella discoides* Ehrenberg, 1843, *Centropyxis aculeata* var. *oblonga* deflandre, 1929, *Difflugia oblonga oblonga* Ehrenberg, 1832

Amphipods (1): *Niphargus magnus* Birstein, 1940 (=*Niphargus longicaudatus magnus* Birstein, 1940)

Centipedes (2): *Lithobius stuxbergi* Seliwanoff, 1881, *Lithobius* sp.

Decapods (2): *Troglocaris birsteini* Mugue, Zueva & Ershov, 2001, *Troglocaris schmidti* Dormitzer, 1853 - Comment: This is probably *Troglocaris birsteini*.

Insects (4): *Dolichopoda euxina* Semenov, 1901, *Limonia nubeculosa* Meigen, 1804, *Meganophthalmus medvedevi* Belousov et Koval, 2009, *Sciara* sp. ? (*Lycoria* sp. ?)

Isopods (3): *Ligidium* sp. 1, *Trichoniscus aphonicus codoricus* Borutzky, 1977, *Trichoniscus* sp. 2

Maxillopods (1): *Bryocamptus innominatus* Borutsky, 1940

Spiders (1): *Carpathonesticus zaitzevi* (Charitonov, 1939) (=*Nesticus zaitzevi* Charitonov, 1939)

In total: 17 species.

Patsristavi (=Novaya, bliz ozera in Tskaltubo) Cave

Sataplia-Tskaltubo karst massif, Tskaltubo district, Imereti, Georgia

Comment: “Novaya pestchera, bliz ozera, Tskaltubo” (Zaitzev, 1948) in English is “New Cave near lake, Tskaltubo”. Patsristavi (=Platina) Lake is located in Tskaltubo. Patsriastavi Cave is situated near Patsristavi Lake (Tatashidze et al., 2009: 451). We think that “Novaya pestchera, bliz ozera, Tskaltubo” is Patsristavi Cave.

Insects (2): *Aedes vexans* (Meigen, 1830), *Dolichopoda euxina* Semenov, 1901

Spiders (3): *Carpathonesticus borutzkyi* (Reimoser, 1930) (=*Nesticus borutzkyi* Reimoser, 1930), *Hoplopholcus longipes* (Spassky, 1934), *Metellina meriana* (Scopoli, 1763) (=*Meta meriana* Scopoli, 1763)

In total: 5 species.

Prometheus (=Kumistavi, Orpiri I, Tskaltubo) Cave

Sataplia-Tskaltubo karst massif, Tskaltubo district, Imereti, Georgia

Diplurans (1): *Dicampa imeretinensis* (Chevrizov, 1976) (=*Campodea imeretinensis* Chevrizov, 1976)

Insects (2): *Inotrechus kurnakovi* Dolzhanskij et Ljovuschkin, 1989, *Lae mostenus* (*Antisphodroides*) *ljojushkini* Vereschagina, 1985

Millipedes (2): *Trachysphaera fragilis* Golovatch, 1976, *Trachysphaera solida* Golovatch, 1976

Mites (3): *Graptoppia foveolata* Paoli, 1908, *Macrocheles penicilliger* (Berlese, 1904), *Oribella* sp.

Mollusks (4): *Cochlicopa lubricella* (Rossmässler, 1834), *Codiella* sp., *Physella acuta* (Draparnaud, 1805), *Vitrinoxychilus suturalis* (Boettger, 1881)

Springtails (9): *Ceratophysella armata* (Nicolet, 1842), *Folsomia candida* Willem, 1902, *Folsomides parvulus* Stach, 1922, *Hypogastrura viatica* (Tullberg, 1872), *Plutomurus* sp. 2, *Proisotoma minuta* (Tullberg, 1871), *Pseudacherontides zenkevitchi* Djanaschvili, 1971, *Pseudachorutes dubius* Krausbauer, 1898, *Sphaeridia* sp.

In total: 21 species.

Protsenka Cave (near Sokhumi)

Near Sokhumi, Abkhazeti, Georgia

Annelids (1): *Archaeodrilus cavaticus* Czerniavsky, 1880

In total: 1 species.

Sabatchya Cave

Gumista-Psirtska karst massif, Sokhumi district, Abkhazeti, Georgia.

Comment: As S. Golovatch wrote this cave is situated near village Zemo (Verkhni) Eshera (Golovatch, 1983).

Millipedes (1): *Leucogeorgia rediviva* Golovatch, 1983

In total: 1 species.

Sakadzhia Cave

Sataplia-Tskaltubo karst massif, Tskaltubo district, Imereti, Georgia

False scorpions (1): *Neobisium (Heoblothrus) sakadzhianum* Krumpál, 1984

Insects (1): *Laemostenus (Antisphodroides) liovushkini* Vereschagina, 1985

Isopods (1): *Colchidioniscus kutaissianus* Borutzky, 1974

Millipedes (1): *Archileucogeorgia* sp.

Springtails (1): *Willowsia nigromaculata* (Lubbock, 1873)

In total: 5 species.

Sakajia (=Virkhovi) Cave

Okriba karst massif, Terjola district, Imereti, Georgia

Mites (9): *Achipteria longisetosa* Murvanidze & Weigmann, 2003, *Aleurodamaeus setosus* (Berlese, 1883), *Ceratoppia quadridentata* (Haller, 1882), *Metabelbella macerochaeta* Bulanova-Zachvatkina, 1967, *Minunthozetes pseudofusiger* (Schweizer, 1922), *Oppia nitens* Koch, 1836, *Oribatella berlesei* (Michael, 1898), *Oribatula tibialis* (Nicolet, 1855), *Phauloppia pilosa* (Koch, 1841)

Springtails (1): *Mesogastrura ojcoviensis* (Stach, 1919)

In total: 10 species.

Sakinule (=Nikortsminda) Cave

Racha karst massif, Ambrolauri district, Racha, Georgia

Mites (5): *Dorycranous splendens* (Coggi, 1898), *Hoplophthiracarus illinoiensis* (Ewing, 1909), *Oxyoppoides decipiens* (Paoli, 1908), *Phauloppia lucorum* (Koch, 1841), *Zygoribatula frisiae* (Oudemans, 1900)

Springtails (1): *Folsomia* sp.

In total: 6 species.

Sakire (=Chuneshi) Cave

Sataplia-Tskaltubo karst massif, Tskaltubo district, Imereti, Georgia

Annelids (1): *Eisenia fetida* (Savigny, 1826)

Maxillopods (1): *Ceuthonectes serbicus* Chappuis, 1924 (=*Morariodes colchidana* Borutzky, 1930) – Comment: Borutzky and Mikhailova-Neikova (1970) wrote sampling site as cave in Chuneshi village. Maxillopod species was sampled by S. Ljovuschkin (Borutzky and Mikhailova-Neikova, 1970) in Sakire Cave (Janashvili, personal communication).

Millipedes (1): *Archileucogeorgia* sp. – Comment: S. Golovatch wrote sampling cave as Chuneshi Cave (Golovatch, 1981). Millipede species probably was sampled in Sakire Cave.

Springtails (3): *Micranurida pygmaea* Horner, 1901, *Plutomurus birsteinii* Djanashvili & Barjadze, 2011, *Pygmarrhopalites pygmaeus* (Wankel, 1860) – Comment: Sh. Barjadze and R. Djanashvili wrote sampling cave as Chuneshi Cave (Barjadze & Djanashvili, 2008). Springtail species were sampled by R. Djanashvili and S. Ljovuschkin in Sakire Cave (Janashvili, personal communication).

In total: 6 species.

Sakishore Cave

Racha karst massif, Ambrolauri district, Racha, Georgia

Annelids (1): *Dina ratschaensis* Kobakhidze 1958

Harvestmen (1): *Nemasabela femorecurvata* Martens, 2006

Insects (3): *Inotrechus injaevae* Dolzhanskij et Ljovuschkin, 1989, *Scoliopteryx libatrix* (Linnaeus, 1758), *Triphosa dubitata* (Linnaeus, 1758)

Mites (3): *Ceratozetes* sp., *Eremaeus* sp., *Oribatula* sp.

Mollusks (2): *Eumilax* cf. *brandti* (Martens, 1880), *Schistophallus sunicinus* (Boettger, 1883)

Springtails (1): *Plutomurus birsteinii* Djanashvili & Barjadze, 2011

In total: 11 species.

Samelekldde (=Samele) Cave

Zemo Imereti plateau, Chiatura district, Imereti, Georgia

Mites (6): *Chamobates interpositus* Pschorr-Walcher, 1953, *Chamobates voigtsi* (Oudemans, 1902), *Hoplothiracarus illinoiensis* (Ewing, 1909), *Phthiracarus ferrugineus* (Koch, 1841), *Scheloribates latipes* (Koch, 1844), *Zygoribatula cognata* (Oudemans, 1902)

Springtails (1): *Tomocerus vulgaris* (Tullberg, 1871)

In total: 7 species.

Samertskhleklde I Cave

Zemo Imereti plateau, Chiatura district, Imereti, Georgia

Annelids (1): *Dendrobaena veneta veneta* (Rosa, 1886)

Insects (1): *Leptothorax acervorum* (Fabricius, 1793)

Mollusks (1): *Oxychilus koutaisianus* (Mousson, 1863)

Springtails (1): *Folsomia candida* Willem, 1902

In total: 4 species.

Samgleklde (=Mgelaklde) Cave

Zemo Imereti plateau, Chiatura district, Imereti, Georgia

Mites (1): *Stigmaeus petrophilus* Kuznetsov & Petrova, 1979

Springtails (1): *Mesogastrura ojcoviensis* (Stach, 1919)

In total: 2 species.

Sapichkhia (=Rionhesi) Cave

Okriba karst massif, Tskaltubo district, Imereti, Georgia

Amphipods (1): *Niphargus borutzkyi* Birstein, 1933

Decapods (1): *Troglocaris (Xiphocaridinella) kutaissiana* (Sadowsky, 1930) (=*Troglocaris schmidti kutaissiana* (Sadowsky, 1930))

Insects (1): *Dolichopoda euxina* Semenov, 1901

Isopods (1): *Caucasonethes borutzkyi* Verhoeff, 1932

Maxillopods (9): *Acanthocyclops vernalis vernalis* (Fischer, 1853), *Attheyella wulmeroides* Borutzky, 1930, *Bryocamptus zschorkei similis* Borutsky, 1930 (=*Bryocamptus similis* Borutsky, 1930), *Bryocamptus zschorkei tatrensis* (Minkiewicz, 1916) (=*Bryocamptus caucasicus* Borutzky, 1931), *Ceuthonectes serbicus* Chappuis, 1924 (=*Morariodes colchidana* Borutzky, 1930), *Diacyclops bicuspidatus* (Claus, 1857) (=*Acanthocyclops bicuspidatus* Claus, 1857), *Eucyclops serrulatus serrulatus* (Fischer, 1851) (?), *Macrocylops albidus albidus* (Jurine, 1820), *Paracyclops fimbriatus fimbriatus* (Fischer, 1853), *Speocyclops colchidanus* (Borutsky, 1930)

Millipedes (1): *Leucogeorgia longipes* Verhoeff, 1930

Mollusks (2): *Euglesa subterranea* (Shadin, 1932) (=*Pisidium subterraneum* Shadin, 1932), *Motsametia borutzkyi* (Shadin, 1932) (=*Horatia borutzkyi* Shadin, 1932)

Seed shrimps (1): *Mixtacandona riongessa* (Bronshtein, 1947) (=*Cryptocandona riongessa* Bronshtein, 1947)

Spiders (1): *Carpathonesticus borutzkyi* (Reimoser, 1930) (=*Nesticus borutzkyi* Reimoser, 1930)

In total: 18 species.

Sarkumali Cave

Sataplia-Tskaltubo karst massif, Tskaltubo district, Imereti, Georgia

Mites (1): *Parasitus (Vulgarogamasus) modestus* Tikhomirov & Zelia, 1975

In total: 1 species.

Sarma Cave

Arabika karst massif, Gagra district, Abkhazeti, Georgia

Harvestmen (1): *Nemaspela gagrica* Tchemeris, 2013

In total: 1 species.

Sataplia I Cave

Sataplia-Tskaltubo karst massif, Tskaltubo district, Imereti, Georgia

Amphipods (1): *Niphargus borutzkyi* Birstein, 1933

Annelids (1): *Eisenia fetida* (Savigny, 1826)

Centipedes (3): *Lithobius portchinskii* Seliwanoff, 1881, *Lithobius reconditus* Zalesskaja, 1972, *Lithobius stuxbergi* Seliwanoff, 1881

False scorpions (1): *Neobisium (Blothrus) verae* (Lapschoff, 1940)

Harvestmen (1): *Giljarovia redikorzevi* (Charitonov 1946) (=*Nemastoma redikorzevi* Charitonov, 1946, *Malekia redikorzevi* (Charitonov, 1946))

Insects (1): *Dolichopoda euxina* Semenov, 1901

Millipedes (3): *Archileucogeorgia* sp., *Trachysphaera fragilis* Golovatch, 1976, *Trachysphaera radiosha* (Lignau, 1911)

Mollusks (2): *Ancylus fluvialis* (Muller, 1774), *Bythinella* sp.

Spiders (2): *Carpathonesticus borutzkyi* (Reimoser, 1930) (=*Nesticus borutzkyi* Reimoser, 1930), *Hoploholcus longipes* (Spassky, 1934)

Springtails (3): *Folsomia candida* Willem, 1902, *Megalothorax* sp., *Pyg-*

marrhopalites principalis Stach, 1945

In total: 18 species.

Sataplia II Cave

Sataplia-Tskaltubo karst massif, Tskaltubo district, Imereti, Georgia

False scorpions (1): *Chthonius (Chthonius) satapliaensis* Schawaller and Dashdamirov, 1988

Millipedes (2): *Archileucogeorgia* sp., *Trachysphaera fragilis* Golovatch, 1976

In total: 3 species.

Sataplia IV Cave

Sataplia-Tskaltubo karst massif, Tskaltubo district, Imereti, Georgia

Insects (1): *Troglocimmerites imeretinus* (Dolzhanskij et Ljovuschkin, 1985) (=*Birsteinotrechus imeretinus* Dolzhanskij et Ljovuschkin, 1985)

Isopods (1): *Buddelundiella cataractae* Verhoeff, 1930

Millipedes (2): *Archileucogeorgia* sp., *Trachysphaera fragilis* Golovatch, 1976

Mites (1): *Parasitus (Vulgarogamasus) modestus* Tikhomirov & Zelia, 1975

Springtails (6): *Desoria trispinata* (MacGillivray, 1896), *Folsomia fimetiaria* (Linnaeus, 1758), *Hypogastrura viatica* (Tullberg, 1872), *Plutomurus birsteini* Djanashvili & Barjadze, 2011, *Plutomurus kelasuricus* Martynova, 1969, *Ptenothrix kuraschvili* Djanaschvili, 1970

In total: 11 species.

Satevzia Cave

Sataplia-Tskaltubo karst massif, Khoni district, Imereti, Georgia

Springtails (1): *Plutomurus* sp. 7

In total: 1 species.

Satsurblia Cave

Sataplia-Tskaltubo karst massif, Tskaltubo district, Imereti, Georgia

Mollusks (1): *Oxychilus sucinaceus sucinaceus* (Bottger, 1883)

Springtails (1): *Plutomurus* sp. 2

In total: 2 species.

Savekuo Cave

Odishi plain, Chkhorotsku district, Samegrelo, Georgia

Mollusks (1): *Oxychilus sucinaceus sucinaceus* (Bottger, 1883)

Spiders (1): *Liniphia* sp.

In total: 2 species.

Shakurani IV Cave

Tsebelda karst massif, Gulripshi district, Abkhazeti, Georgia

Springtails (1): *Plutomurus kelasuricus* Martynova, 1969

In total: 1 species.

Shareula I (=Shareula, Shaora-Shareula) Cave

Racha karst massif, Ambrolauri district, Racha, Georgia

Millipedes (1): *Trachysphaera minuta* Golovatch, 1976

Mites (2): *Chamobates voigtsi* (Oudemans, 1902), *Epidamaeus pinguis* Kulijev, 1967

In total: 3 species.

Shareula II Cave

Racha karst massif, Ambrolauri district, Racha, Georgia

Springtails (1): *Plutomurus birsteini* Djanashvili & Barjadze, 2011

In total: 1 species.

Shroma (=Mikhailovskaya, Stalactite) Cave

Chaama karst massif, Sokhumi district, Abkhazeti, Georgia

Amphipods (1): *Niphargus inermis* Birstein, 1940 (=*Niphargus ablaskiri inermis* Birstein, 1940)

Annelids (1): *Eisenia fetida* (Savigny, 1826)

Insects (2): *Dolichopoda euxina* Semenov, 1901, *Limonia nubeculosa* Meigen, 1804

Isopods (5): *Caucasoligidium cavernicola cavernicola* Borutzky, 1950, *Ligidium nodulosum* Verhoeff, 1918, *Ligidium zaitzevi* Borutzky, 1950, *Ligidium* sp. 4 – Comment: This is probably *Caucasoligidium cavernicola cavernicola* Borutzky, 1950 or *Ligidium nodulosum* Verhoeff, 1918 or *Ligidium zaitzevi* Borutzky, 1950, which was determined later (Borutzky,

1950), *Trichoniscus aphonicus abchasicus* Borutzky, 1977

Maxillopods (3): *Bryocamptus reductus* Borutsky, 1948, *Elaphoidella birsteini* Borutsky, 1948, *Moraria cornuta* Borutzky, 1948

Millipedes (1): *Megaphyllum (Pontobrachyiulus) dioscoriadis* (Lignau, 1914)

Mollusks (4): *Conulopolita cavatica* (Riedel, 1966) (=*Oxychilus cochlospaleus* Tzvetkov in Birshtein, 1950, nomen nudum), *Conulopolita raddei* (Boettger, 1879) (=*Hyalinia (Conulopolita) raddei* O. Boettger, 1879), *Eumilax brandti* (Martens, 1880) (=*Paralimax albocarinatus* Simroth, 1901), *Serrulina* sp. 3 (as *Serrulina serena* Tzvetkov (nomen nudum))

Spiders (2): *Carpathonesticus zaitzevi* (Charitonov, 1939) (=*Nesticus zaitzevi* Charitonov, 1939), *Episinus truncatus* Latreille, 1809

In total: 19 species.

Shua Shakurani (=Shakurani II, Srednyaya Shakuranskaya) Cave

Tsebelda karst massif, Gulripshi district, Abkhazeti, Georgia

Amphipods (2): *Niphargus magnus* Birstein, 1940 (=*Niphargus longicaudatus magnus* Birstein, 1940), *Zenkevitchia admirabilis* Birstein, 1941

Insects (2): *Dolichopoda euxina* Semenov, 1901, *Plectrocnemia* sp. ?

Springtails (2): *Oligaphorura schoetti* (Lie-Pettersen, 1896), *Plutomurus kelasuricus* Martynova, 1969

In total: 6 species.

Shurubumu Cave

Migaria karst massif, Chkhorotsku district, Samegrelo, Georgia

Springtails (1): *Plutomurus* sp. 8

In total: 1 species.

Simon Kananeli (=St. Simon Canonist, St. Simon kanonik, St. Simon Kananites) Cave

Gumista-Psirtska karst massif, Gudauta district, Abkhazeti, Georgia

Insects (1): *Dolichopoda euxina* Semenov, 1901

Isopods (1): *Trichoniscus aphonicus aphonicus* Borutzky, 1977

Maxillopods (2): *Cyclops strenuus strenuus* Fischer, 1851, *Paracyclops fimbriatus fimbriatus* (Fischer, 1853)

Springtails (3): *Arrhopalites caecus* (Tullberg, 1871), *Folsomia candida* Willem, 1902, *Plutomurus kelasuricus* Martynova, 1969

In total: 7 species.

Sirotka Cave

Achibakh plateau, Abkhazeti, Georgia

Spiders (1): *Troglolophantes deelemanae* Tanasevitch, 1986

In total: 1 species.

Solkota Cave

Sataplia-Tskaltubo karst massif, Tskaltubo district, Imereti, Georgia

Insects (1): *Laemostenus (Antisphodroides) liovushkini* Vereschagina, 1985

Isopods (1): *Colchidioniscus kutaissianus* Borutzky, 1974

Millipedes (1): *Trachysphaera fragilis* Golovatch, 1976

Mollusks (1): *Oxychilus sucinaceus sucinaceus* (Bottger, 1883)

Springtails (4): *Arrhopalites caecus* (Tullberg, 1871), *Plutomurus kelasuricus* Martynova, 1969, *Plutomurus* sp. 3, *Pygmarrhopalites principalis* Stach, 1945

In total: 8 species.

Suveniri Cave

Bzyb karst massif, Gudauta district, Abkhazeti, Georgia

Insects (2): *Duvalius iljukhini* (Dolzhanskij et Ljovuschkin, 1985) (=*Jeannelius iljukhini* Dolzhanskij et Ljovuschkin, 1985), *Taniatrechus setosus* Belousov et Dolzhanskij, 1994

In total: 2 species.

Taling-Leget Cave

About 2 km of Kvaisi settlement, Java (=Dzhavsky) district, Samachablo (=South Ossetia), Georgia

Mollusks (1): *Acrotoma baryshnikovi* Likharev et Schileyko, 2007

In total: 1 species.

Tarkili (=Tarkiladze) Cave

Duripshi plateau, Gudauta district, Abkhazeti, Georgia

Amphipods (1): *Zenkevitchia admirabilis* Birstein, 1941

False scorpions (1): *Neobisium (Blothrus) birsteini* (Lapschoff, 1940)

Harvestmen (1): *Nemaspela birsteini* Ljovuschkin, 1972

Insects (1): *Dolichopoda euxina* Semenov, 1901

Maxillopods (2): *Moraria* sp., *Paracyclops fimbriatus fimbriatus* (Fischer, 1853)

Millipedes (1): *Anamastigona mauriesi* Golovatch & Makarov, 2011

Spiders (3): *Aituaria pontica* (Spassky, 1932) (=*Nesticus ponticus* Spassky, 1932), *Cybaeus abchasicus* Charitonov, 1947, *Metellina meriana* (Scopoli, 1763) (=*Meta meriana* Scopoli, 1763)

In total: 10 species.

Taroklde (=Rachvelebi) Cave

Zemo Imereti plateau, Chiatura district, Imereti, Georgia

Millipedes (1): *Trachysphaera orientalis* Golovatch, 1976

Mollusks (1): *Oxychilus koutaisianus* (Mousson, 1863)

Spiders (1): *Pirata knorri* scopoli, 1763

Springtails (3): *Mesogastrura ojcoviensis* (Stach, 1919), *Plutomurus birsteinii* Djanashvili & Barjadze, 2011, *Tomocerus vulgaris* (Tullberg, 1871)

In total: 6 species.

Tetra (=Belya, Tskaltubskaya Stalaktitovaya) Cave

Sataplia-Tskaltubo karst massif, Tskaltubo district, Imereti, Georgia

False scorpions (1): *Neobisium (Neobisium) labinskyi* Beier, 1937

Insects (3): *Aedes vexans* (Meigen, 1830), *Dolichopoda euxina* Semenov, 1901, *Laemostenus (Antisphodroides) ljovushkini* Vereschagina, 1985

Isopods (1): *Colchidioniscus kutaissianus* Borutzky, 1974

Millipedes (2): *Archileucogeorgia* sp., *Trachysphaera fragilis* Golovatch, 1976

Mites (1): *Parasitus (Vulgarogamasus) modestus* Tikhomirov & Zelia, 1975

Mollusks (1): *Oxychilus sucinaceus sucinaceus* (Bottger, 1883)

Spiders (3): *Carpathonesticus borutzkyi* (Reimoser, 1930) (=*Nesticus borutzkyi* Reimoser, 1930), *Hoploholcus longipes* (Spassky, 1934), *Tegenaria* sp.

Springtails (8): *Folsomia candida* Willem, 1902, *Folsomia fimetaria*

(Linnaeus, 1758), *Heteromurus nitidus* (Templeton, 1835), *Lepidocyrtus* sp., *Mesogastrura ojcoviensis* (Stach, 1919), *Neelus murinus* Folsom, 1896, *Plutomurus* sp. 6, *Pygmarrhopalites principalis* Stach, 1945

In total: 20 species.

Tkibula-Dzevrula Cave

Okriba karst massif, at the border between Terjola and Tkibuli districts, Imereti, Georgia

Millipedes (1): *Archileucogeorgia* sp.

In total: 1 species.

Trekhuzu Cave

Arabika karst massif, Gagra district, Abkhazeti, Georgia

Insects (1): *Duvalius sokolovi* Ljovuschkin, 1963

In total: 1 species.

Troika Cave

Arabika karst massif, Abkhazeti, Georgia

Amphipods (2): *Niphargus inermis* Birstein, 1940 (=*Niphargus ablaskiri inermis* Birstein, 1940), *Zenkevitchia* sp. 2

Annelids (1): *Haplotaxis gordioides* (Hartmann, 1821)

In total: 3 species.

Tsakhi (=Gogoleti) Cave

Racha karst massif, Ambrolauri district, Racha, Georgia

Annelids (1): *Enchytraeidae* sp. indet.

Centipedes (1): *Lithobius* sp.

False scorpions (1): *Neobisium (Blothrus) verae* (Lapschoff, 1940)

Insects (3): *Bryaxis hypocritus* Plavilshchikov, 1940, *Dolichopoda euxina* Semenov, 1901, *Orthocladius* sp. ?

Isopods (1): *Caucasoligidium cavernicola gogoleticum* Borutzky, 1950

Maxillopods (2): *Bryocamptus birsteini* Borutsky, 1940, *Bryocamptus in-nominatus* Borutsky, 1940

Millipedes (4): *Archileucogeorgia* sp., Glomeridae sp. indet., *Leucogeorgia* sp., *Trachysphaera orientalis* Golovatch, 1976

Mites (6): *Chamobates cuspidatus* (Michael, 1884), *Chamobates voigtsi*

(Oudemans, 1902), *Conchogneta dalecarlica* (Forsslund, 1947), *Ghilarovus kvavadzei* Murvanidze, 2014, *Oxyoppioides decipiens* (Paoli, 1908), *Ramusella insculpta* (Paoli, 1908)

Spiders (6): *Amaurobius fenestralis* Strom, 1768, *Pardosa monticola* (Clerck, 1757), *Pirata* sp., *Pisaura mirabilis* Clerck, 1757, *Theridion impressum* Koch, 1881, *Theridion melanorium* Hahn, 1831

Springtails (3): *Megalothorax* sp., *Plutomurus birsteini* Djanashvili & Barjadze, 2011, *Pygmarrhopalites principalis* Stach, 1945

In total: 28 species.

Tsebelda Cave

Tsebelda karst massif, Gulripshi district, Abkhazeti, Georgia

Amphipods (3): *Gammarus pulex* Linnaeus, 1758, *Niphargus magnus* Birstein, 1940 (=*Niphargus longicaudatus magnus* Birstein, 1940), *Zenkevitchia admirabilis* Birstein, 1941

Annelids (1): *Embocephalus velutinus* (Grube, 1879) (=*Peloscolex velutinus* Grube, 1879)

Insects (4): *Dolichopoda euxina* Semenov, 1901, *Jeannelius magnificus* Kurnakov, 1959, *Limonia nubeculosa* Meigen, 1804, *Meganophthalmus mirabilis* Kurnakov, 1959

Mollusks (5): *Euglesa liovushkini* (Starobogatov, 1962) (=*Pisidium liovushkini* Starobogatov, 1962), *Euglesa subterranea* (Shadin, 1932) (=*Pisidium subterraneum* Shadin, 1932), *Oxychilus subeffusus* (Boettger, 1879) (=*Vitrea subeffusa* Boettger, 1879), *Paladilhiopsis shadini* Starobogatov, 1962, *Pontohoratia birsteini* (Starobogatov, 1962) (=*Horatia birsteini* Starobogatov, 1962, *Horatia liovushkini* Starobogatov, 1962, *Horatia sokolovi* Starobogatov, 1962)

Spiders (1): *Carpathonesticus zaitzevi* (Charitonov, 1939) (=*Nesticus zaitzevi* Charitonov, 1939)

Springtails (2): *Plutomurus kelasuricus* Martynova, 1969, *Troglopalites stygios* Vargovitsh, 2012

In total: 16 species.

Tsikhervia (=St. Ipatia) Cave

Arabika karst massif, Gagra district, Abkhazeti, Georgia

Centipedes (1): *Scutigera coleoptrata* (Linnaeus, 1758)

Insects (2): *Dolichopoda euxina* Semenov, 1901, Grylloidea sp. indet.
Isopods (2): *Cylisticus caucasicus* Verhoeff, 1917, *Ligidium nodulosum* Verhoeff, 1918
In total: 5 species.

Tsivtskala Cave

Racha karst massif, Ambrolauri district, Racha, Georgia

Annelids (1): *Dina ratschaensis* Kobakhidze 1958

Centipedes (2): *Lithobius coloratus* Sselivanoff, 1881, *Lithobius erythrocephalus* Koch, 1847

Insects (1): *Dolichopoda euxina* Semenov, 1901

Mites (3): *Metabelba papillipes* (Nicolet, 1855), *Miracarus hurkai* Kunst, 1959, *Tectocepheus velatus* *velatus* (Michael, 1880)

Mollusks (1): *Oxychilus* sp. 2

Spiders (1): *Theridion* sp. 1

In total: 9 species.

Tskaltsitela (=Iazoni) Cave

Okriba karst massif, Tskaltubo district, Imereti, Georgia

Amphipods (2): *Gammarus komareki imeretinus* Birstein, 1933, *Niphargus borutzkyi* Birstein, 1933 – Comment: This species was mentioned as “*Niphargus stygius borutzkyi* Birstein” in Birstein, 1950 for Tskaltsitela, Sapichkhia and Sataplia I caves.

Annelids (1): *Eophila hypogea* Malevich, 1947

Decapods (1): *Troglocaris (Xiphocaridinella) kutaissiana* (Sadowsky, 1930) (=*Troglocaris schmidti kutaissiana* (Sadowsky, 1930))

Flatworms (1): *Tricladida* sp. indet. (Turbellaria)

Insects (2): *Dolichopoda euxina* Semenov, 1901, *Meganophthalmus kutaissianus* (Zaitzev, 1941) (=*Duvalius kutaissianus* Zaitzev, 1941)

Isopods (1): *Asellus monticola fontinalis* Birstein, 1936

Mollusks (1): *Motsametia borutzkyi* (Shadin, 1932) (=*Horatia borutzkyi* Shadin, 1932)

In total: 9 species.

Tskaltsitela (=Chakhati) Grotto

Okriba karst massif, near Tskaltsitela Cave, Imereti, Georgia

Mites (4): *Ceratoppia bipilis* (Hermann, 1804), *Oribella* sp., *Pantelozetes*

alpestris Willmann, 1929, *Umbellozetes fuscus* Krivolutsky, 1969

In total: 4 species.

Tskaro (=Venetsia, peschera u venetsialnogo mosta) Cave

Chaama karst massif, Sokhumi district, Abkhazeti, Georgia

Annelids (1): *Eisenia fetida* (Savigny, 1826)

Decapods (1): *Troglocaris schmidti* Dormitzer, 1853 – Comment: This is possibly undescribed species from Tskaro Cave.

Harvestmen (1): *Nelima pontica* (Charitonov, 1941)

Insects (1): *Dolichopoda euxina* Semenov, 1901

Isopods (3): *Ligidium oligodentatum* Borutzky nomen nudum, *Ligidium zaitzevi* Borutzky, 1950, *Trichoniscus aphonicus abhasicus* Borutzky, 1977

Mollusks (3): *Conulopolita raddei* (Boettger, 1879) (=*Hyalinia (Conulopolita) raddei* O. Boettger, 1879), *Daudebardia* sp., *Hyalinia* sp.

Spiders (1): *Carpathonesticus zaitzevi* (Charitonov, 1939) (=*Nesticus zaitzevi* Charitonov, 1939)

Springtails (3): *Ceratophysella cavicola* (Borner, 1901), *Folsomia candida* Willem, 1902, *Onychiuroides granulosus* (Stach, 1930)

In total: 14 species.

Tsklisklde Cave

Zemo Imereti plateau, Chiatura district, Imereti, Georgia

Mollusks (2): *Oxychilus koutaisianus* (Mousson, 1863), *Oxychilus sunicaceus sunicaceus* (Bottger, 1883)

Spiders (1): *Alopecosa cuneata* (Clerck, 1757)

Springtails (1): *Plutomurus birsteini* Djanashvili & Barjadze, 2011

In total: 4 species.

Tsutskhvati Cave Complex (=Maghara, Tsutskhvati I-XI caves)

Okriba karst massif, Tkibuli district, Imereti, Georgia

Comment: We think that this is only one cave with different entrances.

Harvestmen (1): *Giljarovia redikorzevi* (Charitonov 1946) (=*Nemastoma redikorzevi* Charitonov, 1946, *Malekia redikorzevi* (Charitonov, 1946))

Insects (1): *Laemostenus (Antisphodroides) liovushkini* Vereschagina, 1985

Mites (1): *Amerobelba decedens* Berlese, 1908

Springtails (4): *Heteromurus nitidus* (Templeton, 1835), *Mesogas-*

trura ojcoviensis (Stach, 1919), *Plutomurus birsteini* Djanashvili & Barjadze, 2011, *Pygmarrhopalites principalis* Stach, 1945

In total: 7 species.

Tsutskhvati II Cave – part of Tsutskhvati Cave Complex

Okriba karst massif, Tkibuli district, Imereti, Georgia

Mites (5): *Chamobates interpositus* Pschorn-Walcher, 1953, *Ghilarovus kvavadzei* Murvanidze, 2014, *Rhysotritia ardua* (Koch, 1841), *Scheloribates laevigatus* (Koch, 1835), *Scheloribates latipes* (Koch, 1844)

Springtails (1): *Orogastrura* sp.

In total: 6 species.

Tsutskhvati VII Cave - part of Tsutskhvati Cave Complex

Okriba karst massif, Tkibuli district, Imereti, Georgia

Mites (1): *Oxyoppioides decipiens* (Paoli, 1908)

In total: 1 species.

Tsutskhvati VIII Cave - part of Tsutskhvati Cave Complex

Okriba karst massif, Tkibuli district, Imereti, Georgia

Mites (1): *Chamobates voigtisi* (Oudemans, 1902)

In total: 1 species.

Tsutskhvati XI Cave - part of Tsutskhvati Cave Complex

Okriba karst massif, Tkibuli district, Imereti, Georgia

Mites (4): *Chamobates voigtisi* (Oudemans, 1902), *Ghilarovus kvavadzei* Murvanidze, 2014, *Scheloribates laevigatus* (Koch, 1835), *Xenillus tegeocranus* (Hermann, 1804)

Springtails (1): *Protaphorura meridiata* (Gisin, 1952)

In total: 5 species.

Tupikovaya Cave

Achibakh plateau, Abkhazeti, Georgia

Spiders (1): *Troglolophantes deelemanae* Tanasevitch, 1986

In total: 1 species.

Tvishi Cave

Khvamli karst massif, Tsageri district, Lechkhumi, Georgia

Millipedes (1): *Archileucogeorgia* sp.

Springtails (2): *Argonychiurus multiocellatus* Djanashvili, Barjadze, Jordana & Burkhardt, 2014, *Plutomurus birsteini* Djanashvili & Barjadze, 2011

In total: 3 species.

Unknown cave

Gudauta dostrict, Abkhazeti, Georgia

Isopods (1): *Trichoniscus gudauticus anamalus* Borutzky, 1977

In total: 1 species.

Usholta Cave

Racha karst massif, Oni district, Racha, Georgia

Insects (2): *Lasius fuligonosus* Latreille, 1798, *Triphosa dubitata* (Linnaeus, 1758)

In total: 2 species.

Zeda Akhalsheni Cave (=Verkhnyaya Andreevskaya) Cave

Gumista-Psirtskha karst massif, Sokhumi district, Abkhazeti, Georgia

Insects (1): *Dolichopoda euxina* Semenov, 1901

Isopods (2): *Caucasoligidium cavernicola gumistae* Borutzky, 1950, *Trichoniscus aphonicus abchasicus* Borutzky, 1977

Mollusks (1): *Serrulina* sp. 4.

Spiders (1): *Carpathonesticus zaitzevi* (Charitonov, 1939) (=*Nesticus zaitzevi* Charitonov, 1939)

In total: 5 species.

Zeda Kvilihori (=Tsikhe) Cave

Sataplia-Tskaltubo karst massif, Tskaltubo district, Imereti, Georgia

Comment: In Borutzky and Mikhailova-Neikova (1970) there was written about the cave near village Kvilihori with the river inside it. Two caves are located near Kvilihori village: Zeda and Kveda Kvilihori caves. Underground river exists only in Zeda Kvilihori (=Tsikhe) Cave (Tatashidze et al., 2009: 455) and we think that below listed maxillopod species were sampled in Zeda Kvilihori (=Tsikhe) Cave.

Annelids (1): *Hirudinea* sp. indet.

Maxillopods (3): *Bryocamptus innominatus* Borutsky, 1940, *Bryocamptus zschorkei caucasicus* Kiefer, 1978 (=*Bryocamptus zschorkei caucasi-*

cus Borutsky, 1960), *Nitocrella* sp.

Millipedes (1): *Archileucogeorgia* sp.

Springtails (2): *Folsomia candida* Willem, 1902, *Proisotoma minuta* (Tullberg, 1871)

In total: 7 species.

Zeda Shakurani (=Shakurani I, Verkhnyaya Shakuranskaya) Cave

Tsebelda karst massif, Gulripshi district, Abkhazeti, Georgia

Amphipods (1): *Zenkevitchia admirabilis* Birstein, 1941

Insects (3): *Dolichopoda euxina* Semenov, 1901, *Meganophthalmus mirabilis* Kurnakov, 1959, *Plectrocnemia* sp. ?

Spiders (1): *Carpathonesticus zaitzevi* (Charitonov, 1939) (=*Nesticus zaitzevi* Charitonov, 1939)

Springtails (2): *Desoria trispinata* (MacGillivray, 1896), *Troglopalites stygios* Vargovitsh, 2012

In total: 7 species.

Zemo Eshera (=Verkhnyaya Esherskaya) Cave

Gumista-Psirtska karst massif, Sokhumi district, Abkhazeti, Georgia

Harvestmen (1): *Nemaspela birsteini* Ljovuschkin, 1972

In total: 1 species.

რეზიუმე

საქართველოს კარსტული მღვიმეების უსერხემლო

ცხოველთა ანოტირებული სია

შალვა ბარჯაძე, მაკა მურვანიძე, თეა არაბული, ლევან მუმ-ლაძე, ვერა ფხაკაძე, რევაზ ჯანაშვილი, მერი სალაყაია

საკუთარ და ლიტერატურულ მონაცემებზე დაყრდნობით საქართველოს 124 კარსტულ მღვიმიდან რეგისტრირებულია უხერხემლო ცხოველთა 415 სახეობა. აღნიშნული ცხოველები მიეკუთვნებიან 7 ტიპის 18 კლასსა და 45 რიგს. მღვიმებში სახეობათა მაქსილალური რაოდენობით არიან წარმოდგენილი ფეხსახსრიანების ტიპი (345 სახეობა), მოლუსკები წარმოდგენილია 43 სახეობით, 10 სახეობა მიეკუთვნება რგოლოვან ჭიებს, 9 სახეობა – ამებებს, 5,2 და 1 სახეობა კი შესაბამისად მრგვალ ჭიებს, წამწამიან ინფუზორიებსა და ბრტყელ ჭიებს. მღვიმებში ფეხსახსრიანთა ტიპი წარმოდგენილია 8 კლასით, რომელთაგან სახეობათა მაქსიმალური რაოდენობით გამოირჩევა ობობასნაირთა კლასი (142 სახეობა), ხოლო ნიუარიანი კიბოსნაირები (ოსტრაკოდები) წარმოდგენილია მხოლოდ ერთი სახეობით. 124 კარსტული მღვიმიდან მხოლოდ 20 მღვიმეშია დაფიქსირებული უხერხემლო ცხოველთა 10 სახეობაზე მეტი. უხერხემლოთა მაქსიმალური რაოდენობა (29 სახეობა) არის რეგისტრირებული ძუძუანას მღვიმეში, როდესაც მხოლოდ 11-11 სახეობაა წარმოდგენილი საკიშორებსა და სათაფლია IV მღვიმეებში. იმის გათვალისწინებით, რომ ბიოსპელეოლოგიურად გამოკვლეულია საქართველოში ამჟამად რეგისტრირებული მღვიმეების მხოლოდ 10%-მდე, მომავალში მღვიმეების ინტენსიური კვლევების შედეგად უხერხემლო ცხოველთა რიცხვი მკვეთრად გაიზრდება ტროგლო- და სტიგობიონტი ენდემული სახეობების აღმოჩენის ხარჯზე და გამოვლენილი იქნება მიწისქვეშა მრავალფეროვნების ცხელი წერტილები.

ACKNOWLEDGEMENTS

This monograph is published by financial support of Shota Rustaveli National Science foundation in the frame of the grant: “Biodiversity of the invertebrate animals in Georgian karst caves” (ref. FR/24/7-110/11) and expeditions in Imereti, Racha and Samegrelo karst caves were supported financially by Shota Rustaveli National Science foundation under the above mentioned grant. Besides, some expeditions in Imereti and Racha regions were supported by Rufford Small Grant Foundation under the grants: “Cave investigations and education of local people for cave conservation in Chiatura and Tskaltubo districts (Imereti region, Georgia)” (ref. 9507-1) and “Cave investigations and education of local people for caves conservation in Racha region” (ref. 13537-2).

We would like to thank Dr. Nataly Snegovaya (Institute of Zoology, Baku, Azerbaijan) for reviewing the list of Georgian cave-dwelling amoeboid protozoans; Dr. Csaba Csuzdi (Eszterházy Károly College, Eger, Hungary) for providing publications on Georgian cave-dwelling earthworms, reviewing the list of Georgian cave-dwelling earthworms and determining earthworm species; Dr. Vitaliy Anistratenko (Schmalhausen Institute of Zoology NAS of the Ukraine, Kiev, Ukraine) for providing publications on Georgian cave-dwelling mollusks; Dr. Boris Sket (University of Ljubljana, Ljubljana, Slovenia) for providing publications on Georgian cave-dwelling decapods and reviewing the list of Georgian cave-dwelling decapods; Dr. Cene Fiser (University of Ljubljana, Ljubljana, Slovenia) for reviewing the list of Georgian cave-dwelling amphipods; Dr. Alessandro Minelli (University of Padova, Padova, Italy) for providing publications on the centipedes and determining centipedes species; Dr. Sergey Golovatch (Institute for Problems of Ecology and Evolution, Moscow, Russia) for providing publications on the millipedes and reviewing the list of Georgian cave-dwelling millipedes; Dr. Dmitry Sidorov (Institute of Biology and Soil Science FEBRAS, Vladivostok, Russia) for providing publications on Georgian cave-dwelling amphipods; Dr. Konstantin Gongalsky (A.N. Severtsov Institute of Ecology and Evolution, Moscow, Russia) for providing publications on Georgian

cave-dwelling isopods and reviewing the list of Georgian cave-dwelling isopods; Dr. Nataly Sukhiih (Saint Peterburg State University, Saint Peterburg, Russia) for reviewing the list of Georgian cave-dwelling maxillopods; Dr. Jochen Martens (Institut für Zoologie, Mainz, Deutschland) for providing publications on Georgian cave-dwelling harvestmen and reviewing the list of Georgian cave-dwelling harvestmen; Dr. Juan Zaragoza (Universidad de Alicante, Alicante, Spain) for providing publications on Georgian cave-dwelling false scorpiones, reviewing the list of Georgian cave-dwelling the false scorpiones and determining the false scorpiones species; Dr. Alberto Sendra (Asociación para el Estudio del Medio Subterráneo, Valencia, Spain) for providing publication on Georgian cave-dwelling diplura; Dr. Arnaud Faille (Zoologische Staatsammlung, Munich, Germany) for providing publications on Georgian cave-dwelling ground beetles and reviewing the list of Georgian cave-dwelling ground beetles; Dr. Mauro Rampini (University of Rome la Sapienza, Rome, Italy) for determining cave cricket species; Dr. Robert Vargovitsh (Schmalhausen Institute of Zoology NAS of Ukraine, Kiev, Ukraine) for providing publication on the Georgian cave fauna, Dr. Elena Anufriieva, (Institute of Biology of the Southern Seas, Sevastopol, Russia) for providing publications on Georgian crustaceans; Dr. Dmitry Palatov, who kindly sent us photo of *Motsametia borutzkyi* (Shadin, 1932). This photo was performed at the equipment of User Facilities Center of Moscow State University under financial support of Ministry of Education and Science of Russian Federation; Mr. Gigo Oniani (Imereti Caves Protected Areas) for sampling invertebrates in the caves of Tskaltubo district.

We are grateful to Elene Gratiashvili (English Language Instructor, David Agmashenebeli National Defence Academy of Georgia.) for editing English text grammatically.

LITERATURE

- Babenko A.B. 1987.** New species of springtails of the genus *Typhlogastrura* (Collembola, Hypogastruridae) from caves of the USSR. *Zoologichesky Zhurnal*, 66 (3): 463-472 (in Russian).
- Barjadze Sh. & Djanashvili R. 2008.** Checklist of the springtails (Collembola) of Georgia. *Caucasian Entomological Bulletin*, 4 (2): 187-193
- Barjadze Sh., Schulz H.J., Burkhardt U., Potapov M.B., Murvanidze M. 2012.** New records for the Georgian springtail fauna (Collembola). *Zoology in the Middle East*, 56: 143-146.
- Barjadze Sh. & Djanashvili R. 2014.** Redescription of *Plutomurus kelasuricus* Martynova, 1969 (Collembola: Tomoceridae) from Georgian Caves. *Zoology in the Middle East*, 60 (3): 251-254
- Belousov I.A. & Dolzhansky V.Y. 1994.** A new aphaenopsoid genus of the tribe Trechini from the Caucasus (Coleoptera, Carabidae). *Mitt. Münch. ent. Ges.*, 84: 59-63.
- Belousov I.A. & Koval A.G. 2009.** To the knowledge of the aphenopsoid trechine beetles (Coleoptera: Carabidae: Trechini) of the Caucasus. *Caucasian Entomological Bulletin*, 5 (2), 163–173.
- Birstein Y.A. 1933.** Malacostraca der Kutaïs-Hohlen am Rion (Transkaukasus, Georgien). *Zoologischer Anzeiger*, 104: 143-156.
- Birstein Y.A. 1939.** On the cave shrimps of Abkhazia. *Zoologichesky Zhurnal*, 18: 960-975 (in Russian).
- Birstein J.A. 1940.** For fauna of cave dwelling Amphipods in Abkhazia. *Bulletin Soc. Nat. Moscou, sec. Biologique*, 49 (3/4): 41-49 (in Russian)
- Birstein J.A. & Lopashov G.V. 1940.** Biospeologica Sovietica 1. Investigation of the cave fauna in USSR in 1935-1939. *Bulletin Soc. Nat. Moscou, sec. Biologique*, 49 (3/4): 29-38. (in Russian).
- Birstein Y.A. 1941.** The sub-terranean Amphipoda of Abkhazia with notes on the *Niphargus* species of Transkaukasus]. *Arch Mus Zool Univ Moscow*, 6: 259-272.

Birstein Y.A. 1948. The extent and distribution of the genus *Synurella* (Crustacea, Amphipoda). Doklady Akademii Nauk SSSR. *Novaja Serija*, 60, 4, 701-704.

Birstein J.A. 1950. Cave fauna of the Western Transcaucasia. *Zoologicheskii Zhurnal*, 29 (4): 354-366 (in Russian).

Birstein J.A. 1952. Hypogean amphipods of the district Khosta-Gudauta (Western Transcaucasia). *Bulletin Soc. Nat. Moscou, sec. Biologique*, 57: 26-39. (in Russian).

Birstein J.A. & Ljovuschkin S.I. 1968. Biospeleologica sovietica 37. The order Bathynellacea (Crustacea, Malacostraca) in the U.R.S.S. II. The Parabathynellidae family and a zoogeographical review. *Bulleten Moskovskogo Obscestva Ispytatelej Prirody, Otdel Biologiceski* (*Bulletin of Moscow Society*), 73 (6), 55-64.

Birstein Y.A. & Levushkin S.I. 1970. The endemic genera of subterranean Amphipods of Transcaucasia. *Zoologicheskii Zhurnal*, 49, 10, 1471-1487 (in Russian)

Boettger O. 1879. Neue kaukasische *Hyalinia*. *Jahrbücher der Deutschen Malakozoologischen Gesellschaft*, 6: 97-98.

Boldirev V.F. 1913. Materials for study of the spermatophore and peculiarities of the mating of Locustoidea and Gryllodea. *Proceedings of Russian Entomological Review*, 40 (6): (in Russian).

Borutzky E.W. 1930a. Zur Kenntnis der unterirdischen Fauna der Kutais-Höhlen am Rion. - Copepoda – Cyclopoidea. *Zool. Anz.*, 89: 331

Borutzky E.W. 1930b. Unterirdischen Fauna der Kutais-Höhlen am Rion. - Copepoda – Harpacticoida. *Zool. Anz.*, 88: 121-132.

Borutzky E.W. 1940. Biospeleologica Sovietica. II. Copepoda – Harpacticoida from the caves Crimea and Transcaucasia. *Bulletin Soc. Nat. Moscou, sec. Biologique*, 49 (3/4): 39-46 (in Russian).

Borutzky E.W. 1948. Copepoda Harpacticoida from the Caucasian Caves. *Bulletin Soc. Nat. Moscou*, 53 (4): 3-12 (in Russian).

Borutzky E.V. 1950. Terrestrial Isopoda of the caves of the Caucasus

and Crimea. I. Fam. Ligiidae. *Bulletin Soc. Nat. Moscou, sec. Biologique*, 55: 69-81 (in Russian).

Borutzky E.V. 1966. New data on the distribution of the genus in the caves of the Western Transcaucasus. *Sakartvelos mghvimeebi da gamoq-vabulebi* (Caves of Georgia), 4: 111-115. (in Russian).

Borutzky E.V. & Mikhailova-Neikova M. 1970. Copepoda Harpacticoidea of the caves of Western Georgia, Azerbaijan and Middle Asia. *Zoologicheskii zhurnal*, 59: 1334-1341 (in Russian).

Borutzky E.V. 1973. The cavernicolous wood-lice fauna (Isopoda Terrestria) of the Georgian SSR. The family Buddelundiellidae Verhoeff, 1930. *Bulletin Soc. Nat. Moscou, sec. Biologique*, 78 (3): 57-62 (in Russian).

Borutzky E.V. 1974. New genera and species of terrestrial isopoda (Trichoniscidae) from caves of the Georgian SSR. *Zoologicheskii zhurnal*, 53 (3): 338-344 (in Russian).

Borutzky E.V. 1977. New species of the genus Trichoniscus (Crustacea Isopoda) from Caucasian caves. *Zoologicheskii zhurnal*, 56 (5): 698-703 (in Russian).

Bronstein Z.S. 1947. Ostracoda of the fresh water. In.: Fauna of USSR and adjacent countries. Crustaceans, 2 (1): (in Russian).

Charitonov D. E. 1939. On the cave spiders of Abkhasia. *Inst. Grus. fil. AN USSR, zool. sector, Tbilissi*, 197-211 (in Russian).

Charitonov D. E. 1941a. New materials on the Arachnoidea of Abkhasia. *Trav. Inst. Zool. Acad. Sci. Georg.* 4: 165-175 (in Russian).

Charitonov D. E. 1941b. On the cave fauna of Caucasus. *Bull. Inst. Rech. biol. Molotov*, 12: 67-71 (in Russian).

Charitonov, D. E. 1946. Arachnoidea from the Sataple Cave (Kutaisi). *Soobsch. AN GCCR*, 7 (3): 145-147 (in Russian).

Charitonov D. E. 1947. Spiders and harvestmen from the caves of the Black Sea coast of the Caucasus. *Biospeologica sovietica*, 52: 15-28 (in Russian).

Chevrizov B.P. 1976. A new species of the genus *Campodea* (Campodeidae, Diplura) from a cave in west Georgia. *Zoologichesky Zhurnal*, 55 (6): 936-938 (in Russian).

Chibisova O.I. 1967. Testacea from some cave and karst reservoirs. *Zoologicheskii zhurnal*, 46 (2): 181-186 (in Russian).

Christian E. 2014. A new Eukoenenia species from the Caucasus bridges a gap in the known distribution of palpigrades (Arachnida: Palpigradi). *Biologia*, 69: 1701-1706.

Culver D. & Sket B. 2000. Hotspots of Subterranean Biodiversity in Caves and Wells. *Journal of Cave and Karst Studies*, 62 (1):11-17.

Culver D., Christman, M., & Trontelj P. 2004. Sampling adequacy in an extreme environment: species richness patterns in Slovenian caves. *Biodiversity and Conservation*, 13:

Culver D.C., Deharveng L., Bedos A., Lewis J.J., Madden M., Red-dell J.R., Sket B., Trontelj P. & White D. 2006. The mid-latitude biodiversity ridge in terrestrial cave fauna. *Ecography*, 29: 120–128.

Czerniavsky W. 1880. Materialia ad zoogeographiam ponticam comparatam. II. Vermes. *Bulletin Soc. Nat. Moscou*, 55 (2)

Dashdamirov S. & Schawaller W. 1992. Pseudoscorpions of the Caucasian fauna (Arachnida Pseudoscorpionida). *Arthropoda Selecta* 1(4): 31-72

Djanashvili R. 1970. A new species of the genus *Ptenotrix* Horner (Collembola, Dicyrtomidae) from the cave of the surroundings of Kutaisi. *Bull. Georg. Acad. Sci.* 60 (1): 209-212 (in Russian).

Djanashvili R. 1971. Hypogastruridae (Collembola) devoid of eyes and postantennal organ from the Transcaucasian caves. I. *Zoologichesky Zhurnal*, 50 (5): 666—676 (in Russian).

Djanashvili R.A. 1980. Cave fauna of Georgia. *Pesheri gruzii (Georgian caves)*: 8: 88-93 (in Russian).

Djanashvili R.A. 1984. Cave Fauna. *Georgian Soviet Encyclopedia*, 7: 237 (in Georgian).

Djanashvili R. & Barjadze Sh. 2011. A new species of the genus *Plutomurus* Yosii, 1956 (Collembola, Tomoceridae) from Georgian caves. *Journal of cave and karst studies*, 73 (1): 28-30

Djanashvili R., Barjadze Sh, Jordana R. & Burkhardt U. 2014. Re-definition of the genus *Argonychiurus* Bagnall, 1949 (Collembola, Onychiuridae) with description of a new species from Georgia. *Zootaxa*, 3835 (3): 381–391

Dolzhanskii V.Yu. & Ljovuschkin S.I. 1985. New species of Trechini (Coleoptera, Carabidae) from caves of Georgia. *Zoologichesky Zhurnal*, 64, 1, 48-52 (in Russian).

Dolzhanskii V.Yu. & Ljovuschkin S.I. 1989. A new genus of Trechini (Coleoptera, Carabidae) from caves of western Georgia. *Zoologichesky Zhurnal*, 68, 8, 144-148 (in Russian).

Dolzhanskii V.Yu. & Ljovuschkin S.I. 1990. A new species of ground-beetle (Coleoptera, Carabidae, Trechinae) from Georgia. *Zoologichesky Zhurnal*, 69, 5, 145-150 (in Russian).

Dovgal I. & Vargovitsh I.S. 2010. Troglobiontic suctorian and aposome ciliates (Ciliophora): an overview. *Natura montenegrina, podgorica*, 9 (3): 265-274.

Eliava I.J. 1966. Nematods from two caves of Gagra district (Georgia). *Saqartvelos mTvimeebi da gamoqvabulebi (Georgian Caves)*, 4: 121-122 (in Russian).

Elliott W. 2000. Conservation of the North American cave and karst biota, in Wilkens, H., Culver, D.C., and Humphreys, W.F. (eds.), Subterranean ecosystems, Ecosystems of the World, v. 30, Elsevier, Amsterdam, p. 665–669.

Giachino P.M. 2011. *Catops cavicis* n. sp. from the Krubera-Voronya cave (Abkhazia, Caucasus), an interesting species of the C. alpinus group (*sensu* Perreau, 2000) (Coleoptera, Cholevidae). *Boletín de la Sociedad Entomológica Aragonesa (S.E.A.)*, 49: 87-89.

Golovatch S.I. 1976. A description of new species of *Trachysphaera* (Oniscomorpha; Diplopoda) from the caves of Western Transcaucasus

with remarks on *T. rotundata* (Lignau), 1911. *Bulletin de la Société des Naturalistes de Moscou, section Biologique*, 81 (5): 30-43 (in Russian).

Golovatch S.I. 1981. A review of the cavernicolous fauna of millipedes (Diplopoda) of the Western Caucasus. *Caves of Georgia*, 9: 108-111 (in Russian).

Golovatch S.I. 1983. Une nouvelle espèce cavernicole du *Leucogeorgia* (Diplopoda, Julidae) de la Transcaucasie. *Frag. Entomol. Roma*, 17 (1): 47-50.

Golovatch S.I. 1985. Two new genera of cave-dwelling millipedes (Diplopoda), with remarks on the millipede fauna of West Caucasian caves. *International Journal of Speleology*, 14: 39-50.

Golovatch S.I. 1990. Diplopoda of the Caucasus. 3. Trachysphaeridae, with contributions to the fauna of Turkey. *Senckenbergiana Biologica*, 70 (4/6): 331-358.

Golovatch S.I. & Makarov S.E. 2011. Two new, easternmost species of the millipede genus *Anamastigona* Silvestri, 1898 from Israel and the Caucasus (Diplopoda: Chordeumatida: Anthroleucosomatidae). *Arthropoda Selecta*, 20 (1): 11-20.

Hamilton-Smith E. & Eberhard S. 2000. Conservation of cave communities in Australia, in Wilkens, H., Culver, D.C., and Humphreys, W.F. (eds.), Subterranean ecosystems, Ecosystems of the world, v. 30, Elsevier, Amsterdam, p. 647–664.

Japaridze N.I. 1986. Oribatid mites of the genus *Amazoppia* BaloghethMahunka, 1969 in Georgia. *Bulletin of the Academy of Sciences of the Georgian SSR*, 121 (3): 629-632 (in Russian)

Japaridze N.I. & Gomelauri L.A. 1986. Oribatid (Oribatei) and gamasid (Gamasoidea) mites in Georgian caves. *Bulletin of the Academy of Sciences of the Georgian SSR*, 124 (3): 613-616 (in Russian).

Jeannel R. 1960. Révision des Trechini du Caucase (Coleoptera, Trechidae). *Mém. Mus. natn. Hist. nat. Paris*, sér. A, 17, 3, 155-216.

Jordana R., Baquero E., Reboleira S. & Sendra A. 2012. *Reviews*

of the genera Schaefferia Absolon, 1900, Deuteraphorura Absolon, 1901, Plutomurus Yosii, 1956 and the Anurida Laboulbène, 1865 species group without eyes, with the description of four new species of cave springtails (Collembola) from Krubera-Voronya cave, Arabika Massif, Abkhazia. *Terrestrial Arthropod Reviews*, 5: 35–85.

Judson Wynne J. & Pleytez W. 2005. Sensitive ecological areas and species inventory of Actun Chapat Cave, Vaca Plateau, Belize. *Journal of Cave and Karst Studies*, 67 (3): 148-157.

Juzbaš'jan S.M. 1940. On a cave shrimp from Shakuran. *Trudy biologičeskoj stancii Narkomprosa Gruzinskoj SSR*, 1: 73-86 (in Russian)

Klimchouk A. 2012. Krubera (Voronja) Cave. In: W.B. White & D.C. Culver, editors, *Encyclopedia of Caves*. Chennai: Academic Press, 443-450.

Kobakhidze D.N. 1958. New subspecies of the cave dwelling leech from Georgian SSR. *Bulletin of the Georgian SSR Academy of Sciences*, 21 (5): 591-592. (in Russian)

Kobakhidze D.N. 1963. Some problems and results of the investigation of Speleofauna of Georgian SSR. *Caves of Georgia*, 1: 79-86 (in Georgian).

Kobakhidze D.N. 1965. A list of the millipedes (Diplopoda) of SSR Georgia. *Fragmenta faunistica*, Warszawa, 21: 389-398 (in Russian).

Kovblyuk M.M., Marusik Y.M., Ponomarev A.V., Gnelitsa V.A., Nadolny A.A. 2011. Spiders (Arachnida: Aranei) of Abkhazia. *Arthropoda selecta*, 20 (1): 21-56.

Krajick K. 2001. Cave biologists unearth buried treasures. *Science*, 283: 2378-2381.

Krumpál M. 1984. Zwei neue Höhlen Pseudoscorpionen aus der UdSSR (Pseudoscorpiones). *Biologia*, 39: 637-646

Krumpál M. 1986. Pseudoscorpione (Arachnida) aus Höhlen der UdSSR. Über Pseudoscorpioniden-Fauna der UdSSR V. *Biologia* 41: 163-172.

Kurnakov V.N. 1959. Les Trechini de la faune souterraine de l'Abkhasie. *Rev. fr. Ent.*, 26, 4: 231-236.

Kuznetsov N.N. & Petrova A.D. 1979. Three new species of the prostigmatid mites (Acariformes, Tydeidae, Stygmaeidae) from the caves of the Caucasus and Middle Asia. *Biologicheskie nauki*, 10: 30-33 (in Russian).

Lapschoff I.I. 1940. Biospelogica Sovietica. V. The cave dwelling pseudoscorpiones from the Transcaucasia. *Byulleten' Moskovskogo Obshchestva Ispytatelei Prirody, Biologii*, n.s., 49: 61-74. (in German).

Lepneva S.G. 1940. Biologica Sovietica. VII. Larvae of the Trichoptera from the caves of the Transcaucasus. *Bulletin Soc. Nat. Moscou, sec. Biologique*, 49 (3/4) (in Russian).

Likharev I.M. & Schileyko A.A. 2007. A new species and a new subgenus of the genus *Acrotoma* O. Boettger, 1881 (Pulmonata, Clausiliidae). *Ruthenica*, 17(1-2): 65-67.

Ljovuschkin S.T. & Starobogatov Ya.T. 1963. The cavernicolous Opilionidea in the Crimea and Caucasus. Biospeologica Sovietica. No. XVII. *Byulleten' Moskovskogo obshehestva ispytatelei prirody. Otd. Biologii*, 68: 41- 51 (in Russian).

Ljovuschkin S.I. 1963. On the Trechini fauna from the caves on the Western Transcaucasia. *Zoologicheskii Zhurnal*, 52 (3): 451–454 (in Russian).

Ljovuschkin S.I. 1965. A new species of the troglobiont Caucasian genus *Jeannelius* (Coleoptera, Trechini) from the Anakopskaya Cave near Novy Afon. *Zoologichesky Zhurnal*, 44, 8: 1262-1265 (in Russian).

Ljovushkin S.I. 1966. Fauna of two caves in Gagra district (based on collection of the speleological committee of the Academy of Sciences of Georgian SSR in August, 1962). *Sakartvelos mghvimeebi da gamoqvabulebi (Caves of Georgia)*, 4: 116-120 (in Russian).

Ljovuschkin S.I. 1970. New forms of Trechini (Coleoptera) from caves of West Transcaucasia. *Zoologichesky Zhurnal*, 49, 11: 1656-1662 (in Russian).

Ljovuschkin S.T. 1972. Biospeologica Sovietica No. XLVT. Harvestmen of the family of Nematsomatidae from caves of the USSR. II. *Sbornik Trudov Zool. Museya MGU*, 12: 61 -72 (in Russian).

Lohmander H. 1936. Über die Diplopoden des Kaukasusgebietes. Göteborgs Kungl. Vetenskaps- och Vitterhets-Samhälles Handlingar, 5B (1): 1-196.

Mahnert V. 1979. Pseudoscorpione (Arachnida) aus Höhlen der Türkei und des Kaukasus. *Revue Suisse de Zoologie* 86: 259-266.

Malevics I.I. 1947. Oligochaetes of the caves in the Caucasus. *Bulletin de la Societe des Naturalistes de Moscou, Sect Biol.*: 52 (4): 11-24.

Marin I. & Sokolova A. 2014. Redescription of the stygobitic shrimp *Troglocaris (Xiphocardinella) jusbaschjani* Birštein, 1948 (Decapoda: Caridea: Atyidae) from Agura River, Sochi, Russia, with remarks on other representatives of the genus from Caucasus. *Zootaxa*, 3754 (3): 277-298.

Martens J. 2006. Webspinners aus dem Kaukasus (Arachnida, Opiliones, Nemastomatidae). *Senckenbergiana biologica*, 86, 2: 145- 210.

Martínez Sánchez-Dehesa J. M. & Zaragoza J.A. 2010. Sima Kru-bera-Voronya, Cáucaso occidental, nueva cita del pseudoescorpión tro-globio *Neobisium (Blothrus) birsteini* Lapschoff, 1940 (Arachnida: Pseu-doscorpiones: Neobiidae). *Monografías Bioespeleológicas*, 5: 22-25.

Martynova E.F. 1969. Springtails of the family Tomoceridae (Col-lembola) of the USSR fauna. *Entomol. Rev.* 48 (2): 299-314 (in Russian).

Mayrs N., Mittermeier R., Mittermeier C., Fonseca G., Kent J. 2000. Biodiversity hotspots for conservation priorities. *Nature*, 403:853-858.

Mccheidze T. 1964. Spiders (Araneina). *Zhivotnyi Mir Gruzii*, 2: 48-116 (in Georgian).

Mccheidze T. 1997. Spiders of Georgia: Systematics, Ecology, Zoogeographic Review. Tbilisi University, Tbilisi, 390 pp. (in Georgian).

Mugue N, Zueva O. & Ershov A. 2001. Cave shrimps, genus *Troglo-caris* (Decapoda: Atyidae), in West Transcaucasus: genetics of sympatric and allopatric populations. 38-39 in Trajano, E and Pinto-da-Rocha, R (eds.), *Abstracts of the XVth International Symposium of Biospeleology*, São Paulo: Instituto de Biociencias da Universidade.

Murvanidze M. 2014. Oribatid mites of Georgian (Caucasus) caves

including the description of a new species of *Ghilarovus* Krivolutsky, 1966. *International Journal of Acarology*, 40, 6: 463–472

Pichka V. E. 1965. On the spider fauna of the caves in western Transcaucasia. *Zoologicheskii Zhurnal*, 44: 1190-1196 (in Russian).

Plavilshchikov N.N. 1940. Biospelogica Sovietica. VI. New species of the rove beetles from the caves of the Transcaucasia. *Bulletin Soc. Nat. Moscou, sec. Biologique*, 49 (3/4): 75-77 (in Russian).

Pricop E. & Negrea B.M. 2009. On the adaptations to cave life of some different animal groups (first note). *ELBA Bioflux*, 1 (2): 41-48.

Reboleira A.S.P.S. & Ortúñoz V.M. 2014. A new species of Duvalius from world's deepest cave (Coleoptera: Carabidae). *Zootaxa*, 3784 (3): 267–274.

Reimoser E. 1930. Eine neue Nesticus-Art aus dem Kaukasus. *Zool. Anz.*, 88: 158-159.

Sadowsky A.A. 1930. Xiphocardinella kutaissiana nov. gen. et sp. (Fam. Atyidae) aus einer unterirdischen Höhle bei Kutais Zakavkazskij kraevedstenny sbornik naučnoissledovatel'nogo kraevedstvenogo kabineta Universiteta Tiflis, 1: 93-104 (in Russian).

Satunin K.A. 1912. Excursion in the caves of Sokhumi district. Cave-giants Ablaskiri and Adzaba. *Izvestia of the Caucasian branch of the Russian Geographical Society* (in Russian).

Schawaller, W. 1983. Pseudoskorpone aus dem Kaukasus (Arachnida). *Stuttgarter Beiträge zur Naturkunde (A)* 362: 1-24.

Schawaller W. & Dashdamirov S. 1988. Pseudoskorpone aus dem Kaukasus, Teil 2 (Arachnida). *Stuttgarter Beiträge zur Naturkunde (A)* 415: 1-51.

Schileyko A.A. 1988. Two new troglobiont species of terrestrial pulmonate molluscs (Daudebardiidae and Trigonochlamydidae) from Georgia. *Zoologicheskij Zhurnal*, 67(11): 1730-1735 (in Russian).

Semenov A.P. 1901. Caucasian representative of the genus *Dolichopoda* Bol. *Russian Entomological Review*, 1 (in Russian).

Sendra A. & Reboleira A.S.P.S. 2012. The world deepest subterranean community – Krubera-Voronja Cave (Western Caucasus). *International Journal of Speleology*, 41(2), 221-230

Shadin V.I. 1932. Die Süßwassermollusken aus der Rion-Höhle bei Kutais (Transkaukasien, Georgien). *Arch. Molluskenkd.*, 64:12–14.

Shugurov A.M. 1908. For the orthopteran fauna of Imereti. *Izvestia of the Caucasian branch of the Russian Geographical Society*, 19: (in Russian).

Sendra A. & Reboleira A.S.P.S. 2012. *The world's deepest subterranean community – Krubera-Voronja Cave (Western Caucasus)*. *International Journal of Speleology*, 41 (2): 221-230.

Sidorov D.A. 2014. Towards the systematics of the subterranean amphipod genus *Niphargus* (Crustacea: Amphipoda: Niphargidae) of Transcaucasia: new records of *N. inermis* and *N. iniochus* in Abkhazia. *Arthropoda Selecta*, 23 (4): 363–377.

Spassky S. 1932. Aranearum species novae II. *Bull. Mus. Paris* (2), IV (8): 972-979

Spassky S. 1934. Aranea palaearcticae novae Fam. Pholcidae I. *Bull. Mus. Paris* (2), VI (4): 361-372.

Starobogatov Y.I. 1962. Contribution to molluscs from subterranean waters of the Caucasus. *Byulleten' Moskovskogo Obschchestva Ispytatelei Prirody, Otdel biologicheskiy*, 67: 42–54 (in Russian).

Tanasevitch A. V. 1986. Two new Troglohyphantes from the Caucasus (Aranei, Linyphiidae). *Spixiana*, 9: 239-243.

Tanasevitch A. V. 1987. The linipiid spiders of the Caucasus, USSR (Arachnida: Araneae: Linyphiidae). *Senckenbergiana boil.*, 67 (4/6): 297-383.

Tatashidze Z.K., Tsikarishvili K.D. & Jishkariani J.M. 2009. The Cadastre of the Karst Caves of Georgia. Tbilisi: Petiti Publishing House. 670 pp. (in Georgian).

Tchemeris, A.N. 2013. Two new harvestman species (Arachnida: Opiliones) from the collection of Siberian Zoological Museum. *Arthropoda Selecta*, 22 (1): 41-46.

Tikhomirov S.I. & Zelia, O.P. 1975. New species of mites from the family Parasitidae (Gamasoidea) from caves of West Georgia [*Parasitus (Vulgarogamasus) modestus*]. *Zoologicheskii zhurnal*, 54: 1154-1159.

Tsikarishvili K., Barjadze Sh., Kvavadze E., Bolashvili N., Djanashvili R. & Martkoplishvili I. 2010. Speleology of Georgia: aspects of its current situation and perspectives. *Cave and Karst Science*, 37 (3): 73-78.

Tzvetkov B.N. 1940. A note on cave molluscs of Transcaucasia. *Byulleten Moskovskogo Obshchestva Ispytatelei Prirody*, otdel biologiya, 49 (3-4): 57-59 (In Russian).

Uvarov B.P. 1912. Notes on the orthopteran fauna of the Caucasus. *Russian Entomological Review*, 12: 62 (in Russian).

Vargovitsh R.S. 2012. New troglomorphic Arrhopalitidae (Collembola: Symphyleona) from the Western Caucasus. *Zootaxa*, 3174: 1-21.

Vargovitsh R.S. 2013. Cavernicolous *Arrhopalites abchasicus* sp. nov. (Collembola: Symphyleona: Arrhopalitidae) from the West Caucasus with a key to the World species of the genus. *Zootaxa*, 3666 (1): 16-30.

Vereschagina, T.N. 1985 Carabids of the genus *Laemostenus* Bon. (Coleoptera, Carabidae) of the Caucasus. I. *L. koenigi* Rtt. species-group. *Ent. obozr.*, 64, 3, 554-562 (in Russian).

Verhoeff K.W. 1930. Eine cavernicole Symphyognathen-Gattung aus Georgien, Transkaukasien (118 Aufsatz). *Mitteilungen für Höhlen-Karstforschung*, Berlin, 1: 1-7.

Verhoeff K.W. 1932. Cavernicola Oniscoideen. *Mitt. Höhlen-karstf.*, 2: 12-24.

Vinarski M.V., Palatov D.M., Glöer P. 2014. Revision of ‘Horatia’ snails (Mollusca: Gastropoda: Hydrobiidae sensu lato) from South Caucasus with description of two new genera. *Journal of Natural History*, 48, (37-38): 2237-2253

Zaitzev F.A. 1940. For Fauna of the Abkhazian Caves. *Bulletin of the branch of Georgia of the Academy of the Sciences of the USSR*, 1: (in Russian).

Zaitzev F.A. 1941. A new cave species of the subfamily Trechinae from Georgia (Coleoptera, Carabidae). *Soobshch. Akad. nauk Gruz. SSR*, 1940(1941), 2, 1/2, 133-136 (in Russian).

Zaitzev F.A. 1948. A review of the troglobiont fauna of Georgia. - Trudy Zool. inst. Akad. nauk Gruz. SSR, 8, 151-173 (in Russian).

Zakšek V., Sket B. & Trontelj P. 2007. Phylogeny of the cave shrimp Troglocaris: Evidence of a young connection between Balkans and Caucasus. *Molecular Phylogenetics and Evolution*, 42: 223–235.

Zalesskaya N.T. 1972. Biospeleologica Sovietica 50.: Une nouvelle espece cavernicole de Harpolithobius (Chilopoda, Lithobiidae) du Caucase, *Harpolithobius birsteini* n.sp. *International Journal of Speleology*, 4: 395-399.

Zazanashvili N., Sanadiradze G., Bukhnikashvili A., Kandaurov A. & Tarkhnishvili D. 2004. Caucasus. Pp. 148-152. In.: Mittermeier R.A., Gil P.R., Hoffmann M., Pilgrim J., Brooks T., Mittermeier C.G., Lamoreaux J. & Da Fonseca G.A.B. (eds.) Hot spots revisited. Earth's biologically richest and most endangered terrestrial ecoregions. CEMEX, Mexico.

Zazanashvili N. 2009. The Caucasus Hotspot. Pp. 15-25. In.: Zazanashvili N. & Mallon D. (eds.) Status and protection of globally threatened species in the Caucasus. Coniteur Ltd., Tbilisi.

Alphabetical index of caves

A

Abrskili - 65
Adzaba - 65
Afonskaja - 66
Aghmavali - 66
Aghmosavlet Gumista I - 66
Aghmosavlet Gumista II - 66
Agumava - 67
Aiusta - 67
Akhali Atoni - 67
Akhalsheni - 67
Akui - 68
Anish - 68
Anukhva - 68
Apokalinskaya - 69
Avidzba - 69

B

Bacha - 69
Bnelaklde - 69
Bregvadzeebisklde - 70
Buba-Karianiklde - 70

C

Cave at Mt. Achibakh - 70
Cave between Tkibuli and Kutaisi - 70
Cave in Pitsunda/Myussera Reserve - 70
Cave in the Enguri gorge - 71
Chamkhona - 71
Chishura source - 71
Chishura II - 71
Chlakhe - 72

D

Dasavlet Gumista - 72
Dolabistavi - 72
Dzudzuana - 73

G

Garakha - 73
Ghliana - 73
Godogani - 74

Guma - 74

I

Iluzia-tovlianiani-mejeni - 74
Inchkhuri - 74

J

Jeopse - 74
Jokhra - 75
Jortsku - 75

K

Kakhidze - 75
Kelasuri - 75
Khvedelidzeebisklde - 76
Kidobana - 76
Kortskheli - 77
Krubera-Voronya - 77
Kudaro - 77
Kuibishevi - 78
Kveda Akhalsheni - 78
Kveda Kvilishori - 78
Kveda Shakurani - 79

L

Leskhulukhe - 79
Letsurtsume - 80
Likhni - 80
L-24 - 80

M

Mafeli - 80
Manikvara - 81
Mashe - 81
Meliis - 81
MFT - 81
MFTI - 82
Mikava - 82
Motena - 82

N

- Nagarevi - 82
 Nameless cave in the Achibakh plateau - 83
 Navenakhevi - 83
 Nazodelavo - 83
- O**
- Oficho - 83
 Orpiri II - 83
 Otapistavi - 84
- P**
- Patsristavi - 84
 Prometheus - 85
 Protsenka - 85
- S**
- Sabatchya - 85
 Sakadzhia - 86
 Sakajia - 86
 Sakinule (Nikortsminda) - 86
 Sakire - 86
 Sakishore - 87
 Sameleklde - 87
 Samertskhleklde I - 88
 Samgleklde - 88
 Sapichkhia - 88
 Sarkumali - 89
 Sarma - 89
 Sataplia I - 89
 Sataplia II - 90
 Sataplia IV - 90
 Satevzia - 90
 Satsurblia - 90
 Savekuo - 91
 Shakurani IV - 91
 Shareula I - 91
 Shareula II - 91
 Shroma - 91
 Shua Shakurani - 92
 Shurubumu - 92
 Simon Kananeli - 92
 Sirotka - 93
 Solkota - 93
 Suveniri - 93
- T**
- Taling-Leget - 93
- Tarkili - 94
 Taroklde - 94
 Tetra - 94
 Tkibula-Dzevrula - 95
 Trekhuzha - 95
 Troika - 95
 Tsakhi - 95
 Tsebelda - 96
 Tsikherva - 96
 Tsivtskala - 97
 Tskaltsitela Cave - 97
 Tskaltsitela Grotto - 97
 Tskaro - 98
 Tsklisklde - 98
 Tsutskhvati - 98-99
 Tupikovaya - 99
 Tvishi - 99
- U**
- Unknown cave - 100
 Usholta - 100
- Z**
- Zeda Akhalsheni - 100
 Zeda Kvilishori - 100
 Zeda Shakurani - 101
 Zemo Eshera - 101



Georgian Academic Book
Ir. Abashidze Str. 16, 0179 Tbilisi, Georgia
Tel.: 222 7137, 551 227137, 551 960904
www.acad.ge; artlinesinfo@gmail.com

Figures 1-8 from paperback

- 1.** *Plutomurus ortobalaganensis* Jordana & Baquero, 2012 from Krubera-Voronya Cave (Photo: E. Baquero);
- 2.** *Niphargis iniochus* Birstein, 1941 from Kveda Shakurani Cave (Photo: D. Sidorov);
- 3.** *Dolichopoda euxina* Semenov, 1901 from Tsivtskala Cave (Photo: T. Arabuli);
- 4.** *Neobisium* sp. from Dolabistavi Cave (Photo: Sh. Barjadze)
- 5.** *Dina ratschaensis* Kobakhidze 1958 from Sakishore Cave (Photo: Sh. Barjadze);
- 6.** *Meganophthalmus medvedevi* Belousov et Koval, 2009 from Otapistavi Cave (Photo: www.carabidae.org);
- 7.** *Anamastigona mauriesi* from Tarkili Cave (Photo: S. Makarov);
- 8.** *Motsametia borutzkyi* (Shadin, 1932) from Tskaltsitela Cave (Photo: D. Palatov).